



Dilwyn Jones Computing

41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT Tel: Bangor (0248) 354023

DJC HOPES TO HAVE A STAND AT THESE QUANTA QL WORKSHOPS IN THE NEAR FUTURE: SEPTEMBER 22ND (PORTSMOUTH) SEPTEMBER 28TH (BIRMINGHAM) OCTOBER 12/13TH (NOTTINGHAM) NOVEMBER 17TH (BRISTOL) WE ALSO HAVE A STAND AT SOME "ALL FORMATS" SHOWS FROM TIME TO TIME - CHECK WITH US.

- THIS MONTH:
 Lower prices on 3.5 inch floppy disks
 6 new QL software packages
 Posso Disk Boxes back in stock

- * Disk Box Subject Dividers back in stock * Programs on mdv's priced separately * New catalogue ready send SAE for a copy It has more details about our products

NEW QL SOFTWARE

PROGS (Professional & Graphical Software) High quality 100% machine code QL software by PROGS, from Belgium. On floppy disk only. Ask for

more information. Superb painting program for the QL (512k) THE CLIPART

THE CLIPART £12.00
3 disks full of QL clipart. (128k)
DATA DESIGN version 2 £50.00
Fast, flexible database. Programmable from BASIC or assembly language (512k)

Fractals program, 100% machine code, displays Mandelbrot or Julia sets. (512k)

ROB ROY QL BARGAIN SOFTWARE PACK

On disk only £10.00
On disk £14.00
Reviewed in QL World August 1991, this package features a set of 4 Rob Roy Software programs

INKWELL DELUXE - 100's of print styles from Epson compatible 9 pin dot matrix printers. Font editor + 20

INKWELL DELUXE TYPER - Typewriter style

extension to Inkwell Deluxe
CUEWELL 1 + CUEWELL 2-front end utilities

ADDRESS LABEL PRINTER by J.H. Ree£15.00 On microdrive cartridge £15.00
A really simple to use, yet highly useful utility for storing names, addresses and phone numbers and

for printing address labels, etc, with several novel facilities - ask for details. (384k, RAMdisk required) 100 ADDRESS LABELS on printer roll for use with Address Label Printer with Address Label Printer add 50p postage per roll (max £2.50)

by Joe Haftke £12.00 On microdrive cartridge Fast, compact, easy to use dates reminder program, for birthdays, bills, etc. (128k)

QL. GENEALOGIST by Chris Boutal £19.50 128k version on cartridge Expanded version on 2 cartridges Our best selling family history and family trees program. (128k/384k versions)

SUPER DISK LABELLER On cartridges if required £12.00
Print labels for floppy disks, can show the filenames on disks in columns. (256k)
ROLL 100 DISK LABELS for above £2.50

add 50p postage per roll of labels

SUPER DISK INDEX Imre Dominik £12.00 £12.00 On microdrive cartridge

Catalogue and index your disks and/or cartridges in one master database. Catalogue/sort/list/search for files, helps you get really organised (256k)

DISCOVER by Dave Walker £20.00 QL/PC/ST disk file transfer (256k, disk only)

MULTI DISCOVER by Dave Walker £30.00
As discover, also transfers to BBC DFS/ADFS,
CPM (many formats) and UNIX CPIO formats (256k,
disk poly)

TEXTIDY by Dave Walker £15.00
Text file conversion utility, e.g. for use with Discover above. (256k, disk only)

QUICK POSTERS by Dilwyn Jones £10.00 on 2 microdrive cartridges £12.00 Star printers text poster maker (128k)

BASIC REPORTER bon microdrive cartridge by Dilwyn Jones £10.00 Super BASIC programming aid (128k)

SCREEN ECONOMISER by G. Estournet £10.00 on microdrive cartridge £12.00
Screen protection and blanking utility - turns off the QL display if no key is pressed for set number of

minutes.

by Ralf Reköndt £10.00 on microdrive cartridge £12.00
9 - 24 pin printer graphics dumps conversion utility

FILES 2 by Peter Jefferies £12.00 on microdrive cartridge £12.00 Comprehensive popup files utility. (128k)

SPELLBOUND by on microdrive cartridge by Peter Jefferies £30.00 dge £30.00 Check spelling as you type, 30,000 word dictionary, expandable by the user. (256k)

SPELLBOUND SPECIAL EDITION not available on microdrive cartridge
Larger dictionary, turns back on automatically at start of new words. (512k)

UPGRADE, SPELLBOUND TO SPELLBOUND

Return Spellbound master disk/cartridge

FLASHBACK by Peter Jefferies £25.00

no microdrive cartridge Excellent fast, versatile database (256k)

FLASHBACK SPECIAL EDITION £40.00

not available on microdrive cartridge Enhanced version of Flashback - new commands.

report generator, etc. (256k)

TASKMASTER by Peter Jefferies £25.00 on microdrive cartridge £25.00 Front end utility for the QL (384k) Hard disk users - ask about the version fo Taskmaster for hard disks

WINBACK by Norman Dunbar £25.00 Miracle hard disk backup utility. (256k, Toolkit 2, available on disk only)

THE GOPHER by Norman Dunbar £12.00 on microdrive cartridge £12.00 File finder utility. WIN or FLP (128k)

QUESTION MASTER by C.B. Storey £10.00 on 2 microdrive cartridges £12.00 Question/answers quiz and revision system. Quiz editor included (128k)
General Knowledge quiz £5.00 Classical music quiz £5.00

QLestions - quiz on the QL itself! £5 00

FILEMASTER by Joe Haftke £12.00 on microdrive cartridge
File care utility, directory display in columns, disk labelling. (512k, RAMdisk)

HOME BUDGET by Joe Haftke £20.00 on microdrive cartridge Personal income tax calculator (UK) plus domestic bills and accounts system (128k)

VISION MIXER 1 by Dilwyn Jones £10.00 on 2 microdrive cartridges Screen pictures video effects display, as reviewed in QL World Jan 1991 (384k) VISION MIXER PLUS

by Joe Haftke £22.50 available on disk only
More features than version 1, even easier to use. (256k)
Upgrade VISION MIXER 1 TO VISION MIXER PLUS-

(quote serial number)
PICTUREMASTER PICTUREMASTER
available on disk only (256k)
Screen making utility for Vision Mixers.
VISION MIXER PLUS + PICTUREMASTER - both
\$23.00
\$24.00 by Joe Haftke £15.00

together, save 20%
PICTUREMASTER + the upgrade £24.00

COCKTAILS WAITER by Imre Dominik £10.00 on 2 microdrive cartridges £12.00 Cocktail drinks recipes (over 400 supplied!) database.

MIX 2 - hundreds of extra recipes £5.00
MIX3-even more recipes, includes many non-alcoholic £5 00 MIX 2 or 3 on microdrive cartridge

DI-REN PRODUCTS
FLEET TACTICAL COMMAND II \$49,
on microdrive cartridge \$56.
DATA PRINT UTILITY for FTC II \$9,
FLEET TACTICAL COMMAND I \$29,
THE FUGITIVE text adventure \$9.
QL NETWORK PROVER hardware \$9.
MINI PROCESS CONTROLLER hardware \$9.95.
ferlay switches for the OL to control external equipments €49.95 £56.95 £9.95 £29.95 £3.50 6 relay switches for the QL to control external equipment

via the serial port.

MPC UTILITY software Control program for process controller. Includes tookit of BASIC extensions for writing your own controllersoftware. Leads and PSU's for the MPC also stocked.

Send SAE or international reply coupon for a copy of the DI-REN catalogue.

SUNDRY SUPPLIES

Brand new microdrive cartridges 20 or more Roll 100 cartridge labels 3.5" DSDD unbranded disks + labels £0 45 20 or more 3.5" Sony branded disks + labels 5.25" DSDD unbranded disks + labels £0.35

Printer ribbons - we can obtain most types. These are normally held in stock, price £4.00 each + 50p postage per ribbon (max. postage £2.50)
GLP/GLP 2 & M1009/M1109, Brother HR5, Star LC10, LC24-10, LC24-200, Citizen 120D, FX/MX/RX80 etc. Juki 6100, Canon PW1080/Kaga KP810, Shinwa CPA80, Amstrad PCW8256/512/Selkosha SP1000/Sinclair printer.

WE WOULD LIKE TO THANK OUR CUSTOMERS DURING OUR FIRST YEAR OF ADVERTISING IN QL WORLD, AND WE LOOK FORWARD TO BEING ABLE TO SERVE YOU AS LONG AS THE QL MARKET IS STILL VIABLE.

SOFTWARE DISCOUNTS

CLAIM 5% OFF CLAIM 10% OFF Buy 2 programs together Buy 3+ programs together CLAIM 10% OFF Offer applies to software only.
Vision Mixer and PictureMaster packages together described above count as ONE program for the purpose of this discount. This is not as stated last month - we made a mistake. Sorry!

SOFTWARE POSTAGE: UK - Software sent post-free in UK except Fleet Tactical Command, for which you should add £2.50. ABROAD - add £1.00 per program for postage and packing. For Fleet Tactical Command, you should add £3.50. SUPPLIES POSTAGE: UK - add £2.50 postage for disks, stands, boxes, DI-REN hardware and any other bulky items. Rates for labels and ribbons listed above. Blank microdrives sent post free in UK. ABROAD - add standard rate £3.50 postage, except for airmail outside Europe, where you should add 10% to order value, minimum air mail charge £3.50. PAYMENT - In British currency (Pounds Sterling) only, please, Examples of valid forms of payment are Sterling cheque drawn on UK bank or building society, Eurocheque, Draft, International Postal or Money order - your bank or Post Office may be able to advise you on how to pay u s in British currency. Make cheques etc. payable to DILWYN JONES COMPUTING. In cases of difficulty contact us first to arrange details. We hope to have credit card payment facilities before the end of the year, please check with us by phone before ordering if you wish to pay by this means to see when this service will be available. Goods remain the property of Dilwyn Jones Computing until paid for in full. Send an SAE or international reply coupon for further details of any program, or for a copy of our new catalogue.



Editor Helen Armstrong

Production Controller Jayne Penfold

Designer Jeff Gurney

Advertising Manager Jason Newman

Magazine Services Yvonne Taylor

Advertising Production Michelle Evans

Group Advertising Manager Lynda Elliott

Group Editor John Taylor

Publishing Director Wendy Palmer

Group Deputy Managing Director Ray Lewis

Group Managing Director Peter Welham

Sinclair QL World Panini House 116-120 Goswell Road London EC1V 7QD Telephone 071-490 7161 ISSN 026806X

Unfortunately, we are no longer able to answer enquiries made by telephone. If you have any comments or difficulties, please write the The Editor, Open Channel, Trouble Shooter, or Psion Solutions. We will do our best to deal with your problem in the magazine, though we cannot guarantee individual replies.

Back issues are available from the


Back issues are available from the publisher price £2 U.K., £2.75 Europe. Overseas rates on request. Published by Maxwell Consumer Magazines, A Division of MCPC Ltd., Sinclair QL World is distributed by IPC Market force, King's Reach Tower, Stamford Street, London SE1 9LS. Subscription information from: MCM Subscription Dept, Lazahold Ltd., PO Box 10, Roper St, Pallion Ind. Est., Sunderland SR4 4SN. Tel: 091 510 2290 UK: £21.00, Europe: £32.00, Rest of the World: £38.00.

Typesetting by Ford Graphics, 8-10 Whitsbury Road, Fordingbridge, Hampshire. SP6 1BR. Tel: (0425) 655657 Printed and bound by BPCC, Colchester. Covers printed by Spottiswoode Ballantyne, Colchester. Sinclair QL World is published on the third Thursday preceding cover date.

© COPYRIGHT SINCLAIR QL WORLD – 1991

CONTENTS

- OCTOBER 1991
- 4 TROUBLESHOOTER QL roms and Atari
- 13 QL SCENE Price shift at CGH
- 14 OPEN CHANNEL Review success
- 16 SOFTWARE FILE The Gopher
- 19 QL SCENE New Quanta Workshop
- 22 SOFTWARE FILE The Painter
- 24 A QL COUSIN The One-Per-Desk
- 25 THE NEW USER GUIDE Part 8 Data arrays
- 29 SOFTWARE FILE Disk Labeller
- 32 SYSTEMATIC MACHINE CODE PROGRAMMING Part 1
- 37 DIY TOOLKIT Task Commander
- 41 MICRODRIVE EXCHANGE
- 42 DBQL PART 4
- 48 CLUB ACCESS
- 50 INSTANT ACCESS
 - BACK COVER SUBSCRIPTION INFORMATION




NEXT MONTH

PROSPERO PASCAL

An alternative language for the portable programmer.

ONE MAN'S SYSTEMGetting into the swim with Archive.



he process of transferring files from floppy to hard disk caused caused me a temporary loss of text⁸⁷, which did not want to run from the hard disk. The RECON routine had been run. and the device changed to WIN1_, but the program wasn't getting past the start of displaying it as text area when loaded. The way out of the problem was provided by software87, with the suggestion to try deleting the file CONFIGURE_C87 from the hard disk. When this had been done, the program started normally and it was possible then to alter the Text and Storage Device settings to WIN1_ and save a new CONFIGURE C87 file.

While my reservations about the implementation of the directory structure on the Miracle hard disk still remain, there is no doubt that the space and speed brought with it by the hard disk make QL life much more pleasant. The freedom to be able to copy a seemingly endless string of large files onto the hard disk, without coming near running out of space, relieves a considerable pressure from the user who has been having to consider every move very carefully previously.

What's your rom?

Do you know what version your Qdos rom chips are? (Type PRINT VER\$, then enter, and the version will be printed on the screen.)

Many users possibly do not have the faintest idea of their version, and are not really interested. In some senses unfortunately, programmers are interested, and they tend to use the 'best' version - JS. This is only to be expected; if the JS solves some faults in the computer, it is reasonable to use it. What is sometimes forgotten though, is that many users do not have this version. The result may be that the program, which works fine for the programmer, causes trouble for the user. This has happened with three programs I have used recently, and two of them were effectively unusable on my JM. My feeling about this is rather the same as with cars - petrol should be designed to suit the car, not the car to suit the petrol, and it is distinctly upsetting to have a relatively expensive investment rendered almost useless by changes in its diet. Can't programmers test on more than one version of rom? QLs are not that expensive.

Version 2.08 of *Discopy* from Qfile is now out, with a change having been made to

Brian Davies reflects on screen shots and emulators.

the boot procedure to prevent the 'in use' message, noted on a JM QL when version 2.06 was reviewed.

Printing

Once you get a new printer, you find all sorts of things to try it out on. The higher quality output of ink jet and laser printers (compared to dot-matrix types) is clear to see when text is printed from a wordprocessing program, but the advantage is less obvious to see when printing graphics, from a DTP program for instance. Prints on a Hewlett-Packard DeskJet and Epson GQ-5000 laser from Professional Publisher seem better in appearance, but mainly because the paper gets less damaged by the print process (no impact from pins) and these printers use cut-sheet paper, which may be of better surface appearance than the continuous paper often used in DMP printers. So the quality of the image is essentially no better, being determined, to a large extent, by the printerdriver and printer-emulation mode used, which has to be 'Epson-compatible' (that is, FX80-compatible, a rather ancient and basic standard for both text and graphics). If my figures are correct, the resolution of the laser in its native mode is about four times better than that of the FX80.

The DeskJet (using an FX80 emulation cartridge) also produced some oddities in text. For example, lots of 's' characters looked more like 'z'. The laser won't (so far) print a full page on one sheet of paper; it spreads one ProPub page over three sheets. This problem is somewhat mystifying, and comments on it would be appreciated. The impression is given (by the printer) that it has run out of memory, part-way through a print. It says 'buffer full'. Bearing in mind that the page being printed is on a disk file of less than 100 KB, and the same printer happily handles files of around 500 KB from other sources, lack of memory per se can't be the problem. The printer has 2 MB of ram anyway. What does seem to be involved is the input buffer of the printer, which can be no larger than 51 KB.

In the picture

The quality of photographic printing from shops and mail-order companies is nothing to boast about, but it usually seems that the negatives and transparencies are good enough; it's the prints that are poor, possibly mainly because of the inadequacies of automatic focusing devices used in the print process. If you want to take shots of your QL screen, you don't really have to worry about your camera being a cheap one, since the advantages of a good camera tend to get thrown away by the printers. Read the part of the QL User Guide devoted to Easel for advice. Basically, a shutter speed of no less than about 1/4 second is advised for TV screens. This is to ensure that an even, steady picture is obtained. The TV screen picture takes about 1/25 of a second to 'draw', so the exposure needs to be greater than this. With a 100 ASA film, an aperture of f5.6 is recommended. To reduce screen distortion, it is preferable to use a lens of 100 mm or so focal length.

My own recent shots of a colour monitor screen were taken using cheap, mail-order 100 ASA film, a shutter speed of 1/5 or 1/2 second, an aperture of f5.6 and a 135 mm lens. On reflection, the shutter speed should have been higher, say, 1/15 second, but my camera offers only 1/25 in this range. That is rather too close to the screen 'painting' rate, but the shutter may have got a bit slow in its old age, and could in practice be about 1/20 and suitable for the job. The 1/3-second exposures were wasted. The telephoto lens does necessitate the camera being 2 metres away from the screen, but it reduces distortion. For one display, the camera tripod was backed against a cupboard door, and it was essential to have a viewfinder which allowed looking down on the image, since there was no room to get behind the camera and look through the usual viewfinder. Use a cable release for the shutter, to reduce the risk of shake. Make sure the room is dark, and that there are no reflections on the screen. Adjust the display controls to make the image sharp and free of glare, but make sure no important colours are lost by turning brightness of contrast controls too far.

Boots charge £4.59 to do one-day processing of 24-exposure 35 mm film – not cheap, but acceptable if you are in a hurry. The prints must be glossy for the printers who have to transfer the image to

SGOOTER M s o L v E

the printed page. Don't bank on prints coming out well. The last set of mine had several chopped at the edges, and out-offocus, despite the transparencies looking quite reasonable. The transparencies themselves are likely to be preferable, anyway, because they are much sharper and allow the printers more flexibility. While we do use black and white screen dumps (a graphics transfer of the screen image to a printer) to illustrate program reviews, and they are satisfactory in many cases, colour can be important with some programs and it does look more attractive on a magazine page.

Brief encounter: Atari QL emulator

QL World has been asking for owners of an Atari ST with the QL emulator fitted to step forward and let the rest of us know something about this combination. One (very satisfied) owner of the combination is Alf Kendall, and he was kind enough to bring the system round and demonstrate it to me. Here are a few notes based on watching the system demonstrated for most of one day.

The basic computer is an Atari Mega 2, with 2 MB (expandable to 4 MB) of ram memory and an 8 MHz 16-bit 68008 processor chip, and one 3½ in floppy drive.

The computer casing is about the same width as the Phillips CM 8833 colour monitor which sits on top of it. There is another similar-sized box underneath, in which resides a 30 MB hard disc drive. There is room for another hard disc, and—with some persuasion—a floppy drive, but these are not presently fitted to Alf's system. He has another 3½ in drive attached externally. While the units mentioned so far make up quite a useful system, there are a trio of extra hardware items which make it really interesting.

An accelerator board boosts the CPU speed to 16 MHz. Two other internally-mounted boards give the capability to emulate MS-DOS – that is, a PC – and Qdos – a QL. So, you effectively have three computers in one. You can also buy a Macintosh emulator, to make that four computers. It may sound a bit of a cobbled-up thing, but it really does work, and work well. The hard disk (on Alf's system) is partitioned into three sections: Atari dos, MS-DOS and Qdos. The MS-DOS

emulator says it has a '16-bit 8 MHz 80286' CPU, and it certainly behaves as though that's true. It appears to run PC programs at a similar speed to my 10 MHz 286 machine, and the disk-access speed is nearly as high as on my machine (which has a 0.5 MB disk cache to assist it). Using the Norton Utilities System Information benchmark routine, the overall speed was about eight times that of the reference PC/ XT. The two floppy drives and one partition of the hard drive are usable with MS-DOS. Various standard programs WordPerfect 5.0, Flight Simulator 3.0, Lotus Manuscript, Psion Abacus and Quill) ran without a problem. The screen display was of only CGA standard, but it does look likely that there is a way of obtaining EGA; this is something to be checked later.

The Qdos emulator has been around for three to four years and is well debugged. The only program Alf quoted as not running properly is the configuration routine for Turbo-Plus-Quill. We ran Taskmaster, Flashback, Perfection, text87, Archive, Professional Publisher and various other standard QL programs. The absence of trouble was impressive. Equally impressive was the speed, generally quoted as about three times that of basic QL, for the basic 8 MHz Atari. Even Quill ceases to be a real drag on this combination computer. Not surprisingly, Perfection zooms along. Going up and down on a ProPub page with the cursor checked out as being six times as fast as on my JM QL, and the screen movement was much smoother. The speed- up factor is very likely overall more like six than three because the 16 Mhz accelerator board improves performance as well as Atari (but apparently doesn't do anything for the MS-DOS emulator). Alf uses a small routine which allows him to select different subdirectories, before switching (with Taskmaster) from one program to another. This deals with the problem experienced with the Miracle hard drive on the QL, where you can find the program you have switched to working from the wrong data sub-directory (this routine can be used on the normal QL, too). One hard disk partition and both floppy drives are accessible to Qdos.

Readers' letters

Vladimir Sams reports from Belgrade that

he has now got his 'home' QL running, after what appeared to be display-induced failure. The MC1377P chip (IC28) was replaced by a local repairer. He mentioned that the Washington DC QL group in the USA has details of a buffered display cable, to prevent displays killing chips through the unbuffered QL interface. Sams now has another problem – how to get two battery-backed clocks (bought in the USA) working. Does anyone know of 'standard' problems with such clocks?

P Land has got his printer spacing correctly (it previously double-spaced with Quill and Abacus but not with SuperBasic programs). His problem was quite common, but no easier to solve, at first, just because it was a simple one. It was a question of what code(s) the printer was set to expect, to move one line space. Typical dot-matrix printers have an internal switch setting which allows them to Line Feed, or not to Line Feed, when a Carriage Return command is received from a computer. If the printer is set to add a Line Feed to every Carriage Return automatically, and the computer program is set to do the same, the result is doublespacing instead of single. You can set the Quill printer-driver to give an EOL (end of line) command to the printer of CR + LF, or just CR. To match just a CR, the printer itself has to respond to the pressing of the ENTER key with a Carriage Return (the print head returns to its leftmost position) and a single Line Feed. Land set the Quill printer-driver to give only CR when the ENTER key is pressed; this is an easier solution than getting into the bowels of the printer to reset a DIP switch, but fixing the problem this way might result in trouble printing from other programs in future, and there is no guarantee that the other programmers will have provided the facility to set the EOL code(s).

Since writing comments about using fax paper rolls for the Serial 8056 printer in a previous issue, a fax machine has been added to my own collection, making me more familiar with the subject. The Amstrad FX 9600AT can accommodate both 210-and 216 mm-wide rolls, with the aid of two spacing pieces supplied as standard with it. The thermal paper rolls are 30 m in length and cost £3.60 + VAT (210 mm) from my local computer shop. The more usual retail price appears to be about £5–6 per roll. A 30 m roll is 5.5 cm in diameter.

TROUBLESHOOTER

Perhaps equally important is the internal diameter of the core of the roll, which is 2.5 cm in the case of the Amstrad fax machine. Letters received so far seem to imply that only roll width matters, but a supplier of fax paper (see Information box below) has been kind enough to write in response to the note about **R Thompson**, and the letter suggests that 1/2 in is the required core diameter for the 8056. If you are having trouble getting paper for your 8056, and decide to contact this supplier, it might save time to inform them of the internal core diameter of the 'proper' rolls, and supply a sample piece of paper.

As an aside to this matter, the Amstrad machine has a din connector on the back 'for passing scanned images to the computer'. This was news to me, and I suspect that there are no suitable interfaces available for processing the fax-machine output so that it could be accepted by a graphics program. Does anyone have experience of feeding images scanned by a fax machine into a computer?

Mike Jackman had not (as of late April) managed to find a solution to his problem with TechniKit/TechniQL, from Talent Computer Systems. He successfully uses the Plot module of the program on his QL to produce output from a Penman plotter, but cannot get QL screens dumped from the Screen Dump module. The program 'does not run at all' on his Thor. Can anyone shed any light on this subject?

The only well-known QL supplier left that supplies a wide range of software written by people who have since left the QL

scene is TK Computerware. It is good to have a supplier willing to deal in obsolete items, but it is almost inevitable that the supplier will come in for criticism from customers who feel they are not getting the usual speedy service, when they ask for help with old programs. When a program is actually produced by a supplier, the customer has good reason to hop up and down if complaints are not dealt with quickly, but there is nothing much a supplier can do when it cannot get a good response to enquiries about old programs, from other suppliers or programmers who may no longer be interested in QL matters.

Some users seem to develop a lovehate relationship with all or part of their Computer system, and PHTanner seems to fall into this category where Minerva is concerned. He emphasises that he thinks that the product is '24 carat', but is far less complimentary about the support for it. In his running battle to get his two QLs talking to each other and doing (Forthlanguage) work he wants to get on with, he has at least achieved one success, in contradiction of 'what the experts have told him'. It has long been my understanding that a decent network between two QLs is not possible unless both of them are fitted with Toolkit II, on rom. Tanner says he now has a good network, without TKII on rom being in both computers. He doesn't say whether he is using TKII at all, however, and it may be worth pointing out for the benefit of other would-be networkers that the basic QL network

commands do work, after a fashion, without any assistance from any toolkit. The troubles are that: the network set up in this way is not reliable; the available commands are very limited; and the QL-network hardware varies in its reliability from computer to computer. Another step in the right direction for him is that he has found a way of getting *QFlash* to work with Minerva.

Italy has a fair number of QL enthusiasts, one of whom is Francesco Querini, who has written with some comments on possible future hardware developments. He has designed various units for SPEM, an Italian company which has been producing hardware for the QL for several years now. One idea he mentioned is an advanced graphics driver board. Undoubtedly, many users would like to have a sharper screen picture, and that is now possible on the Atari ST with QL emulator, but not on the QL itself. With the greater speed and memory now available from the Gold Card, it would be nice to do more justice to programs such as Professional Publisher, but would the types of display most of us have (eg Philips CM8833, Microvitec Cub 653) be able to give a sharper picture?

INFORMATION

Fax paper for Serial 8056: ACD Morgan, Sensitised Coatings Ltd, Bergen Way, North Lynn Industrial Estate, King's Lynn, Norfolk PE30 2JL. Tel: (0553) 760377.

CARE ELECTRONICS

QL SUPERTOOL KIT II by Tony Tebby

Over 118 Commands:- Full Screen Editor, Key Define Print Using, Last Line Recall, Altkey, Job Control, File Handling, Default Directories, Extended Network, 16k Forom Cartridee Version@£23.50d

Configurable Version on Microdrive@£23.50d

MIRACLE SYSTEMS PRODUCTS

OK Disc Interface (Inc Tool Kit II)	@£99.64b
QL Centronics Printer Interface	@£29.61c
QL Expanderam 512K Thrucard	@£99.64b

QL HARDWARE

Single 3.5" Disc Drive & (Own PSU)	@£105.75a
Dual 3.5" Disc Drive & (Own PSU)	@£176.25a
3.5" DS/DD Discs - 10 off	@£9.40
QL Keyboard Membrane	@£11.750
Care Eprom Cartridges each	@£6.110
ULA CHip ZX8301	@£15.98

SOFTWARE 87 (State MDV or Disc)

TEXT87 (Budget Version)	@£45.980
FOUNTED 89	@£15.00d
FOUNTEXT 88	@£25.00d
TEXT 87/FOUNTED 89/FOUNTEXT 88	@94.94b
248B PRINTER DRIVER	@£15.00d
Upgrade to Text 87 V.3.00. Return old copy	together wit
	@£25.00d

MONITORS (Price including lead)

Philips BM7502 Green Hi-Res£99.64a

QPAC II by Tony Tebby

MAKES YOUR QL TRULY MULTI - TASKING QPAC II Main menu windows adjust automatically to size. Files, directory, view, print, delete, backup, jobs, pick, Rjob, sort, channels, things exec, wake, buttons, Hotkey, Hotjobs. Fully multitasking, allows many programs to run at once. Requires min of 256k expanded memory

@£49.35b Upgrade QRAM to QPAC II return master @29.61b

PLEASE SEND SAE FOR A COPY OF THE QPAC II REVIEW

TONY TEBBY SOFTWARE (QJUMP)

QLFP (Micro/P disk interface upgrade)	@£15.51d
QTYP Type/Spell Checker	@£30.55d
QPAC 1-Desk top accessories, calande	er, alarm, calcula-
tor, typewriter, digital clock sysmon	@£22.56d

ZITASOFT SOFTWARE by Steve Jones

LOCKSMITHE copies M/DRIVE - M/DRIVE @£14.10c 4MATTER + LOCKSMITHE copies M/DRIVE - DISC ...

QPOWER REGULATOR

Switch mode power supply, QL runs cool, stops, lock ups (due to voltage drop). Helps filter noise out. Simple to fit (no soldering) £25.85c

COLOURED PRINTER RIBBONS

Gold, Silver, Magenta, Orange, Purple, Bro	wn, Green
Blue and Red.	
Citizen 120D/Swift	£7.99c
Cannon 1080A/1156A	£9.87c
Epson FX80/LQ400/LQ800	£5.17c
Epson FX100/LQ1000	
Panasonic KXP 1080	£8.46c
Star I C10	£7 52c

READY MADE LEADS

RGB QL TO PHONO	£6.11c
RGB 8-6 PIN	£7.52c
RGB 8-7 PIN HITACHI	£7.52c
RGB 8-7 PIN FERGUSON	£7.52c
RGB 8 PIN TO SCART	£11.75c
6WAY PCC TO 25WAY 'D'	£9.87c

24 Hour Order Line 0923 894064 OPEN 9am-5pm Mon-Thu 9am-4pm Fri

CARE ELECTRONICS

DEPT QL, 15 HOLLAND GDNS GARSTON, WATFORD, HERTS, WD2 6JN. Tel: 0923-894064 Fax: 0923-672102

Please add carriage a=£11.75 b=£3.76 c=No charge d=£2.35

HOW TO ORDER:

By Post. Enclose your Cheque/PO made payable to CARE Electronics or use ACCESS/VISA. Allow 7 days for delivery



■ DIGITAL PRECISION LTD

PERFECTION PLUS Not just a word-processor this one is THE word processor is indiffusion. SPECIAL BENTTON and PC CONCIENCE, Digital Precision presents a product that yell recolutions the way so use your presents a product that yell recolutions the way so use your several hundred thousand QL users have grown fasiliar with the GLOW of the present of the

GREATER SPEED make it an ideal upgrade. There are hundreds of detailed changes - to give but one: paragraphs do not need to have a blank line between them in order to distinguish them any more. There remains an area, however, where Editor Special Edition remains supreme - the editing of "non-printable" data, the ability to handle the entire ASCII character set from codes to to 255. So if you are a technical or semi-technical user and do not have either Editor Special Edition or PERFECTION, your best buy is the two programs together (they can interact, coexist, work simultaneously and have fully-compatible file formats). You will then get Editor Special Edition at HALF PRICE (Special Offer - limited duration).

The characteristics of a good database are its ability to Store, Retrieve and Manipulate information rapidly. By this criterion, this word processor makes an ideal database system too, as it is blindingly fast and flexible. Forward and backward 'Search' takes at most a couple of seconds, even when you have a document that fills an 896K Trumpcard system to the brim! Cursor navigation is also unbelievably fast and smooth, with an accelerating rate of scrolling if you indicate impatience. And there are macros, programmability and more for the more advanced user. If you have been unhappy with the speed or complexity or non-programmability of your existing database, PERFECTION will solve your problems. PERFECTION can even access your existing Archive export files. And if you want full desktop publishing capabilities (the use of fonts that your printer does not possess, and graphics interlinking PERFECTION with Professional Publisher is a doddle. Use PERFECTION concerns the professional Publisher is a doddle. Use PERFECTION with Professional Publisher is a doddle. Use PERFECTION is for you w

read through!). PREMPECTION PLUS COMPTISES FRANCELION PLUS Enterededicated Spelling checker with dictionaries and costs just fill9.95.

TECHNICAL INFORMATION ON PERFECTION
You don't actually need to read or understand this.

PREMPECTION gets its superb speed from two sources. Firstly, PREMPECTION unlike virtually any other word processor — is written entirely in 100% hand-written machine code. This gives us a considerable speed advantage over compiled alternatives. Had we written PERFECTION in a high level language it would have been 4 times slower, 6 times bulkier and taken us a great deal less time to produce. You reap all the benefits of our hard work. The other source is design. There are two formats for internal data storage for character handling programs. Many store data serially, in a long stream of characters. Ones like Editor store data as lines scattered through RAM, with a table of pointers to the lines — a far more advanced method. The first format has the advantage that it is cheap to program — the user pays the cost in terms of performance, with sluggish block-defining/moving, navigation and insertion. The second format has advantages including instant random access to any line and quick insertions and deletions — the disadvantages may include heap fragmentation that will result from repeated grabbing of small clunks of space (garbage collection may be required periodically if space is short). Both formats share the disadvantage that "global" changes made to a part of the document — say a switch to bold at the top—will take a long time to filter down through the system to become visible on-screen at lines at the bottom.

PERFECTION uses a variant of the second format that does not have its disadvantages. Data is stored in RAM in optimally-sized chunks — a chunk being roughly the size of several screens. Each chunk has a control information area within it about the number of lines etc within it, the display status at the start of it (say bold on, italics/underline etc off). Whenever you are editin

speed and power advantages to our system. There is one big disadvantage — it is an absolute nightmare to design and implement! Fortunately for you, you don't have to know anything about it — it just works like clockwork, automatically and behind the scenes.

Other elements of PERFECTION design to enhance performance include lazy screen (when you keep a key pressed in order to get somewhere, we stop updating the whole screen and instead just scroll the line your cursor is on) and lazy attributes (where in a huse document of hundreds of pages you do a long jump — say from near the top to near the bottom, in one go, and we have not yet resolved the attribute status (say underline on) of the area you want to get to, we don't hold up the display for even one hundredth of a second while we are computing attributes, but display the new area immediately without any pause — the attributes will 'catch up' a second later: you will only see this if your document is very very big and you navigate in huge leaps). Also, there is a garbage job running all the time in the background, doing whatever internal tidying up and optimising is needed when you are not doing anything (with PERFECTION's speed, even if you are typing at 200 wpm the program is sitting twiddling its thumbs for 90% of the time as it awaits input!). Consequently, PERFECTION's internal tables are always in a cursor acceleration are user-configurable, incidentally. Consequently, PERFECTION is internal tables are always in hich PERFECTION performance is obtained. For example, PERFECTION has built-in knowledge of statistical distribution of occurrence frequencies for the various alphabetic characters in English and other burpoen anguages. It uses this data as follows: if you ask then the program is served whether it is embedded within an occurrence of praxis (if not, we search for another "x"). Obvious? We thought so. But no one else appears to be using this excellent trick. Or dozens of other tricks that we depressed with an acceleration where in your document, w

LIGHTNING SPECIAL EDITION LIGHTATAG

Until the autumn of 1989 the fastest way of speeding up your QL display was to buy Lightning, which greatly accelerated QL text printing graphics and maths, without affecting compatibility at all. Now you can buy Lightning Special Edition, which is significantly faster than Lightning and does a lot more! Lightning Special Edition is simplicity itself to use. Once it is loaded ALL programs will AUTOMATICALLY benefit from the enhancements it provides. If you are using a QL without Lightning you are probably a little pale (quote from John Norton of Sector Software), you should get out and about more. Go to some QL shows or meetings where you will see Lightning in action — or take our word for it. If you don't have Lightning you are WRONG. Lightning Special Edition works by automatically (I know we keep using the word, but it is the only one that is really correct here) and instantly replacing QL ROM code (or Minerva code, for that matter — Minerva and Lightning complement each other superbly) that has usually been optimised for space, with extremely high speed routines written by us that do the same job but much faster. Screen output speed gets accelerated by factors from over 1.5x to over 10x (about 2x-4x is representative), graphics are drawn twice as fast (points are plotted 5 times faster) and internal maths is speeded up by 2x-5x (you can even vary the precision). There is virtually no cost in RAM (for example, you can still run Quill with a fairly large document on an unexpanded QL with Lightning Special Edition). The Special Edition is supplied on EPROM plus disk/cartridge; if you already have something precious plugged into the QL's EPROM socket (at the rear), there is no problem — all the EPROM's functionality is duplicated on the other medium! Lightning Special Edition insupplied on EPROM plus disk/cartridge; if you can even you with complications no matter how computer-naive you are.

Lightning Special Edition insupplied on EPROM plus disk/cartridge; if you can can dynamically adjust channel parameters—

PC CONQUEROR WITH DR-DOS V5.0 PC COMQUEROR

PC COMOURIOR WITH DR-DOS '99.0

PC COMOURIOR

Terrific though we know the QL to be, we do feel the pressure to be "PC compatible" in today's world. There is increasing demand to be able to bring home and run the programs we use at work for the other way around!), and to have access to the wast storehouse of PC software: word processors, databases, spreadsheets, expert systems, accounts and financial modelling packages, vertical market applications, or visualisation aids, graphics/CAD/PCB with the programs of the programs of the programs of the programs of the programs to, most for the cost of a blank disk plus postage. If you buy PC Conqueror, you will be able to run these programs! To boot up PC Conqueror takes 10 seconds from the F1/F2 prompt: thereafter your Qu'is a HGHLY compatible PC clone (indeed, more predecessor: Conqueror has ALL the features of Solution (read the features of the programs) of the programs of the program of the programs of the programs of the program of the programs of the program of the progr

PROFESSIONAL PUBLISHER

To show you a little of what our Professional Publisher can do, we have prepared our last advertisement using it. Notice from our May 1990 advertisement how we can wrap the result around graphics or in fact anything, of any shape. When we wrote Professional Publisher (PP), we knew it was a very special sort of program. PP can produce pages of quality — virtually indistinguishable from those prepared on professional typesetting kit, the only limiting factor might be your printer: however, while the very best output output from PP will be obtained from 24 pin models and lasers, you will be stunned by what PP can squeeze out of the humblest 9-pin machine. Great care was taken in the design of PP so we were absolutely sure that no actual knowledge of, or practice with, desktop publishers was required in order to use it (the 'Professional' in 'Professional' in 'Professional' professional' in 'Professional' in 'Professiona

There is context sensitive, on-screen help too. When you get were experienced with the program, you may select Command mode (using the Enter key) and choose operations directly, bypassing the menu system. PP is more user-friendly than any page-making program we have ever seen on any computer, period.

Let us tait you through how you might choose to produce a page or produce a page of the program we have ever seen on any computer, period.

Let us tait you through how you might choose to produce a page or produce a page or produce a page or produce a page or produce and the produce of t

<u>PROPESSIONAL PUBLISHER TOOLBOX</u>

For Professional Publisher users — this useful addition not only supplies several man years worth of beautiful high definition fonts — including familiar types like Roman and Universal — but also contains many smaller fonts, more clipart and programs to load Sector Software clipart, filter text before importing into Professional Publisher, save parts of Professional Publisher pages as screens (for importing into any graphic program — like Eye-Q — or manipulating via SuperBASIC) etc. Excellent value.

FORT ENLARGER

For Professional Publisher users - loads of large fonts are automatically created by this multitasking utility, as and when you need them (or in advance), by enlarging existing smaller smaller fonts from PP itself and from Lightning Special Edition and hordes of other sources: with this there is NO jaggedness at all. A font editor for small and large (hdf) fonts is included.

GRAFIX

Scaleable output for all our desktop publishers on 9- and 24- pin printers: a useful alternative to the built-in drivers.

BYB-O

There is no way to describe Eye-Q except as the best graphics program for the QL. This master is now four years old, and we have never felt the need to change anything. Its use is characterised by absolute simplicity, speed and power — it has that indefinable precision "feel" that is just right. All the expected manipulations are provided. Whether your needs are technical drawing, labelling, design, illustration, freehand work, copying — or just having fun, Eye-Q will not disappoint. Of course it is menu driven with context-sensitive help. The system takes 5 minutes to learn. The variable zoom and fill facilities, anti-fingerslip measures, cursor acceleration and so on make Eye-Q a classic in its own time.

MULIKAPRUNT

To get the best printer output from Eye-Q or any other graphics program from any other source, Ultraprint delivers. An amazing 22 styles to choose from: enhance contrast (for line output) or gradation (for pictures) and vary magnification... A printer without Ultraprint is no printer at all.

MEDIA MANAGER SPECIAL EDITION MEDIA MANAGER

NMSE is a joy to use. Whether something has gone wrong with a disk or tape ("Not found", "Not a valid Quill file", "Bad or changed medium", "Read/write failed" etc) or whether you want better control over your programs and data, MMSE should be to hand. Virtually any calamity can be recovered from automatically: all permutations (accidental deletion or part-overwriting).

directory but OK map, bad map and directory. OK map and directory but bad file sectors, unknown fault, power glitch corruption and so on) have been carefully thought through and catered for. If nothing is wrong, but you just want to explore and understand more about your system, you can potter to your heart's content, assisted by the clear and packed—with-facts manual. Dozens of different diagnostic printouts can be produced. The whole system is menu—driven, with context-sensitive, on-screen help for every option. The speedy Sector Editor is a positive delight; the collector file facilities, bulk recovery, auto-navigation, skipping through the medium in physical, file (if map), logical (if no map) or uncollected/logical (if destroyed map, and because of 'chequered' history with lots of overwriting/deletions no one-step recovery available) sequences must all be experienced to be believed. MMSE is extremely simple to operate, and assumes no advance knowledge whatsoever.
Alternatively, if you wish to tidy up your disks or cartridges, allows you to change volume format names, sort directories into alphabetic, date or size order, analyse file contents and histories, change case of filenames, move data/programs to/from alien-format disks, introduce or break copy-protection systems (illegal use prohibited!), MMSE can and will deliver the goods. It is absolutely superb.
The standard Media Manager is much less powerful, and less easy to use. It is only for those on a tight budget.

TOOLKIT III WITH ROW

Virtually everyone with a disk system has Tony Tebby's fine TK2 Supertoolkit on board (usually built into the disk interface). Toolkit III — which works whether or not you have TK2 — takes off where TK2 ended, adding about 70 new commands and enhancing many existing QL and TK2 commands. TK3 is for everyone with a QL. you can get this system on cartridge/disk, with or without a plug in ROM cartridge in addition. The documentation is complete and very comprehensive. Some of the added commands are:

ADIM ** ADIMN ** AND L ** ATYP ** BASREF ** BV BASE ** CHANNELS **
CHBASE ** CINT ** CLOSE** DEVLINK ** DIR USE ** DITS ** DIV L **
EOR L ** EXTRAS ** FACC ** FLP_SEC ** FLP_START ** FLP_TRACK ** FLP_USE ** FRAC ** ISFLT ** ISINT ** KEYS ** LARRAY ** LOWERS ** MEMOOPY **
MEMSWAP ** MJOB ** MJOB W ** MOD L ** NTS USE ** UDD ** OMM INIT **
ONPIPE OR L ** PEEK F ** PEEK ** PEEM ** DEM OP OM OM INIT **
PRED ** QDOSS ** QIN ** QOUT ** QTEST ** QWAIT ** RAM USE ** REPLACE **
SETDIR A ** SETHOST ** SETNET ** SETRO ** SETRW ** SETSYS ** SETUSER **
SETDIR A ** SETHOST ** SETNET ** SETRO ** SETRW ** SETSYS ** SETUSER **
WSETHOST ** WSETNET ** WSETRO ** WSETRYS ** WSETUSER **
WSETHOST ** WSETNET ** WSETRO ** WSETRYS ** WSETUSER **
WSETHOST ** WSETNET ** WSETRO ** WSETRYS ** WSETUSER **
Whether or not you can program, Toolkit III is of great use!

OFLICK CARD INDEX SYSTEM

Few users actually require all the facilities of a complicated database like Archive. QFlick presents a very convenient alternative — a very fast, simple to use card-file database, with easy to learn, snappy search and navigate commands and clean file-handling. You can move Archive data to/from QFlick. You can run multiple copies of QFlick. And QFlick's data is organised so it is easy to program from SuperBASIC, even for tyros!

PERFECT POINTER TOOLS

This excellent program gives you an on-screen pointer (arrow) environment of incredible smoothness, and 6 utilities with it. To explore the world of QPtr, Things, Hotkeys, Window Manager...

Oxica Multitasking system

A pull-down menu controlled multi-tasking front-end, ideal for running in the background and giving you notepads, file-handlers, quick backup, clock, diary, mini-database, calculator etc etc.

DISKTOOL MITH QUICKDISK

An exciting way to accelerate disk access by upto 30%, add password protection to disks and to optionally increase disk storage capacity by 36K to 1512 sectors! All this works while maintaining full compatibility and normal disk control...

Digital c special edition

Superb C compilers these - fast in execution, they produce extremely speedy and concise code. No-nonsense documentation is included. The Special Edition has many more features, including pointers, long pointers, structures, >64K code sizes, direct access to traps and vectored utilities, and is twice as fast because of its more efficient C/QDOS libraries.

TURBO BASIC COMPILER - TOOLKIT

This state of the art system will automatically convert ordinary SuperBASIC programs - the sort you buy, write yourself or type-in from magazines - into machine code, the language of the 68008 CPU, the brain of the QL. Such pure machine code programs run "directly", without the need to be interpreted by any intermediary system. This direct execution makes them MUCH faster in execution than BASIC. Turbo also adds a host of useful high-speed commands (called "toolkit extensions" if you are fond of jargon). Here are some timings, all carried out on a JS Trumpcard QL, to give you a taste of just how much Turbo can improve things:

Truspeard OL, to give you a taste of just how much Turbo can improve things:

Iterations SuperBASIC Turbo'd Speedup Empty ROR. END FOR Loop 30000 49 sec 1.3 sec 38x String concatenation 30000 448 sec 0.4 sec 110x Search through memory 300000 151 sec 2.4 sec 63x String concatenation 30000 448 sec 0.4 sec 110x Search through memory 300000 1410 sec 0.5 sec 900x Turbo's automatic conversion process, called compilation, is as simple as this: (1) Boot up with the Turbo disk (2) Load in or type in your BASIC program (3) Enter the word CHARGE, and watch the friendly front-end menu pop into view (4) Choose a filename for the machine code task that is to be generated and (5) Press the SFACE bar. Turbo does the rest! Compilation is a one-off process, and is very fast too — it takes little more time than LOAD ing the original program did! Once compilation is finished, you have a machine code version of the original program. Start this with EXEC, just as you used to invoke the original program with LRUN: besides the tremendous difference in running speed, you will notice that the program loading time is cut down to a few seconds at most (big SuperBASIC programs can take half an hour or more to load). The EXEC mechanism also allows you to multitask programs, something impossible with SuperBASIC, as well as manipulate their time-priorities, link them together, exchange data and even share parts of their code while executing.

Turbo's numerous fine-tuning facilities, 200-command toolkit (a terrific complement to the famous Supertoolkit) and 300+ page manual will be irresistable. If you are a beginner, you will wonder how you ever did without Turbo's program diagnose and auto-correction.

SOLUTION WITH DR-DOS V5.0

This program transforms your QL into a pretty compatible — albeit not fast — PC clone. Solution will run over 95% of the "big name" PC software you have read about, missing out only on programs that make illegal use of the PC's operating system. Solution works solely from software so you don't have to worry about ripping your QL to pieces to fit anything, or have anything hanging out of the back. Just boot up the Solution disk and you will be using a PC, which will then ask for a copy of DOS (any) (just as it would if you were using a "real" PC). End of story—you are now using a PC. There are very few restrictions; both mono and colour GGA graphics are supported. 479K is available for PC software on a 640K machine and 667K when using Trumpcard—more than you will get on a PC or XT! Speed can be increased by using Lightning Special Edition but in final analysis just can't compare with Conqueror's speed). Because your newly aquired PC is really a QL you can multitask two or three PC programs (try doing that on a "real" PC!). You can also run QL programs alongside PC programs (DON'T try that on a "real" PC!). Converting files (data in either direction) between QL and DOS is no problem and you can re-configure the QL keyboard if you wish.

PROFESSIONAL ASTROLOGER PROFESSIONAL ASTRONOMER

Our use of the term "Professional" in the name of an application program does mean that the quality achieved will meet or surpass the highest professional standards for that application. The term does NOT mean that you have to have the knowledge of a professional in order to get the best out of the programs. Astrologer teaches you astrology from scratch, and enables you to produce reams (if you are short of paper, you can choose exactly now much) of narrative printout giving a person's horoscope, personality delineation, year-to-year life overview, detailed day-to-day (in fact minute-to-minute!) predictions, as well as two-person compatibility interpretations. Also provides all the technical readouts, charts and zodiacal wheels you would expect. It is extraordinarily fast (there is a great deal of very clever maths within it) and it performs the whole computation in under a second. The author of the manual is the author of this advert, so you can expect a lucid and humorous read! Whether or not you believe in astrology - indeed, especially if you do not - this program is one that you cannot afford not to have. Scores of detailed readouts for famous people are supplied, incidentally -very interesting reading they make too... Discover Mrs Thatcher's secret yearnings, explore yourself, play the Stock Exchange... Astromomer is an extremely efficient solar system computer, with planetarium views, planet faces (with shadows/eclipses), five different co-ordinate systems, lsec=lday cinerama, etc.

ACT SPECIAL EDITION

The Adventure Creation Tool is for every programmer or putative programmer. Whether or not you have any interest in adventures, you will find something useful here. Animated graphics, data compression, language design and parsing, maps, object-oriented control and much more, with an excellent educational manual too.

3-D PRECISION CAD SYSTEM

2-D and 3-D design and manipulation, at a speed sufficient to permit real-time animation! Whether or not your interest is serious, 3DP will change the way you look at the world around us. The variation of viewpoint, perspective and magnification is very smoothin addition to dot-matrix output, plotters are catered for.

Success

Run CP/M programs on your QL! What more is there to say, other than that after the PC family, no more common system exists than CP/M, with thousand of cheap programs... And Success is fast!

THE EDITOR SPECIAL EDITION THE EDITOR

If your needs are for a technical Editor, or for full access to the entire ASCII character set (to handle machine code or compressed data files), or if your budget cannot stretch to PERFECTION, then this is the program for you. Editor is command-line driven and programmable. The Special Editor version is certainly better than the standard version: that is because the standard one contains only as many features as we could get to fit into an unexpanded QL. Both are fast and flexible, and very powerful indeed in the hands of the intelligent. Not a word processor, Editor's a way of life.

SPECIAL DESITOP PUBLISHER DESITOP PUBLISHER

Both these WYSIWYG ("What You See Is What You Get" dtp systems are excellent in their own rights — it is only when you compare them with the stunning Professional Publisher that you become aware of their shortcomings. You won't get fonts as large or smooth as with PP, or wrap-around graphics, or as sophisticated a printer driver or text/graphics file import facility. You will get a very workmanlike tool, capable of producing output that the computer press described as fantastic and superb... The standard edition is the ideal if you do not have a disk drive: if you do have one, go for the Special version, which correspondingly has more features including textures, large windows, better drawing and improved command entry. All upgrades are possible, and there is only a filo penalty for doing it in two stages. So if you simply cannot afford PP, one of this pair is certainly for you.

SUPERFORTH COMPILER WITH REYERST

Why not learn FORTH, the most logical computer language of all? This superb FORTH-83 compiler produces stand-alone multi-tasking code of speed comparable to C. SUPERFORTH source is even portable to other machines! The manual teaches you the language.

TOIS SPECIAL EDITION

Machine code (from other people's programs, toolkits and the ROM) is unintelligible until you put it through IDIS, the intelligent disassembler. IDIS Special Edition automates everything it possibly can, and requires no human intervention. It even sorts out subroutines, replaces addresses with names, untamples data

MICROPRIDGE

Never be short of a four for Bridge again. Superb bidding tutor included, based on random hands dealt with lightning speed. Manual a masterpiece. Understands and obeys ACOL and much more.

<u>supercharge spectal edition</u>

If you have an unexpanded QL, or cannot afford Turbo, but want SuperBASIC programs to go faster, Supercharge is the answer. It has about half the speed of its big brother, is not as tolerant of badly-written programs, and lacks many of Turbo's features (like linking, program sizes >64K etc): nonetheless, it is the compiler about which we recieved over ONE HUNDRED happy letters from satisified users all using the word "Excellent" to describe it - and hundreds more who used other equally complimentary terms. The only gripe was about the Lenslok copy-protection, long since removed by us. So now Supercharge is wonderful....

<u>Super spicite generator</u>

SSG moves things about the screen rapidly, at machine code speed, directly from simple SuperBASIC. Any number of sprites (each with upto 16 frames for smooth realistic motion), 256 speeds, 256 planes, collision detection and dozens of special effects.

SUPER ASTROLOGER

A cut-down version of the Professional Astrologer - smaller horoscopes and manual, no interpretations for forecasting or compatibility testing. A marvellous buy at the price!

HATTER BASIC EXPERT SYSTEM

SuperBASIC is a super BASIC. If you want to improve your programs automatically, and learn as you do this, get Better Basic.

TRANSFER UTILITY

Copies files between devices, performing translates as it goes. Needs a ramdisk to run. Can move your microdrive material onto disk, so programs run from disk but you still have access to microdrives.

MONTETOR

Check dynamic operation of programs - IDIS's ideal companion.

TERMS AND CONDITIONS)

** Our non-game programs are very comprehensively documented with A4 manuals averaging about seventy pages in length (the largest is 325+). They are 4-hole punched for easy binding and storage.

** UK purchasers — the quoted figures are all-inclusive. For the rest of Europe, add 5% (rest of the world, 10%) to the quoted figures to arrive at the VAT-free total (exports are zero-rated for UK VAT), inclusive of all freight and documentation charges.

** Acceptable forms of payment are sterling cheque drawn on a UK branch of a bank or building society, sterling postal order, Eurocheque made out in sterling, international money order in sterling, VISA/ACCESS/EUROCARD/MASTERCARD (specify expiry date), foreign currency cheque (add 10% conversion charge), cash, direct funds transfer (notify us in writing, and ensure that all charges are paid your end, or add 5%) to A/C 50327808 DIGITAL PRECISION LTD at Barclays Bank PLC (Branch code 20-79-44), South Chingford Branch, 260-262 Chingford Mount Rd, London E4 8JN.

**To upgrade from one version of a program to a superior program, send us the cartridge/disk. Except in the case of upgrades between program versions both with the same name, send the manual too. The cost of an upgrade is £10 plus the difference in current advertised price between the two programs. So the upgrade from DIGITAL C to SPECIAL EDITION DIGITAL C costs £30, and you would need to return the old manual as the program same sare different. PERFECTION:

**Our programs are all user-transferable between cartridge and disk, are all free from ALL copy protection, and all work with all drives, toolkits, RAM add-ons and disk interfaces (except for early MCS interfaces, to which the emulators and media managers object). Users of the Microperipherals interface are recommended to buy the QFLP ROM upgrade from Care. ST/QL Emulator owners will benefit from a C2-7x speed increase on our software.

**All trademarks used or referred to in this ad are acknowledged. If you want Eye-Q, but want to use

PRICE LIST DC COMOTIEDOD WITH DD_DOC US O

PC CONQUEROR WITH DR-DOS V5.0 169.95 e	T
PC CONQUEROR WITH DR-DOS V5.0	IT
THE SOLUTION WITH DR-DOS V5.0	T
PC CONOTIEDOD 80 05 6	T
DDOESCIONAL DIDITIONED	Ť
PROFESSIONAL PUBLISHER	170
PERFECTION	11
TURBO BASIC COMPILER + TOOLKIT 79.95 a	ıΤ
PROFESSIONAL ASTROLOGER WITH ASTRONOMER . 69.95 a	T
PROFESSIONAL ASTROLOGER 59 95 a	T
I ICHTNING CDECIAL EDITION 40 05 40	T
DICITAL C COPCIAL EDITION	T
DIGITAL C SPECIAL EDITION 49.95	11
MEDIA MANAGER SPECIAL EDITION 49.95	11
3-D PRECISION CAD SYSTEM 49.95 d	IT
SUCCESS	Tc
THE EDITOR SPECIAL EDITION 49 95 d	T
ACT CDECIAL EDITION 40.05	T
LIGHTNING SPECIAL EDITION	21
100LA11 111 WITH ROW	1
IDIS SPECIAL EDITION	IT
EYE-0	ıΤ
THE SOLUTION	T
SPECIAL DESKTOP PURILISHER 39 95 C	+
CHIDEDEODTH COMPILED WITH DEVEROR	T
SUFERFURIN COMPILER WITH REVERSI 39.93	11
MICROBRIDGE	1_
PROFESSIONAL PUBLISHER TOOLBOX 29.95 e	T
TOOLKIT III	1
OFLICK CARD INDEX SYSTEM	1
PEPEECT POINTED TOOLS	
CHIDED CODITE CENEDATOD	
SUFER STRILE GENERATUR	ı
SUPERCHARGE SPECIAL EDITION 29.95 a	l .
PROFESSIONAL ASTRONOMER 29.95 f	T
THE EDITOR 29.95 a	ıt
DIGITAL C COMPILER	at
GAMES COMPENDIUM (ALL FIVE GAMES) 29 95 a	
SUPERFORTH COMPILER WITH REVERSI 39.95 a	
This threat i cent bisaccembied	4
TIGHTATAG	T
LIGHTNING	11
SUPER ASTROLOGER	
DESKTOP PUBLISHER	1
MEDIA MANAGER	1
BETTER BASIC EXPERT SYSTEM	T
FONT ENLARGER 19 95 e	Т
DICKTOOL WITH OHICKDICK	-
THE TRADITION WITH QUICADISM	T
WOUTHOR	T
MONITOR	11
TRANSFER UTILITY 9.95 b	
GRAFIX 9.95 e	T
SUPER BACKGAMMON GAME 9.95 f	•
REVERSI GAME 9.95 f	
ARCADIA GAME	
DI COULT AND CAME	
BLOCKLANDS GAME 9.95 f	
DROIDZONE GAME 9.95 f	
DISKTOOL WITH QUICKDISK 19.95 19	
! As well as a cartridge or disk, you get a ROM +! Available either on cartridge or disk	
! Available either on cartridge or disk a	1
! Available only on disk	
! Minimum 512K RAM: only available on disk	
Minimum 256K RAM:either cartridge or disk Minimum 256K RAM:only available on disk	
! Minimum 256K RAM: only available on disk	
! Available only on cartridge f	
Compatible mith THODe including the THOD VIII	AT .

£

160 05 AT

! Compatible with THORs including the THOR XVI ! Compatible with all THORs except the THOR XVI

LIMITED PERIOD: SPECIAL DEALS ON OUR PROGRAMS

UPGRADES COUNT AS PROGRAMS FOR COMPUTING SPECIAL DEALS DR-DOS (NOT BEING OUR PROGRAM) MUST NOT BE COUNTED

HEER	VERDICT
UDLIK	Poor Moderate Good Excellent
Installation	A
Ease of use	A
MS-DOS compatibility	A
Use of PC's features	A
Punctionality	A
Documentation	A



Digital Research

WE MAKE COMPUTERS WORK

*We can now supply the amazing new DR-DOS

*Me can now supply the amazing new DR-DOS

*Description of the property of the prop

To: DIGITAL PRECISION LTD

Please send me: _

ORDER COUPON

Or telephone 081-527 5493

222	THE	AV	ENUE,	LOND	ON	E4	9SE

Address:

Postcode: Signature:

Enclosed: CHEQUE/PO/CASH/VISA/MASTERCARD/ACCESS/EUROCARD for £

Expiry: Card No: Luse: (QL/THOR) (MDV/: DISK/5.25" DISK) (360/720/1440 SECTORS) ADIGITAL PRECISION.

🖈 sinclair 🖭 🖈

EEC LTD MAIN SUPPLIER OF Sinclair QL COMPUTERS & PRINTERS QLs FROM £125 PRINTERS FROM £130 inc VAT

QLs COMPLETE JM ROM FULLY TESTED AND WITH 6 MONTHS WARRANTY

Package includes PSU TV lead, QL Software 2.35, Quill – Word Processor, Abacus – Spread £125
Sheet, Archive – Records, Easel – Business Graphics
Customers buying one of the QL Computers are given one year's free membership to QUANTA (Help, Newsletters, & 400+ Library of Programs – mostly free),
QUANTA MEMBERS can obtain a £5 discount
As above but fitted with JS ROM £150

★ £50 PART EXCHANGE ★

OFFER ON OL


Back up QL with JM rom £75. JS rom £99 consisting of keyboard unit, original Psion software wallet, leads and feet IN EXCHANGE FOR YOUR OLD QL (if you want to keep it add £10 to the above prices) OR

Spectrum Plus or 128K (working or not working as long as repairable). Power supply for QL if required £12.

PC/QL KEYBOARD AND INTERFACES

PC AT 102 KEYBOARD AND CONNECTOR QL TO PC INTERFACE FOR ABOVE CASE AND LEAD FOR EXTERNAL MOUNTING-TO ENABLE BOTH KEYBOARDS TO BE USED AND EASIER MOUNTING

OUR PRICES NOW INCLUDE 17.5% VAT AND HAVE NOT BEEN INCREASED



£17

F

20 new cartridges in plastic storage box £55

Send S.A.E. for complete Price List, Softwear Leaflets, etc.

SOFTWARE QL Decision Maker £18. Home Finance £18. QL Games £9. Q-Liberator Super Basic Compiler (disc) £60. Q-Liberator Budget Version for (MDV) £30. Q-Load Superbasic Quickloader with Q-ref Programming utility (MdV) £15. File Transfer Programs. QL to other systems including PC: Text Tidy 315. Discover £20 Multi-Discover £30

BUSINESS SOFT WARE (Suitable for standard QLs) Small Traders Pack £24.95. Invoicer £19.95. General Ledger£19.95. Set of three £50. Mail Merger£14.95. Filer Pack£14.95. Also Stock Accounting £39.95. (For expanded QLs). Send \$AE for software leaflets, or phone All prices include VAT. Terms CWO. Access or Visa. Minimum order £10.

Carriage £8.00 for printers, monitors & QL (overseas £20.00) other items £3.00 (overseas £6.00)



18-21 MISBOURNE HOUSE, CHILTERN HILL, CHALFONT ST PETER, BUCKS. SL9 9UE Tel: 0753 888866 Fax: 0753 887149

JOCHEN MERZ SOFTWARE

Im stillen Winkel 12 - 4100 Duisburg 11 - W-Germany Tel./Fax 0203/501274

QL-Emulator (Hardware, QJUMP's Drivers AtariDOS and utilities) £166 EPROM Cartridge for ST (makes machine autoBOOT) switchable £33 Floppy Adaptor to connect QL-Disk-drives to the ST £9

QDesign - Graphics program for the Pointer Env. Editable area ranging from 512x256 pixels up to a complete A4 in resolutions up to 300x300dpi (depending on RAM). You can load mono 640x400 ST pictures and use them. £38

LaserVersion for Laserjet II, Inkjet, Deskjet £45

FLP/RAM Level 2 - Replacement EPROM for SupeQBoards (V1.17 onwards, with & without mouse) and all TrumpCards. No soldering! New Manual! Real sub-directories! QL-Emulator compatible! About twice as fast, with improved slave-block-handling! £14

QD III! Very comfortable text-editor, running under the Pointer Environment. Many features (e.g. Menu, Scrap) £38 Upgrade from VI or VII - £10

QPTR - Toolkit for Machine Code and BASIC Pointer Environment Programmers, including CONFIG. £30 Update (new manual & disc) £14

QMENU Many QD-Users will know it: the Menu Extension. Now with more facilities, even real subdirectories are treated in a new file-select window. Programming instructions and examples for SuperBASIC and machine code. A Scrap Thing is also implemented now!. £11

EASYPTR II - Create your own Pointer Environment menus & sprites and use them in your own SuperBASIC or machine-code programs. Many users waited for this package, as creating Menus was not easy, until now! Put all the items you need on screen, that's it! Supports all the PE facilities, even split sub-windows and uses the Menu Extension! Now even complete application-cub-windows may be created! Many examples! £49

EASYPTR II - Budget Version £29 Upgrade from Version 1 £10

QDOS Reference Manual - This book is a must for all m-code programmers. It explains how to use QDOS, all traps and vectors, the Thing System, the HOTKEY System II and much more. It points out which features work on a QL, an Emulator and how to write compatible for future operating systems. DIN A5, 170 pages £30

QSUP £26 - QLQ £21 - Thing & EPROM Manager £18.50 - QPROMMER £19 DIAMONDS £11 - Firebirds £10 - BrainSmasher! £12 - Arcanoid II £10 QIMI - Mouse-interface with Real-Time-Clock £41 without RTC £37.50 High Quality Mouse for QIMI or ATARI ST \$27

HD 3.5" Disc Drive 1.44MB and 720k (just the bare drive, without PSU & Cables, e.g. to replace an old drive to be used with the GoldCard) £37 5

Please add £4.00 for postage and package. All programs except Arcanoid & Firebirds $\,$ need memory expansion. All prices excl. V.A.T. E&OE. Write for more information!

TF Services

MINERVA

The ULTIMATE operating system upgrade

MKII MINERUA now with battery for 256 bytes rom, CRASHPROOF clock & interface (1°C) for robots etc. Can autoboot from battery rom.

Other features (common to MKI/NKII): Autoboot on reset/ Multiple Basic/ Faster scheduler-graphics(18% of Lightning)-string handling etc/ WHEN ERROR/ Second screen/TRACE Foreign kybd drivers/ "Warm" fast reset etc

UPGRADES 1.80+ FREE. 1.79 % earlier -send disk/2 mdvs+RON+NO NoI to NoII up

Original MKI..... £40 MKII......£65 MKI GOLD CARD COMPATIBLE (call for MKII update)

QuaLsoftTerminal

Viewdata/VT52/VT100 OL TERMINAL EMULATOR

Multitasking for electronic mail, PRESTEL etc, CET dounload. Compatible with Tandata Geonnect QL modem/modaptor. Use Geonnect RS232C to driv unbuffered modems. Comprehensive A5 manual.

Software (3.5" or mdv) & manual [3]

_ SPARES

Faulty QL boards (excl plug in ICs). 29
Keyboard membrane. 28 Circuit diags. 22
68088 cpu. 28 1377 PRL 23
MI row set E12 Power supply. E12
8362 ULR 210 8381 ULR 210
8849. 28 80 ULR 210 Other components (sockets etc)... plse PHONE

BULLETIN BOARD

QBBS - UK's first QL scrolling board QL Echomail around Europe, and FIDO netmai Around 10mb of files including the WHOLE King James' bible!

071-706 2379 U21/23/22/22bis 24hrs

QLs tested with Thorn EMI test rig and ROM software (MDV hardware extra if required)

£27 - 6 month guarantee

HELP STOP POWER SUPPLY INDUCED LOCKUPS

Much improved mains filters, 40–80 db cut. Contain inductance, spike filters (three in 3 & 4 way) and certified 240vac capacitors.

Att prices include VAT and postage in the UK

E TRANSFER

Available for IBM PC and compatibles, ATARI ST and Sinclair QL, Connects to Psion organiser via Psion comms link

Qualsoft program (per m/c).....£7.50 Serial lead (name 2 computers)...£10 Complete package for 2 computers.£25

12 Bouverie Place, London U2 1RB (tel: 071-724 9053) SCROLLING BBS FOR ORDERING/OL HELP - 071-706 2379 (All speeds to U22bis)



C.G.H. SERVICES

Cwm Gwen Hall, Pencader, Dyfed, Cymru, SA39 9HA (Tel. 0559 384574) (9am - 5pm)

ALL PRICES INCLUDE MEDIA AND POST AND PACKING FOR THE UK. PLEASE ADD 10% FOR ORDERS IN EUROPE; 20% OUTSIDE OF EUROPE. PLEASE INDICATE 3.5"/5.25"/MDV VERSIONS WHEN ORDERING.

COMMERCIAL SOFTWARE

ANELPUM QUAT (NICK WARD) (text adventure) (128k) (flp/mdv) £10.00

ANELPUM QUAT (NICK WARD) (text adventure) (128k) (flp/mdv) £10.00
ASSAULT AND BATTERY (DAMON CHAPLIN) (shoot 'em up) (128k) (flp/mdv) £12.50
ASTRO (NICK WARD) (astrology prog) (128k) (flp/mdv) £12.50
THE BLAG2 (TONY WOOLCOCK) (text adventure) (256k) (flp/mdv) £10.00
D-DAY MKII (DDC & RICH MELLOR) wargame) (256k) (flp) £15.00
DOUBLE BLOCK (FRANCOIS LANCIAULT) (arcade game) (128k) (flp/mdv) £10.00
DREAMLANDS (JEAN-YVES ROUFFIAC) (text adventure) (256k) (flp) £10.00
FIVE GAMES PACK 1 (WREFORD DAVIES) (mind games) (128k) (flp/mdv) £10.00
FIVE GAMES PACK 1 (WREFORD DAVIES) (mind games) (128k) (flp) £12.50
FROM THE TOWER OF VALAGON (ALAN PEMBERTON) (text adventure) (128k) (flp/mdv) £10.00
GREG-GEE SYSTEM (PHL JONES AND ANDY CSERBAKOI) (text adventure) (128k) (flp/mdv) £10.00
GREY WOLF (OLIVER NEEF) (u-boat simulator) (256k) (flp) £10.00
HERE WE GO (PHL JONES AND ANDY CSERBAKOI) (text adventure) (128k) (flp/mdv) £10.00
OPEN GOLF (OLIVER NEEF) (golf simulator) (384k) (flp) £12.50
OPEN GOLF (OLIVER NEEF) (golf simulator) (384k) (flp) £12.50
ORBITING STARS (JOHN TOPHAM) (astronomical simulator) (128/256k) (flp/mdv) £10.00
PERSONAL FINANCE MANAGER (JASON VICINANZA) (budget system) (128k) (flp/mdv) £10.00
POLYTEXT (NICK WARD) (multi-column quill) (128/256k) (flp/mdv) £17.50
QUICK MANDELBROT (KENNETH MURRAY) (fractals) (128k) (flp/mdv) £10.00
QUICK MANDELBROT & JULIA (KENNETH MURRAY) (fractals) (128k) (flp/mdv) £10.00
QUIZMASTER II (AS ABOVE & RICH MELLOR) (quiz game + module option) (128k) (flp/mdv) £12.50
QUIZMASTER (PHL JONES AND ANDY CSERBAKOI) (quiz game) (128k) (flp/mdv) £12.50
SECTOR X (HORST SPIERLING) (shoot 'em up) (256k) (flp) £12.50 (mdv) £15.50
SECTOR X (HORST SPIERLING) (shoot 'em up) (256k) (flp) £12.50 (mdv) £15.50
SECTOR X (HORST SPIERLING) (shoot 'em up) (256k) (flp/mdv) £10.00
VOYAGE OF THE BEANO (ALAN PEMBERTON) (illustrated deventure) (256k) (flp) £17.50
SECTOR X (HORST SPIERLING) (shoot 'em up) (256k) (flp/mdv) £10.00
VOYAGE OF THE BEANO (ALAN PEMBERTON) (illustrated text adventure) (256k) (flp) £17.50

CLIP ART 1 - SPORTS (FLP) £6.00 CLIP ART 2 - WHIMSIES (FLP) £6.00 CLIP ART 3 - OFFICE (FLP) £6.00 CLIP ART 4 - VIZ (FLP) £6.00 CLIP ART 5 - GENERAL (FLP) £6.00

SPEEDSCREEN - ROM VERSION £20.00 SPEEDSCREEN - FLP/MDV £10.00

		Z 88
EaZy Money	£71.00	Centronics Interface£31.00
Z-Base	£71.00	128K Eprom Pak£53.00
Z-Tape	£51.50	128K RAM Pak£53.00
Z-Term	£51.50	Z88 Computer£236.00
ThinkZ	£51.50	512K Ram Pack £202.00
Superchip 4	£154.00	256K Eprom Pack £58.50
Golf	£25.50	1Mgb Ram Pack £237.50
Spellmaster	£60.50	Squeeze 88£48.00
Cambridge Toppe	r£10.50	Superchip 3£133.50

PSION ORGANISI	ER
Model XP2£113.00	Psion Printer£236.00
Model LZ£154.00	Spelling Checker £30.00
Model LZ 64£195.00	32K Datapak£36.00
Centronics Interface	128K Datapak£102.50
£41.00	32K DRam£57.00
Comms Link£61.50	
THE PARTY OF THE P	



COMPUTERWARE the QL stockist

Tel: 0303-81-2801

HARDWARE	MARKET MARKE
768K Trump Card	£230.50
256K Trump Card	£138.50
768K Trump Card and Dual 3.5" Disk D	
256K Trump Card and Dual	
3.5" Disk Drives	£292.00
256K Trump Card and Single	
3.5" Disc Drive	£215.50
Centronics Interface	£30.00
Disk Card	£102.50
Keyboard-90 Interface	£77.00
QL Scanner	£143.50
QUIMI Interface with mouse	£101.50
Tandata QCOM set	£94.00

ADADEA -	-
SPARES	
Keyboard Membrane	£8.50
JS ROM set	£31.00
ZX 8301	£15.50
ULA ZX8302	£10.50
MAB 8049	£7.50
2G 007E	10.50
MC 68008	£26.50
M/drive assembly-(complete)	28.00
Microdrive Assembly (exchange	e)£21.50
Voltage regulator (high output) .	£5.00
QPower Regulator	£25.50
QL Test kit	£14.50
Repairs	phone

VDU cleaning kit Disk Cleaning Kit 3.5" 10 Microdrive cartridges Microdrive Cartridges - 4 100 Microdrive labels Discs 3.5" 10 DSDD (branded) Discs 3.5" 10DSDD (unbranded) Power Clean Mains Filter Joystick + adaptor Psion 2.35 Set QL Dustcover Printer Ribbons	£15.50 £26.00 £13.50 £4.00 £26.00 £11.50 £24.50 £18.50 £23.50

The state of the s	the state of the same of the same	SOFIWARE
BUSINESS	Forth£31.00	Prof. Astronomer£40
Cash Trader£61.50	IDIS£25.00	Snooker£13
Project Planner£30.00	IDIS Special Edition£40.00	Strip Poker£15 Super Astrologer£25
Sales Invoice£20.50	Macro Assembler - GST £39.00	Super Backgammon 3 £13
Small Traders Pack£25.50	Macro Assembler - Talent + £20.50	Type 22£18
Stock Accounting System £41.00		1,00 22
DO DANGE MEDICAL STREET, SPECIAL SPECI	Pro Pascal£101.50	GAMES
TEXT	QMON 2£20.50	Aquanaught 471£19
Master Spy£31.00	Lightning Special Edition £60.00	Arcanoid£15
Page Designer 2£36.00	Locksmith £15.50	BJ in 3D land£12
Perfection	Mailfile£15.50	Brain Smasher£18
Perfection +£125.00	Media Manager£25.00	Crazy Painter£13 Crown of Sorkinen£18
Professional Publisher £90.00	Media Manager Special Edn£50.00	Deathstrike£15
QTYP 2£31.00	QFlash Ramdisc + t'kit £19.50	Firebirds £15
SPY£15.50	QFlash Ram Eprom £25.50	Hopper£13
Turbo Quill Plus£14.00	QFlash Ram Utilites£10.50	Hoverzone £15
The Editor£30.00	QPAC 1£23.50	Jungle Eddy£15
The Editor Special Edition £50.00	QPAC 2£51.50	Karate£15
	Q Top£46.00	King£13
FINANCE	RPM£15.50	Land of Havoc£19
Home Finance [Buzz]£22.50	Sidewinder Deluxe£20.50	Lost Pharoah£15
Investment Monitor	Super Toolkit 2 (Eprom) £30.00	Mortville Manor £15 Stone Raider £13
	Super Toolkit 2 - Reconfigurable	Super Arcadia £10
CAD	£30.00	Vroom£13
Eye Q£40.00	Success£40.00	710011
GraphicQL Plus£25.50	Terminal£31.00	
PCB 1£102.50	Touch Typist£12.50	UTILITIES
PCB 2£51.50	Ultraprint £20.00	Archivist£31
TechniQL £51.50	XRef 2.00£20.50	Archivist MP£41 ArchRTM+ArchDEV£20
Technikit£25.50	4 Matter£15.50	Cartridge Doctor
The Painter£51.50		Conqueror£100
3-D Designer£39.00		Conqueror MS-DOS 5.00 £180
3D Precision£50.00	LEISURE	Conqueror with DR-DOS 5.00
35 1 10010101111111111111111111111111111	Bridge Player 2£15.50	£180
PROGRAMMING	Cosmos+£15.50	Discover£3
Assembly Workbench £25.50	Flight Simulator £19.50	Lightening£30
Basic ally£20.50	Matchpoint £15.50	Super Forth + Reversi £40
Better Basic £25.00	Micro Bridge£40.00	Super Sprite Generator £3 Supercharge Special Edition
Digital C £30.00	Patience £18.50	Supercharge Special Edition £2
	Prof Astrologer + Astronomer £80.00	Turbo £8
 Please telephone f 	or details of other produ	icts not listed here
		Andrew Mental Sala Factor and the

	SOLIMA	KE
0.00 0.00 0.00 0.50 0.50	Prof. Astronomer Snooker Strip Poker Super Astrologer Super Backgammon 3 Type 22	£40.00 £13.50 £15.50 £25.00 £13.50
.50	GAMES	
0.50 0.00 5.50 5.50 5.50 0.00 0.50 0.50	Aquanaught 471 Arcanoid BJ in 3D land Brain Smasher Crazy Painter Crown of Sorkinen Deathstrike Firebirds Hopper Hoverzone Jungle Eddy Karate King Land of Havoc Lost Pharoah Mortville Manor Stone Raider Super Arcadia	£15.50 £12.50 £18.50 £18.50 £15.50 £15.50 £15.50 £15.50 £15.50 £15.50 £15.50 £15.50 £15.50 £15.50 £15.50 £15.50
0.00		
2.50 0.00 0.50 5.50	Archivist MP ArchRivist MP ArchRTM+ArchDEV Cartridge Doctor Conqueror Conqueror MS-DOS 5.00 Conqueror with DR-DOS 5	£41.00 £20.50 £18.50 £100.00 £180.00
5.50 5.50 5.50 5.50 5.50	Discover Lightening Super Forth + Reversi Super Sprite Generator Supercharge Special Edit	£31.00 £30.00 £40.00 £31.00

POOK2	
QDOS Companion £9.00 Assembly Language Prog £9.00 Z88 Dabhand Guide £16.00 Z88 Ref Manual £16.00 Z88 Magic £16.00	Z88 Pipedream £16.00 Using Your Z88 £10.00 Z88 Computing £10.00 Z88 Software DLV Guide £40.00 Using Psion Organiser £10.00 Psion Handling Book £15.00

ALL PRICES INCLUDE VAT. U.K. POSTAGE £2.50 PER ORDER. - WE EXPORT WORLDWIDE Phone for details of other QL products OR send SAE for our latest catalogue. Credit card phone orders accepted, or send cheques, postal orders, Eurocheques, to:

TK COMPUTERWARE, STONE STREET, NORTH STANFORD, ASHFORD, KENT TN25 6DF

TELEX 966676 PMFAB G













FAX 0303 812892

QL S C E N E

Two new lines from star printers

Star Micronics UK has announced two new printer lines. The LC-20 is dubbed 'the CL-10 for the 90s'. A new 9-pin entry-level dot matrix printer in Star's Business Series, the LC-20 is aimed at small businesses, home users, education and small departments in large companies. It has eight nearletter-quality fonts including italics, print speeds of 180 cps in draft and 45 cps in nlq (12 characters per inch), a 4 KB print buffer, paper parking, push tractor feed with short form tear-off, a built in parallel centronics interface and Epson and IBM emulation. An optional serial interface is avail-

The LC-20 has a robust case and quiet mode printing, and is priced £199 exclusive of VAT. The LC-200, launched in September 1990, has the same specifications plus colour printing, for £259 ex. VAT.

Star have also launched a range of four 9- and 24-pin printers with colour facilities as standard. Priced between £399 and £599, the Pro-to-Col series replaces the Professional Series, and includes options such as buffer expansion to 236 KB, high speed draft mode, up to 14 fonts, 80 column model and wide carriage model. The Pro-to-Col is designed for 'general high quality office print needs'.

For more information, contact Star Micronics UK, Star House, Peregrine Business Park, Gomm Road, High Wycombe, Bucks HP13 7DL. Tel. 0494 471111.

Price changes at CGH

CGH Services have issued a new price list from July 1991. The main points of interest are that they are no longer supporting 'base' prices, where purchasers send their own media. This applies to the public domain library as well as commercial sales. The public domain library is no longer supporting mdvs, and will


charge £2 each (including UK postage and packing) for disks supplied. 'We'll pack them as tight as we can,' stresses Richard Alexander.

All commercial prices will now have UK postage included. There is no VAT, as CGH are below the VAT threshold. Non-UK customers add 10% (Europe) or 20% (elsewhere) to cover postage.


CGH are also revising their authors' royalties structure to remove anomalies.

For a price list contact CGH Services, Cwm Gwen Hall, Pencader, Dyfed, Cymru SA39 9HA. Tel. 0559 384574. Send an SAE or international reply coupons for their full public domain catalogue.

Below: THE LC-20



Above: THE STAR PRO-TO-COL SERIES



Cowo release new QTop version

Cowo Electronic have produced the first major revision of their user front-end package QTop, the more powerful VI.10. The full QTop system is based on six stand-alone executable multitasking programs. QTop-Desk is the system manager, offering main menus for Desk, Devices, Files, Jobs, Keyboard, Programs, Myprogs, Tools and Options, with over 110 submenus. Cowo believe that the Files and Jobs handling routines are 'the most powerful and complex in the whole QL world.' Real sub directories on all QJump Level 2 device drivers (Miracle Hard Disk, Gold Card, Atari ST/QL emulator) and on Thor hard disks are supported.

QTop-Clocks is a multi-functional clock program offering four different digital clocks, an analogue clock and an alarm clock. QTop-Demos offers ten different high-speed graphics demonstrations. QTop-Animator is a flexible graphics animation program. QTop-index tests the hardware of your computer system. QTop-Snap is a screen dump and save program. The latest QJump Pointer Environment is included — it is not

necessary to run the Pointer Environment, it is fully supported if installed.

QTop is fully user-configurable, and includes a screen refresh and freely moveable and resizeable windows.

The software with a 41-page manual is available in English or German for £35 (on 3.5 or 5.25 in disk) or £39 (on three microcassettes), prices inclusive of post and packing.

For a six-page information brochure and order form, contact Cowo Electronic, Urs Konig, Munsterstrasse 4, CH-6210 Sursee, Switzerland.

Open Channel is where you have the opportunity to voice your opinions in Sinclair QL World. Whether you want to ask for help with a technical problem, provide

somebody with the answer, or just sound off about something which bothers you, write to: Open Channel, Sinclair QL World, 116/120 Goswell Road, London EC1V 7QD.

Thank you

As a fairly average QL user, most of my purchases over the years have been promoted by articles and reviews in your pages. As a result of Mark Knight's May 1991 review, I recently bought Perfection and have found it to be the definitive answer to all Quill's shortcomings, Pro Publisher, with perseverance, can be splendid in its own special field, but Perfection (unlike other attempts to replace Quill) is child's play to the relatively inexperienced wp user, yet it is still capable of great sophistication. It is, quite simply, marvellous, especially when coupled with Lightning. Thank you for Perfection, and thank you, too, for telling me about Pro Publisher, the elegantly multi-tasking simple Taskforce, and my splendid (and cheap) LC24-10 printer.

Brendan Connors Hove Sussex

Editor's comment: That's why we run full-length user-driven printer reports every so often.

Listing

Can anyone help me with a program for listing my

SuperBasic programs? I have a C-Itok daisywheel printer and have tried the following program, which does in fact provide a carriage return after each

Baud 9600: Open #3, serl: list #3: close #3

Result:

10 Rem prog list 20 next line 30 next line 40 next line 50 next line

This listing actually runs off the page and is lost, leaving me very frustrated. The printer works normally with Quill and Abacus. Any suggestions from readers would be appreciated.

Malcolm Roberts Pembroke Dyfed

Thank you 2

I should like to express my gratitude through your column for the excellent service and expert help given to me by Mr. Freddie Vachha of Digital Precision Ltd. I had been using a single 3.5 in disk drive with a 768K Trump Card on my QL and had ordered from them copies of QFlick and Perfection. On reciept, neither would load, and the error message 'not found' was given.

On the telephone, Mr. Vaccha advised (a) cleaning and (b) realigning the reading heads. Cleaning proved ineffective, but I had on order from Miracle Systems a dual 3.5 in drive unit, and when this arrived and was connected, Perfection loaded and operated perfectly.

In addition to his 'remote diagnosis' of my problem, Mr.

Vaccha suggested a firm who would re-align my single drive unit, and I feel his expertise is largely instrumental in keeping alive an excellent computer.

I also greatly appreciate your series The New User Guide for people who only have elementary programming skills, and would like to become more proficient.

I receive QL World by annual subscription, and have completed the **QLAW** questionnaire.

> R A Mills Heighington Lincoln

Positive

The very positive review of Perfection, Digital Precision's new word processor, in these pages encouraged me to order what appeared to be a very worthwhile package.

I have now received it and find it excellent, easy to use and the answer to my wordprocessing problems.

It is a pleasure to find software whose performance exceeds even the suppliers' advertising blurb.

J R Haldane Gorebridge Midlothian

Interest

This concerns the reader's problem in the August issue under the heading 'Capital'. I have two programs which I contributed myself, which I find very useful, and I hope Mr. Patterson will find them useful too. One is for Abacus, while the other is a simple SuperBasic program.

The Abacus program gives accrued interest for a year of 12 equal months, which results in

Editor's notebook

There are ways you can tell that the recession is biting. House-owning colleagues speculate on the possibility of selling up and moving to somewhere rented. Holidaying colleagues are under canvas in Wales instead of under blue skies in Greece. One well-off acquaintance returned from Greece moaning that he wished he'd stayed there. Unusual? You bet. Normally you can't lever him away from his whizz-ophone.

He works for a big - I mean very big - computer company. Their business isn't what it was. Oddly, although we hear the occasional lament that things are slow, QL business seems to be moving along steadily.

Normally the long, hot days of August are the cue for silence from the outside world. Not so this year - QLers are sitting at home writing! So we have the first of a new series of machine code programming, a handful of reviews and a monster DBQL, as well as the regulars.

The Formulae used 1 A 1B1 C 1 IEI F 161 111 IK! ! rate% ! accrued 1:1991# Month!Capital ! In/out(-) # Growing Accrued # B/f ! **#** ======== # Jan !D3+H4+J4 ! 0.00 ! (D3+J4) #F4/1200 4! # H4 51 # Feb !D3+sum(H4:H5)+sum(J4:J5) ! F4 ! (D3+J4+J5) *F5/1200 # L4+H5 * Har !D3+sum(H4:H6)+sum(J4:J6) ! F5 ! (D3+sum(J4:J6))*F6/1200 ! * L5+H6 * Apr !D3+sum(H4:H7)+sum(J4:J7) ! F6 71 ! (D3+sum(J4:J7))*F7/1200 ! * L6+H7 81 * May !D3+sum(H4:H8)+sum(J4:J8) ! F7 ! (D3+sum(J4:J8))*F8/1200 ! * L7+H8 * Jun !D3+sum(H4:H9)+sum(J4:J9) ! F8 91 ! (D3+sum(J4:J9))*F9/1200 ! # L8+H9 10! * Jul !D3+sum(H4:H10)+sum(J4:J10)! F9 ! (D3+sum(J4:J10))*F10/1200! * L9+H10 11! * Aug !D3+sum(H4:H11)+sum(J4:J11)! F10 ! (D3+sum(J4:J11))*F11/1200! * L10+H11 * Sep !D3+sum(H4:H12)+sum(J4:J12)! F11 121 ! (D3+sum(J4:J12))*F12/1200! * L11+H12 131 * Oct !D3+sum(H4:H13)+sum(J4:J13)! F12 ! (D3+sum(J4:J13)) #F13/1200! # L12+H13 14! * Nov !D3+sum(H4:H14)+sum(J4:J14)! F13 ! (D3+sum(J4:J14))*F14/1200! # L13+H14 15! * Dec !D3+sum(H4:H15)+sum(J4:J15)! F14 ! (D3+sum(J4:J15))*F15/1200! # L14+H15 16! A building society account on Abacus Some Figures

1 A 181 C 1 D 1E1 F 161 H 1I1 J 1K1 L 1:1991# Month!Capital ! rate% ! accrued ! In/out(-) # + ------------Accrued I man Share And # B/f !£21008.32 ! * ======== 3! * Jan !£21175.69 ! 9.56 ! 167.37 ! 167.37 51 * Feb !£22351.02 ! 9.56 ! 175.33 ! 1000 # 342.70 * Mar !£22509.11 ! 8.62 ! 158.09 ! Libra . 500.79 7! * Apr !£22667.21 ! 8.62 ! 158.09 ! 658.89 8! * May !£22246.62 ! 7.80 ! 139.41 ! -560 * 798.30 # Jun !£22386.03 ! 7.80 ! 139.41 ! 91 937.71 * Jul !£23531.95 ! 7.80 ! 145.91 ! 1000 * 1083.63 10: 11! * Aug !£23677.86 ! 7.80 ! 145.91 ! 1229.54 * Sep !£23823.78 ! 7.80 ! 145.91 ! 12: 1375.46 * Oct !£23969.69 ! 7.80 ! 145.91 !

* Nov !£24115.60 ! 7.80 ! 145.91 !

* Dec !£24261.52 ! 7.80 ! 145.91 !

a 360-day year. This will be close enough for most purposes. The interest rate will have to be amended each time it changes and each time that happens the program automatically amends the rate for the remaining months of the year, because each cell in the column uses the reference of the one above it. Thus, one has a forecast of one's position for the year-end.

13!

14!

151

The accrued interest figures are meant to be taken as at the close of business on the last day of the month in question; the last day of December is therefore the last day of the

Deposits and withdrawals are entered in the 'in / out' column, but in order not to make the program unnecessarily complicated, no provision has been made in the column to stipulate on which day of the month the transaction was made.

1521.37

1667.28

1813.20

Each row can be typed one at a time, or one can go as far as March and then COPY the row for March to get April, editing month-name and cell references where necessary, ensuring that D3 and J4 are referred to in every line thereafter. Likewise, one can COPY March and April to get June and July - and March, April, May, June and July to get August, September, October, November and December.

Once I was sure that I had the programs I wanted, I made a COPY of the whole thing twice on rows below the ones in use, and made the figures in them zero. This is a useful procedure, because one cannot LOAD a second file on to the spreadsheet, and keep the one on it which is already in use, as far as I know. With the procedure one can always COPY a blank for next year onto the rows below.

The SuperBasic program will be self-explanatory once it

> Peter Tomlin **Hatherley Grove** London

A compound interest table in SuperBasic

100 MODE 4: INK 4: PAPER 0:

110 INPUT "Sum", x 120 INPUT "Years", y 130 INPUT "Rate", t 140 LET r=t/100 150 CLS 160 FOR i=1 TO y $170 \text{ LET s} = x^*((1+r)^i)$ 180 PRINT " Year"!i,, "£"; s 190 END FOR i 200 PRINT

Strings

I have found a Bug in Superbasic I have not seen detailed before. It concerns the comparison of strings. Some characters are considered equal by the interpreter, which are obviously not I stumbled on this while writing a guarded input routine; the character O is effectively the same as the cursor up key. The only way to distinguish is to compare CODEs. I have since found a total of 64 cases (see enclosed printout). There is an interesting effect: for example, A is equal to CHR# 225, and a equal

also to CHR# 225 but A is not equal to a (using == completes this).

A few months ago Mike Lloyd gave a function for signum: REturn 1-(x<=0)-(x<0). This does have an elegant simplicity, however, the alternative, RET (x>0)-(x<0) works just as

> Caleb Leeke Huntingdon Cambs

```
. CHR$(46) = CHR$(206)
0 \text{ CHR}(48) = \text{CHR}(208)
1 \text{ CHR}\$(49) = \text{CHR}\$(209)
2 \text{ CHR}\$(50) = \text{CHR}\$(210)
3 CHR$(51)
            = CHR$(211)
4 \text{ CHR}\$(52) = \text{CHR}\$(212)
5 \text{ CHR}\$(53) = \text{CHR}\$(213)
6 CHR$(54)
            = CHR$(214)
7 CHR$(55)
             = CHR$(215)
8 \text{ CHR}\$(56) = \text{CHR}\$(216)
9 \text{ CHR}\$(57) = \text{CHR}\$(217)
A CHR$(65)
              = CHR$(225)
            = CHR$(226)
B CHR$(66)
C CHR$(67)
              = CHR$(227)
              = CHR$(228)
D CHR$(68)
E CHR$(69)
              = CHR$(229)
F CHR$(70)
              = CHR$(230)
G CHR$(71)
              = CHR$(231)
H CHR$(72)
              = CHR$(232)
I CHR$(73)
              = CHR$(233)
J CHR$(74)
              = CHR$(234)
             = CHR$(235)
K CHR$(75)
L CHR$(76)
            = CHR$(236)
M CHR$(77)
            = CHR$(237)
N CHR$(78)
            = CHR$(238)
O CHR$(79) = CHR$(239)
P CHR$(80)
            = CHR$(240)
            = CHR$(241)
Q CHR$(81)
R CHR$(82) = CHR$(242)
S CHR$(83) = CHR$(243)
T CHR$(84) = CHR$(244)
U CHR$(85)
             = CHR$(245)
            = CHR$(246)
V CHR$(86)
W CHR$(87) = CHR$(247)
X CHR$(88) = CHR$(248)
Y CHR$(89) = CHR$(249)
Z CHR$(90) = CHR$(250)
- CHR$(95) = CHR$(255)
a CHR$(97) = CHR$(225)
            = CHR$(226)
b CHR$(98)
c CHR$(99)
             = CHR$(227)
d CHR$(100) = CHR$(228)
e CHR$(101) = CHR$(229)
f CHR$(102) = CHR$(230)
g CHR$(103) = CHR$(231)
h CHR$(104) = CHR$(232)
i CHR$(105) = CHR$(233)
f CHR$(106) = CHR$(234)
k CHR$(107) = CHR$(235)
1 \text{ CHR}\$(108) = \text{CHR}\$(236)
m CHR$(109) = CHR$(237)
n CHR$(110) = CHR$(238)
o CHR$(111) = CHR$(239)
p CHR$(112) = CHR$(240)
q CHR$(113) = CHR$(241)
r CHR$(114) = CHR$(242)
s CHR$(115) = CHR$(243)
t CHR$(116) =
               CHR$(244)
u CHR$(117) = CHR$(245)
v CHR$(118)
               CHR$(246)
W CHR$(119) =
               CHR$(247)
\times CHR$(120) = CHR$(248)
y CHR$(121) = CHR$(249)
z CHR$(122) = CHR$(250)
```

OFTWAREFI THE GOPHER

INFORMATION

Price:

Program: The Gopher V1.02 £12 (add £1 post

age for EEC countries,£2.50 elsewhere).

Supplier: Dilwyn Jones

Computing, 41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT. Tel: (0248) - 354023.

he hard disk user is in a paradoxical situation. It is perhaps the most expensive addon unit for the QL, but there is little software available for it, to spend more money on. At the time of writing, Dilwyn Jones Computing offer the only two items that users are likely to get to hear about. WinBack was dealt with in a previous review; it is a fairly basic hard disk backup program, which works well. *The Gopher* was written by the same person, so one would expect it to be of a similar nature and, indeed, the similarity is clear.

The Gopher is available on microdrive, and SuperBasic and compiled with Digital Precision's Turbo. It requires the usual Turbo RUNTIME EXTS file to be loaded, plus an additional one called GOPHER BIN, for SB commands specific to The Gopher. If a suitable version of the XTRAS or TURBO TK CODE file has already been loaded, the runtime file is not needed; the boot routine asks you whether or not it should go ahead and load it.

About 32 KB of memory is required to run the program. In case the origin of the name is not yet clear, the program's function is to 'go for' files, that is, ferret out files which the user cannot (easily) locate. While such a utility obviously appeals most to the hard disk user, because of the much greater number of files this drive holds than either floppy or microdrive, there are some users who manage to get a hundred or so files on their floppies and may have difficulty locating required ones.

Booklet

There is an 11-page instruction booklet, which covers program operations adequately. An UPDATES_DOC file is provided on disk (or cartridge) to bring the purchaser up to date on happenings since the manual was printed. The style is informal, without being chatty, and lets the purchaser in on some of the program development details. The manual includes considerable explanation on using the clone program supplied, but it is easy simply to COPY OR WCOPY the files to a working disk or cartridge. The manual doesn't deal with the purpose of two files on the supplied disk, and you have to read one of those files to find out what the other is for. It is a program for altering the data space taken by the executable files; users of the Turbo compiler will find this quite understandable, but average Quill users may find it a complete mystery. There is no mention of why users of The Gopher should need to change

Bryan Davies investigates a species that tracks down elusive disk files and reports them back to base.

data space, so the best thing the user can do is forget it.

If finding a file were only a matter of tracing a particular file name, it might be indulgent to employ a program to do the job for you. A reasonably organised user will give files names which are not hard to relate to file contents. The flysheet on The Gopher supplied by DJC gives the example of tracing letters written to QL World (a fair task, in my case). The restriction of eight characters for a file name means that you can't hope to provide much, if anything, of a clue to the file contents in its name; at best, you can have something like QLWLET1.DOC etc. You'll know whether or not a file is indeed a letter to QL World, but won't have a clue as to a letter's contents. The program must, therefore, be capable of looking into files, and checking there for key text strings, from which the file contents can be gauged. It is not presently usual for QL word-processing programs to provide a 'comments' facility, separate from the file text itself, and The Gopher has to go through the text until it finds, or fails to find, any specified character string. With long files, this could be a lengthy process.

To speed-up the search process, it is desirable to exclude

any groups of files which are unlikely to contain what is being looked for. Maybe you always write your letters to QL World with *text* ⁸⁷, in which case you can specify that only files with the _T87 extension in their names are examined. In case the impression given so far is that the program is a tool for word-processing users only, rest assured that it can be used with any files, but string searches are obviously limited to what characters can be entered into the string. The manual doesn't list the acceptable characters, but 'specials' such as 0 can be used. The search string can be up to 100 characters in length. The search used when producing the screen dumps given with this article took about six minutes to complete. There were 192 files on the hard disk, occupying 2.7 MB, and 35 instances of the search string were reported as found. A more specific, casedependent search, for the string INDEXICAL, took well under one minute, when the file suffix (_WP) of the only file found had been specified, whereas it took seven minutes with no restrictions made.

Figure one is of the display at the stage of specifying initial conditions for a search. The range of conditions is greater than one might expect. For instance, you can speed-up a search, if you are interested in finding the search string only in the first few pages of documents, by opting to search only the first part of each file, and specifying a buffer size sufficient just for the pages you want searched. The default buffer size for a part-search is 2 KB. The minimum is 1 KB, nominally equivalent to about 150 words of text (but bear in mind that text files tend to have formatting information at the front and even a file with no text in it may occupy 2Kb).


The buffer action is different if whole files are to be searched; the search is then fastest if the buffer is set to the maximum 30Kb. The program loads files in chunks of the buffer size specified. When one chunk has been examined, the next is loaded. The decision on case-sensitive or not affects search speed, too. Entering <N> here—that is, case is to be taken into account—is stated to reduced the search time by as much as a half.

Legal

The 'legal' entries for Search Device are any valid QL device with a five-character name: the underline must be the last character, and the drive number must be specified (in the range) 1-8). You cannot enter a sub directory name, therefore. Those users who have successfully constructed an extensive sub directory structure will be glad the option is provided to specify whether or not (all) sub directories are to be searched. It is pointed out in the instructions that you can check all sub directories of a Miracle Systems hard disk by using CTRL-C to switch to SB, then typing <WIN2> and pressing ENTER, then returning to the program. The point here is that the hard disk software may have been set for a particular sub directory, before The Gopher was started, and the program will then not be able to look at the whole disk. At present, the sub directories option is available only if you have entered <WINn> as the Search Device. Presumably, provision will be made before long for the high-density floppy disk drives with the Miracle Systems Gold Card, since they have the same sub

COPHER 1	.01 - (C) Norman Dunbar
Search device Search sub-directories Search all or part of files Igagre letter case Include filenames containing Exclude filenames containing Buffer size (Kbytes) Search for	
List to screen or printer Printer device (or filename) Baud rate	<pre>⟨s ⟩ ⟨ser1</pre>

The display specifying initial conditions for the search.



The search has found the string in a number of files.

directory structure available as for the hard disk.

Apart from entering the search string, all you need do much of the time is press EN-TER for all entries. When the search string is located, the name of the file it was found in is written to the screen, or to both screen and printer, as specified. If the printer option is selected, you can opt to send the files names shown on-screen to either printer or disk

drive file. If there are enough instances of the string being found, you are requested to press ENTER to clear the screen and make way for any further instances. The maximum number of files displayable per screen is 22. Figure two shows the display when a search has found more than the 22 instances of the search string noted in the first illustration – <text>. In this case, whole files were searched, with the buffer

set to 30 KB. Figure three shows how setting the program to do part-searches, with a buffer of 2 KB, affected the number of instances found.

Unlike many small programs, The Gopher does have a refresh key (the standard F4) to clean the screen if another program has corrupted it. Being a multi-tasking program, it is quite likely The Gopher will have company in the QL. In fact, the review was done with

SOFTWARE FILE


my normal system fully loaded, and this didn't seem to upset The Gopher at all. As the Perfection WP program was being reviewed at the same time, it was loaded, as was its accessory printer-driver creation program, Flashback 2, Files 2, Q-Switch, and a lot of extensions. Apart from Files 2 disappearing on one occasion (possibly not connected with The Gopher), there was no apparent interaction between programs. Error trapping is incorporated in the program, so you are unlikely to be caught out by things like failing to put a disk in a search drive.

Killed


The Gopher clearly did not like one file, namely QTYP _DICTIONARY, which is to be found as part of QJump's Qtyp spelling checker and later versions of text⁸⁷. The program stopped when it came across this file on hard disk, and gave the message 'file error'. The option was offered to press ENTER in the hope the search could be continued, but the attempt to resume was unsuccessful and the program had to be killed and restarted. This happened with subsequent attempts too, making the program unusable until the QType dictionary had been deleted from the hard disk. Rather an extreme reaction. However, an earlier version of the file on a floppy gave no trouble and copying that to the hard disk removed the problem. Maybe the file was corrupted in some way; it had been edited, but with the QType dictionary edi-

All files are OPENed to be checked. Users of Archive who have lost files through not having them CLOSED successfully might be made nervous by the thought of so many files being opened, but there may be no alternative to doing this. On the matter of what characters can be entered as part of a string, some users might wish for non Ascii characters such as the alphabetic capitals with a bar over the top, as used by *The Editor*.

Neither DJC nor the writer of the program go over the top in making claims for it, nor do they ask a lot of money for it. There are some features one



The results of a part-search with a 2 KB buffer.



The display showing the include/exclude options.

would like to see incorporated into it, but it would be only reasonable to expect the price to go up if they were added. One obvious wish is for a display of the location of a string, when it is found. No doubt adding such a feature would be time-consuming, both in the programming required and in the effect it would have on the speed of the program, but it might save having to load into several files which were found to have the desired string in them, in order to discover which instance is the required

A smaller wish is that the search string should be displayed during the search. There

are some of us who tend to forget what we have done, very quickly; it is also desirable to be able to check whether or not one put spaces (for instance) in a string. The instructions could have been clearer on the matter of how Include and Exclude entries can be typed in; there was space for 36 characters, which is the Qdos file name limit but is more than would be used in a normal file name (12 maximum). Presumably, only single, complete strings can be used. It would be handy to be able to enter several strings – eg _DOC _EXT _T87 _BIN - and have them all, individually, excluded/included. Figure four shows how these

entries are actually used. All files having <T_WP> as part of their names would not be checked, but any remaining files having <_WP> would be checked. This excluded all files which did not have <_WP> in their names, and also excluded any files which had <T_WP>.

The Gopher is a fairly basic program, without pretensions to greatness, but it is straightforward to use, and works well. There is the possibility of additional features being added in upgrades; presumably this will depend upon how well the program sells in its current version. At the price, it is good value.

QL S G E N E

Solent sub-group launches new Quanta workshop

The Solent sub-group of Quanta is holding its first Workshop on Sunday 22 September from 10am to 6pm at the Horizon Centre, Sundridge Close, Portsmouth. The modern venue has 'excellent facilities', including facilities for the disabled, and plenty of car parking. It is close to the A3 and the M27 and is also handy for cross-Channel ferries from Europe. Food and drink will be available all day, and the licensed bar will be open at lunch time

There will be a number of lectures or presentations on a wide range of QL-related topics by the well-known and not so well-known. Traders will be present and there will be new products to see and assess. There will be facilities to get together and discuss recent new developments in the QL market.

The organisers also emphasise that these events are called 'workshops' for a good reason – they encourage attendees to bring their QLs and relations along, 'set them up and have a good time'. There will be a Clinic Desk for problem-solving, and competitions and games for youngsters, who are also welcome.

For information about the event, transport and accommodation needs, etc., please contact Graham Goodwin 0489 895451, Graham Evans 0421213350 or (regional transport, accommodation and other local events) Portsmouth Tourist Information office 0705 838382.

Other workshops

Other Quanta workshops planned for the near future are **Birmingham** (28 September) at the Sandwell District General Hospital Postgraduate Centre (call Bill Fuggle 021 4726671 or Dennis Briggs 0952 255895 for information), **Nottingham** 12-13 October (no further information given) and **Bristol** 17 November (no further information given).

Fairing further

The All Formats Computer Fair has extended its range again. After two successful fairs in the Midlands, the All Formats Fair is now happening at five venues around the UK. At least four visits to each venue a year are planned. The next few fairs are:

Midlands: National Motorcycle Museum, Solihull, M42 (opposite the National Exhibition Centre and Birmingham International BR station), Sat-

urday 14 September; Scotland: City Hall, Candleriggs, Glasgow, Sunday 22 September; Western: The Brunel Centre, Bristol Old Station (near Temple Meads Station), Sunday 6 October.

The admission charge is now £4 but the stand price has dropped to £60. All fairs start at 10am and finish at 4pm. All venues have ample car parking. For advance tickets and stands, contact John Riding on 0225 868100.



Little boxes



Lift UK Ltd, established makers of storage systems for music and video recording, are launching a range of storage units for disks.

The Databoy range includes desk units for 2 in, 3.5 in and 5.25 in disks. The ridged construction means that disks can be flipped forward for browsing, without the row collapsing.

23-disk units will cost £3.99 and 43-disk units will cost £5.99. Models with protective lids are expected to follow. Lift are also advertising a logostamping service for promotional purposes.

Information from Lift (UK) Ltd, Triangle Business park, Wendover Road, Stoke Mandeville, Bucks HP22 5BL. Tel. 0296 615151.

MIRACLE SYSTEMS





QL GOLD CARD

£375 inclusive (£330 export)

- 2 year warranty
 14 day money back guarantee
- The GOLD CARD is the ultimate expansion for the QL. It speeds up program execution by a factor of about four, increases the memory to 1920K bytes and enables the QL to interface to 3.2M Byte disk drives (as well as 720K and 1.44M).
- There is a battery backed clock so that the QL powers up with the correct time and date.
- We offer part-exchange for old expansions:

	and the second second		
Part Ex. Item	GOLD CARD price		
TRUMP CARD 2	£225.00	(£200.00 export)	
TRUMP CARD 768K	£275.00	(£241.00 export)	
TRUMP CARD 256K	£300.00	(£263.00 export)	
EXPANDERAM	£325.00	(£284.00 export)	
DISK CARD	£325.00	(£284.00 export)	
RAM + DISK I/FACE	£325.00	(£284.00 export)	
Other Expansion	£350.00	(£305.00 export)	

- · All the functions on the TRUMP CARD, i.e. TKII, printer buffer, screen dump, RAM disk and memory cut, are carried over to the GOLD CARD.
- The floppy and RAM disk drivers now support sub-directories.

JOIN QUANTA!

QUANTA is the independent QL user's club. If you have not already joined then consider the following:

- QUANTA stands for "QL Users and Tinkerers Association" and provides a forum for users to get together.
- Members requiring guidance on software and hardware can seek out expertise from fellow members.
- Local sub-group meetings are regularly held throughout much of Britain.
- There are also workshops where we and others demonstrate our wares. Members have access to a large software library and can often find spare parts and second hand bargains at QUANTA meetings and can see new products.

The £14 (£17 overseas) subscription includes an informative monthly magazine. Most of all, though, it is good fun so contact the Membership Secretary, Bill Newell, 213 Manor Road, Benfleet, Essex, SS7 4JD, or telephone (0268) 754407 now!

Tel: (0904) 423986

To place an order by phone please have your credit card ready. For overseas customers we charge the prices shown in brackets.

To order by post, please fill in the form opposite or write to us quoting your credit card number and expiry date, or enclosing a cheque payable to MIRACLE SYSTEMS Ltd.

To: MIF	RACLE SYSTEMS Ltd, 25 Broughton Way, Osbaldwick York, YO1 3BG, U.K. Tel: (0904) 423986
Please se	는 No. 7

I enclose a cheque to the value of: £

Or debit credit card

expires

Signature

Name . Address

MIRACLE SYSTEMS





QL 3.2 Megabyte Dual Disk Drive

New standard for the QL £175 inclusive (£155 export)

2 year warranty
 14 day money back guarantee

The 3.2M byte DUAL DISK DRIVE together with the GOLD CARD brings the QL system right up to date. The drive contains 2 mechanisms each able to store 3.2Mb on an ED diskette. ED actually stands for 'Extra High Density' and refers to the rate at which data bits are read from and written to the disk. ED disks transfer data at 1 Megabit per second whereas HD (High Density) transfers at 500K bit/s and the old QL standard DD (Double Density) at 250K bit/s. Please note that these are instantaneous rates and that to work out file transfer times other factors must be considered.

The drive is fully backward compatible in that it can read and write both DD and HD diskettes with any type in either drive. The DD, HD and

We are exhibiting at:

14 Sept: All Formats Fair, National Motorcycle Museum, Birmingham (Junction 6 off M42).

22 Sept: QUANTA WORKSHOP, The Horizon Centre,

Sundridge Close, Portsmouth.

22 Sept: All Formats Fair, The City Hall, Glasgow.

28 Sept: QUANTA WORKSHOP, Postgraduate Centre,

Sandwell District Hospital, Birmingham.

All Formats Fair, The Brunel Centre, Temple

Meads, Bristol.

6 Oct:

12 Oct: QUANTA WORKSHOP, Nottingham.

ED diskettes are all the same physical size known as the 3.5" form factor. The HD and ED diskettes have an extra hole in their casing, in different places, so that the drive can detect which type of diskette has been inserted. This means that there is no need for the user to tell the QL of the diskette type in use. For example, if you format a DD it will format to 720K, whereas an ED would format to 3.2M.

The drive is fully cased with cable and integral 220/240V power supply and comes with 10 ED diskettes.

OTHER PRODUCTS:

(more details about our products may be found in the QUANTA Magazine)

the QUANTA Magazine)					
	ITEM	PRICE	So why is The		
	QL CENTRONICS	£29.00	(£28.00 export)		
	QL 40M HARD DISK	£449.00	(£405.00 export)		
	* TRUMP CARD 768K	£100.00	(£89.00 export)		
	* TRUMP CARD 2	£150.00	(£130.00 export)		
	* EXPANDERAM 512K	£50.00	(£46.00 export)		
	5.25" DISK DRIVE	£95.00	(£88.00 export)		
	DISK ADAPTER	£15.00	(£15.00 export)		
	* reconditioned product				

MIRACLE SYSTEMS Ltd, 25 Broughton Way, Osbaldwick, York, YO1 3BG, U.K. Tel: (0904) 423986

OFTWAREFIL

INFORMATION

Program: The Painter V4.01, for QL with 256K+ expansion. Price: £45 (+£10 bank costs) or 3000 Belgian Francs. Add 300 BFr if outside EEC. Cheques payable to Van der Auwera. Publisher: Progs, Haachtstraat 92, B - 3020 Veltem, Belgium. Tel: (016) 48 89 52.


hroughout the QL's long life, there have been several drawing packages which varied a great deal in utility, speed and number of features. The Painter is the most recent in a long line up which includes such illustrious names as GraphiQL Plus, MiceArt, M-Paint and Eye-Q.

In 1989 I went to the Stafford Computer Show and saw The Painter. I was hooked after a few minutes using it, but decided not to purchase it at the time. Since then, several improvements have been made and when I received a special offer to buy a copy recently, I decided to take it up.

The current version is now fully Minerva compatible and has many improvements in speed compared to the earlier versions. There is a new manual in an A5 ring binder, which is more informative than previous manuals.

So why is The Painter special? On loading you soon notice the first difference. All the commands are chosen from menus on-screen. This option screen is actually separate from the main drawing screen - so that the screen does not become cluttered - and pressing 'EN-TER' switches between the two screens. The number of different options seems rather daunting, but because the program uses Qjump's pointer interface, it is very simple to operate, and soon the manual becomes just something to refer to when using the more complex commands. There is a help

Rich Mellor has been attracted to the latest version of The Painter by its upgrades.



The Painter: Edit pixels one by one in Enlarge mode and see the effect immediately.

function available from within the program which acts as a useful reminder on using the more complicated options.

The Painter appears to be a very professional program. It can be operated as easily from the keyboard or a joystick as from a mouse: a special configuration program allows you to specify either mouse settings or the speed at which the keyboard is read (if you do not possess a mouse). Users with full-size keyboards may experience a little difficulty in getting the settings so that the onscreen pointer does not move

so fast as to be unusable, but with a little perseverance, the program can soon be set up to match your keyboard skills. I do not possess a mouse, but would love to see the program working with one, as the point trail mode (which leaves a trail of dots or a pattern on screen as

you move the pointer around) would be a joy to use.


The program can deal with mode 4 and mode 8 screens (it can also convert them) as well as having all of the normal commands associated with drawing packages-circle, line, plot, square, fill, and many more. It does however also have some new and different commands for drawing pictures and for adding text to the screen.

On the drawing side, the standard QL ARC command has been replaced by a new 'Curve' command. This enables many more types of curves to be drawn. You simply choose the command from the menu screen, switch to the drawing screen (press ENTER), select the two ends of the curve and then use the cursor keys to move the high point of the curve.

There is also a 'Turn Shape' command which is actually more complex than its name may at first suggest. You need to outline the area to be 'turned' using a rubber-banded box. You can then specify four corners of any four sided shape into which the area will be moved. This can overlap the original, or be in a different place, but in any case, the transformation is smooth. It can even be used to re-shape a rectangle into a bow, for example. This command is very powerful, although it may also magnify/shrink the area which is to be re-shaped, and for this reason, I would have preferred the option to merely rotate a four sided shape as well.

Other graphics commands which are omitted by many of the other drawing packages include several methods of 'wiping' part of the picture, Pan/Scroll part of the screen (useful to line up parts of the picture exactly where you want them) and Zoom in/out (allows you to actually magnify part of the picture on screen if you decide that you drew something in the wrong size. All this takes place with a speed and ease of operation which leaves most programs well behind.

There is no need to worry if you make a mistake: if you press ESC after carrying out any of the commands, the screen immediately reverts to its previous state. Unfortu-



The same picture using the black and white screen jump option (here on a different print scale).

nately this will only remove the last change to the picture, so for example, if you are drawing a series of lines, and decide to remove them altogether, you will have to use one of the Wipe options, which will also remove anything printed underneath the lines.

Colours on screen are easily chosen from a separate screen which allows you to either pick the colours and stipple manually, or from a large panel which shows all of the possible combinations. If neither of these suits your needs, the program can also use user-defined patterns which can be used to fill an area of the screen.

No mistake

When your drawing is nearly complete, the Screen Edit command comes into its own. This allows you to select a small area of the screen which is magnified so that it may be altered pixel by pixel. As you alter each pixel, a real-size representation of that part of the screen is shown in the top right corner so that you can see if the changes are having the desired effect. This is much quicker than the Magnified mode of GraphiQL Plus, although it does suffer a little by the fact that the pointer has to be moved to the top of the screen each time a different colour is needed. Unfortunately, this option cannot be used to line up the pointer on the overall screen, which would be useful, for example, to ensure that lines met each other.

Much thought has also gone into the text-manipulation commands, which allow text

to be shown on screen in various ways. Not only can you use different fonts (standard QL fonts cannot be used, but there are several supplied with the program plus the option to design your own from within the program) and alter the character size, but you can also select to show the fonts in italics, outline only, bold, or even shaded (from four different angles).

There are two screens which allow you to specify how text is to be dealt with, the second of which allows even more complex operations. Text can be written not only sideways, but also on a slant and with a 3D effect (letters further along the slant appear smaller).

This text manipulation allows very complex screen displays to be created with writing in all possible directions, and in fonts up to 40x40 pixels in size (up to fifteen fonts may be loaded at any time).

The tools to help you produce a picture do not end here. The Painter can hold up to 12 different pictures at a time (depending on available memory), and parts of one picture can be lifted across to another screen using the filter and copy screen commands. The Filter command is useful if you set up a screen with several standard drawings on it, or just to doodle on. You could then opt to 'filter' out the background colour (eg black) which will enable this standard drawing to be placed anywhere on your current picture without affecting the background (useful for incorporating clipart).

Switching between the different screens couldn't be easier

 you simply choose the View option, which then shows a small representation of all the open screens. You can then open or close a screen, move parts of one screen across to another, or simply opt to work on a different screen, all by moving the pointer using the cursor keys and pressing space. The multiscreen ability of The Painter must surely make it one of the most versatile drawing programs available for any home computer.

Once you have designed your screen, it can be saved to disk in normal 32K form or as a compressed screen. The compression routine is the best I have seen for the QL, although unfortunately at the moment there is no load-only version of the routine to allow people to use screens saved using it in

their own programs.

If you want a hard-copy of the screen, an excellent screendump is included within the program. This can operate both 24-pin and 9-pin printers (it is apparently better with Epson compatibles), print the whole or part of a screen in three different sizes, print sideways, colour inverted, or black and white only (this turns off the shading used for the different colours).

There are many other options. Suffice to say that there are not many options which are not provided by this program (although I have yet to find a drawing package which can fill an area filled with a stipple colour).

There are no real problems with using the program (although some tv users may experience difficulty in reading some of the commands), however, despite it being written to run under Qjump's Pointer interface, oddly enough if you use a version of PTR_GEN later than that supplied with the program, you may end up with two pointers on screen, both moving about in response to the cursor keys!

As with any program, there are always one or two extras which the user adds to his/her wish list, but overall the program would seem to suit most people's drawing needs. It may seem a little expensive (mainly due to having to order it outside the UK), but I am certain that most users would say it was well worth it.

he OPD (One Per Desk) computer was made by ICL Ltd. as a collaborative project between ICL, British Telecom and Sinclair with Psion providing the software. The same machine was badged for BT as the Merlin Tonto and for Australian Telecom as the Computerphone. The machine was intended for the busy executive with only limited computer skills. Most operations use multiple choice menus.

The hardware is based on the QL using the same 68008 processor, QL ulas, 128K of ram and microdrive data storage. The machine has a 'footprint' of about the same length but twice the depth of the QL.

Being launched shortly after the QL, the OPD suffered from the bad publicity attached to the microdrives, although ICL had much improved the reliability of the units. Despite this poor start, many hundreds were sold to local authorities, government departments and large companies. These are now coming on to the second hand market. They are regularly seen in magazines such as *Micro Mart* and *Computer Shopper*, with the cheapest units at about £100.00. Some computer supply companies are now replacing OPDs for their customers (mostly with PCs) and are selling the OPDs off cheaply.


A typical OPD featured a mono (black and white) monitor, twin microdrives, battery-backed clock, on-screen calculator, enhanced telephone handling, modem, Xchange software (*Abacus, Archive, Quill* and *Easel*), Basic and messaging (fax look-alike between OPDs).

The OPD is designed to be left on and the screen will blank if no keys are pressed for 10 minutes. Pressing any key, or an incoming call, re-activates the screen. The monitor is intended to be switched off between sessions leaving the computer powered for unattended functions. Monitors are available in 9 inch black and white or 14 inch Microvitec colour.

The microdrives are similar to those on the QL, but save the data in a different density. Although blank cartridges can be used on either machine, the OPD cannot read QL cartridge data. There is a program (for the QL) by Dave Walker of *DiscOver* fame, that can convert data and Basic from the OPD to the QL and vice versa. The OPD records cartridge use and read failures, and warns when the cartridge is due for renewal. The microdrives are very reliable.

The telephone has auto-dialing from a saved Telephone Directory/Address file of as many as 500 entries if required, with optional monitoring of cost and duration of calls. A running total is kept in memory. The directory has a search routine and short code dialling. There is a re-dial facility of any of the last six calls. Calls can be initiated through a built-in loudspeaker, the handset being picked up only when the connection is made. The machine will answer incoming calls using a programmable computer voice chip with different

A QL COUSIN




replies available for different times, eg lunch, holidays, gone home etc. There is, no facility to record incoming calls.

The modem is built-in and capable of Viewdata and Glass Teletype communications. This enables connection to Prestel, Yellow Pages, Tony Firshman's Board and many others. Screens can be saved to memory using the 'Snapshot' option, or entire programs can be downloaded to microdrive. Text can be prepared off-line to save phone charges.

The software is an enhanced suite of the programs supplied with the QL with the import/export of data between applications simplified. Being rom-based, it loads quickly and without read failures. The four are brought together under an operating 'shell' called Xchange Task Control. Up to eight 'tasks' can be in progress at one time. Import and Export between Psion programs is fast and simple. Xchange was an optional extra.

Basic is loaded from cartridge and is a reduced version of Superbasic. Many of the features of Superbasic are not available on the OPD. There are no graphics as such (CIRCLE, LINE, BORDER, FLASH etc.), no EXEC and no DIR. The screen size of the OPD is also slightly smaller. QL Superbasic programs can be transferred to the OPD but need considerable editing



before use. Although using the same cpu, QL machine code programs cannot be run on the OPD. There are differences in the way the OPD handles the screen etc. that make QL programs incompatible.

Many OPDs were supplied with 'Messaging', a fax look-alike. This is in the form of a capsule that plugs into the back of the unit. The capsule contains a rom with the necessary code, which enables OPDs to send pre-typed text to each other using the telephone system. Received Messages can be edited and sent on to other users, printed or saved on microdrive. Later roms allow the messages to be sent at pre-set times and to different numbers to take advantage of cheap rate calls.

The OPD is provided with a serial port, but this works in one direction only, being intended solely for printer use. It is possible to download Basic files directly to the QL using the SER 2 port on the QL and a suitable cable. No input from the

QL is possible by this route.

Later improvements included disk drives from PCML (with 256K extra memory), and another from Computer One, but these are no longer manufactured and can only be obtained on the second hand market. A variety of plug-in capsules were also provided, but most were to enable the OPD to connect to ICL mainframe computers and are of little use to enthusiasts. There were later options to allow the direct transfer of files direct from microdrive, via the telephone line, between OPDs and to import data into Quill or Abacus from Bulletin Boards.

It is not possible to simply plug-in extra memory as on the QL because the OPD requires special code to 'log-on and identify' the memory. A 128K expansion unit was made but few seem to have been sold.

Software is in very short supply, possibly because there is no organised user group such as Quanta, although some business oriented programs were produced. A diary/appointments program has been seen and also a CP/M operating system is available on one version of the disk drives. It is reported that Basic and 'C' compilers were produced but no sign of one has been seen.

QL owners who use their machine mostly for the Psion package will find the OPD easy to use and in a business environment, a very useful tool. Sadly, it suffers from the lack of compatibility with the QL in the most important area, programs. Very little software is produced for the QL in Superbasic now and useful programs like Flashback and Tony Tebby's utilities cannot be used. The most promising area lies in Xchange applications and it is possible to transfer the Archiver group of programs once sold by Eidersoft.

I have both an OPD and a QL and swop data between them regularly. I like both of them. The OPD has made me friends in Scotland, Eire and Australia and the QL many at the local Quanta group.



THE NEW USER GUIDE

Part 8 of the New User Guide turns to handling data in numeric and character arrays, and setting up multi-dimensional arrays. Channels are used to send an array to mdv and retrieve it again. SECTION

Data

o far in our exploration of SuperBasic we have been concentrating on the mechanics of getting the computer to do what we want it to. The language's procedures, functions and control structures have been examined and put to some use, but a very important omission must now be put right. The most valuable part of a computer is the data it contains, yet in our efforts to understand SuperBasic, the data it is designed to manipulate has taken a back seat.


Even when it is first turned on, the QL holds lots of information. It knows SuperBasic and Qdos, microdrives, the alphabet, simple mathematics, trigonometry and much else. These things are knowledge, but they are not data. In computing, 'data' has a narrow meaning, referring to information specific to a computer application. The banking details in an accounts program, the customer details in a marketing database, the possible moves in a chess program and the page objects in a desktop publishing package are all data.

Incidentally, there is some confusion over whether 'data' should be singular or plural. Strictly, a single piece of information is a datum and several pieces are data, but it is normal to treat 'data' as a group noun. 'Datum', which is a Latin word meaning "a thing which is given", is rapidly becoming an archaic word which is little used in English speech. 'Database' is on the other hand a relatively new word used to refer to any organised collection of information, but which is especially used to describe information held on a computer in an organised and accessible form.

What little data has featured in the *New User Guide* up to now has been inconsequential and transient. No sooner was it created than it was printed on the screen and forgotten. Data is not like that in real life. Data tends to be bulky, organised into sets and, usually, valuable enough to keep. SuperBasic needs to be able to deal with such data if it is to be a genuinely useful programming language.

In Basic, data is held in variables, but the variables we have used up to now have held only one piece of information. For instance, the computer could hold a single customer's name in a variable called Customer\$, but this would be of little value if the details of hundreds of customers had to be stored and manipulated. SuperBasic handles multiple pieces of similar information in data structures called arrays.

Arrays



At its simplest, an array can be imagined to be like a table in a reference book, for instance:

CUSTOMERS

J Smith M Jones

S Taylor

A Davies L Collins

DIMension

To create such an array in SuperBasic a special command is used to define the array and ensure that sufficient memory is set aside to hold the array's contents. This command is DIM, which is short for 'dimension', and it is followed by the name of the array with its size in brackets. Array names follow the usual rules for naming variables, including the rule that requires a \$ sign at the end of the names of arrays and variables which hold text data. The command:

100 DIM Customer\$ (100,30)

creates an array called Customer\$ which has room for 100 entries, each of which can have up to 30 characters. SuperBasic is an exception to most Basic dialects in that it requires the programmer to state the maximum length of each element in a string array — most Basics delay allocating memory space until a string array element is filled and so have no need for a maximum length.

In this respect, SuperBasic is more modern, like the C programming language and most current database languages. In SuperBasic it is possible to define an array comprising a single string, eg DIM Example\$ (40), meaning a string with a maximum of 40 characters. This becomes very useful when a compiler such as Digital Precision's *Turbo* is used, and it will also make C's string handling familiar should your programming requirements ever take you in that direction.

Numeric arrays are even easier than character arrays. If each customer's account balance is to be held alongside their names, a suitable array could be defined with the command:

110 DIM Balance (100)

With numeric arrays it is not necessary to declare how long the longest number will be because SuperBasic holds all numbers from zero upwards in the same amount of memory space.

Information is placed into and read from arrays using a subscript to determine which array element is involved. If the twelfth customer is M Larkin with an account balance of £50, this information could be stored with the following commands:

120 Customer\$ (12) = "M Larkin" 130 Balance (12) = 50

The idea of subscripts is very valuable because of the flexibility it gives to programmers. For example, here is a program fragment which prints out the customer database with the appropriate account balances:

200 FOR x = 1 TO 100 210 PRINT Customer\$(x),,Balance(x) 220 END FOR x

It is perfectly possible to make valuable use of arrays without straying far from the very basic principles so far covered, but the adventurous can take arrays much further. The two arrays used above are 'single dimensioned arrays', in other words they both represent a single column of data.

SuperBasic supports multiple-dimensioned arrays. A two-dimensioned array is like a table with many columns and rows, such as:

J JONES 10 HIGH STREET WORCESTER
T SMITH 15 THE AVENUE YORK
A HARRIS 22 ACACIA AVENUE GLASGOW

A three-dimensioned array might be used to refer to a set of such tables in a book, while a four-dimensioned array might refer to sets of tables in books in a number of libraries. Arrays with more dimensions are catered for quite happily in SuperBasic but programmers tend to have difficulty imagining them, so let us stick with two-dimensioned arrays for now.

Imagine a hotel which has six floors each with twenty bedrooms. The computer can hold the names of each bedroom's occupant in an array defined as:

100 DIM Room\$ (6, 20, 10)

The array represents a matrix of 6 rows and 20 columns and the content of each matrix cell is limited to 10 characters. We can now write procedures which handle several likely occurrences, such as:

'Subscripts'

Multidimensional arrays

```
LISTING 1
100 REMark : Example arrays
110
120 REMark : Simple numeric array
             DIM balance (40)
130
140
150 REMark : Simple string array
160
             DIM customer$ (40, 20)
170 :
180 REMark: Multi-dim numeric array
             DIM demo (10, 10, 20)
200 REMark : Fill two arrays with dummy data
210 FOR x = 1 TO 40
     balance(x) = RND(100)
     customer$(x) = "Mr Smith"
230
240 END FOR X
250 REMark : Save both arrays to floppy disk
260 StoreBalance : REMark see Listing 2
270 StoreCustomer: REMark see Listing 2
280 REMark : Re-initialise both arrays
290 DIM balance (40)
```

```
310 REMark: Now restore data from floppy disk
320 FetchBalance: REMark see Listing 3
330 FetchCustomer: REMark see Listing 3

340 REMark: Prove that arrays are populated
```

```
340 REMark : Prove that arrays are populated
350 PRINT balance
360 PRINT customer$
```

```
Listing 2
```

```
500 DEFine PROCedure StoreBalance
510 DELETE fip1_balance
520 OPEN_NEW#3, fip1_balance
530 PRINT#3, balance
540 CLOSE#3
550 END DEFine
```

```
600 DEFine PROCedure StoreCustomer
610 DELETE flp1_customer
620 OPEN_NEW#3, flp1_customer
630 PRINT#3, customer$
640 CLOSE#3
650 END DEFine
```

Listing 3

```
700 DEFine PROCedure FetchBalance
710 OPEN_IN#4, flp1_balance
720 INPUT#4, junk
730 REMark: removes the 0 element
740 FOR x = 1 TO 40
750 INPUT#4, balance (x)
760 END FOR x
770 CLOSE#4
780 END DEFine
```

```
800 DEFine PROCedure FetchCustomer
810 OPEN_IN#4, fip1_customer
820 FOR x = 1 TO 40
830 INPUT#4, Customer$(x)
840 END FOR x
850 CLOSE#4
860 END DEFine
```

Book Mr Jones into Room 3 on the fifth floor:

300 DIM customer\$ (40, 20)

Room\$(3, 5) = "Mr Jones"

Find out who is in Room 12 on the second floor:

PRINT Room\$(2, 12)

Record that Mrs Davies has left Room 15 on the first floor:

Room\$(1, 15) = ""

Unfortunately, SuperBasic places two restrictions on the use of multi-dimensioned arrays which make them less helpful than they might otherwise be. Firstly, the array must contain all strings or all numbers, whereas other languages allow an array to have a mix of strings and numbers just as a reference table might have text and numeric columns. Secondly, SuperBasic insists that the cells in string arrays are all the same size, so you cannot save space by declaring some short elements and some long elements.

The only way round these problems is to use lots of arrays and make sure that the subscript numbers match as they did in the earlier example of Customer\$ and Balance. If you are designing a database, some thought needs to go into the way arrays will be used. To extend the hotel example a little, arrays might be needed to store the dates of arrival and departure of each guest, the morning newspaper they order, their bill total, and so on. The arrays might look like this:


```
100 DIM Room$ (6, 20, 10)
110 DIM Arrival (6, 20)
120 DIM Departure (6,20)
130 DIM Newspaper$ (6, 20, 14)
140 DIM Bill (6, 20)
```

It is possible to allocate a great deal of memory space using arrays like this, so a rough calculation is necessary to ensure that the arrays will fit into the QL along with the program necessary to access the data. Numbers occupy five bytes no matter what size the number actually is on screen, so for each of the numeric arrays a total of 6*20*5 bytes will be used, or 600 bytes. The string arrays will occupy 6*20*10 = 1200 bytes and 6*20*14 = 1680 bytes.

Restrictions on arrays

Memory use

The raw data in this small database will eat up no less than 4680 bytes of valuable memory space. Arrays also need additional memory space to hold 'pointers' which allow the computer to find its way around the array matrix. In a string array each element has an overhead of two bytes and each dimension has a further overhead of two bytes. Numeric arrays only need two bytes per dimension, which is usually a negligible amount. Before writing your magnum opus home accounts program it is a very good idea to calculate exactly how much memory space will be needed to store the payee, amount, description and date for every cheque you might write in a year.



Storing an array via a channel

Part 5 of the New User Guide broached the subject of channels. Channels can be used to connect the QL with any device, such as printers, modems, microdrives and disk drives. Once the connection is made data can be sent to the device or received from it via the channel. To conclude this section on data arrays we shall use channels to save an array to a microdrive file and to retrieve it back into memory. These are important techniques because a great deal of time can be expended filling arrays with information which users wish to view again at a later date.

Sending an entire array to a file could not be easier because SuperBasic allows the whole array to be copied with a single command. A file is opened and linked to a channel, the array is copied using the PRINT command, and the file is closed again. **Listing two** shows how this is achieved.

Within the file the array loses much of its structure. Each element is recorded separated by a line feed, so if the file is viewed on the screen using the command:

COPY MDV1_ARRAYFILE TO SCR_

the display will list all the elements in order. The file will not contain information about the array's name, its total size, the length of its strings or the number of dimensions it has.

Retrieving the array contents is, accordingly, a little more difficult. Firstly, if the original array no longer exists (because perhaps the program using the array has been re-loaded) the program must declare the array using the correct name and details. The elements can then be inserted from the storage file using a loop for each array dimension. The examples at **Listing three** relate to single-dimensioned arrays and are therefore quite straightforward.

An interesting point to note is that numeric arrays have a 0 element, so an array declared by DIM number(9) will have ten elements with subscripts from 0 to 9. Because string arrays do not have a 0 element it is customary to ignore the existence of the 0 subscript in numeric arrays. In Listing three the 0 element is read from the file and ignored.

With any database program there is a fairly well-defined set of activities which need to be carried out to make the data useful. The program must be capable of adding, altering, displaying and deleting data. It must be able to store data between program sessions and restore the data at the start of a session. The program must usually be able to sort data into order and group items according to a variety of criteria. The program will also need to be able to print the database, or selected parts of it.

All these things are possible within SuperBasic, although the limitations of the Basic dialect can make some of the operations quite slow when dealing with large amounts of information. Most of the activities require loops to be set up. For example, if someone's cheque records were held on the computer it would be possible to construct a loop written over a given period. Sort routines can be highly complex in their use of loops: *Sinclair QL World* has published dozens of SuperBasic sorting routines in its time.

Before contemplating a major database program, it is advisable to spend a great deal of time planning before programming commences. Detailed advice on program planning has been published in the *Better Basic* and *Super Basic* series. It is also worthwhile to consider the merits of using a SuperBasic compiler such as *Q-Liberator* or *Turbo*.

Restrictions on arrays

Plan ahead!

INFORMATION

Program: Super Disk Labeller Supplier: Dilwyn Jones Computing, 41 Bro Emrys, Tal-y-bont, Bangor, Gwynedd. Tel: 0248 354023.

Price: £10.00 (p&p included) for 3.5 and 5.25 disks or mdvs. 256K memory required.

ere we are then and just when I needed it. the program to make tidy printed labels for your floppy disks and what a good job it does. I have always wanted my Quanta library disks to have the contents listed on their labels and now I can do it.


This program can print labels that show the filenames on the disk in small print in several columns, plus a heading or title. It can also optionally include statistics such as file size, type and update date.

The reconfigurable printer driver with the package gives you control over the size of the text used and hence the amount of filenames that can be catalogued on the label.

Sorted

Filenames can be sorted into alphabetical order and even grouped so that, for example, only Quill_doc files are listed. Once the label has been assembled you can then edit the text, if required, or add your own text if there is room. There are quite a number of permutations possible.

There are also three special facilities.



label for the disk in a default drive with the minimum of key presses from the user.

Number two is a Sleeve Insert which is a list of filenames on a piece of paper larger than a label for keeping with the disk, especially if you use sleeves with your disks – mostly relevant to 5.25 in disks, although some 3.5 in disks are also supplied with clear plastic sleeves. With this facility, you can print a sheet showing filenames on a disk together with the disk name, which can be filed away easily.

Printer

Before using the program, you should select the printer driver to use with your printer. Several printer drivers are supplied with the program as follows:

DEFAULT_DRIVER: This is a very simple driver using very basic control codes that should work on just about any printer.

9 PIN_DRIVER This is a general purpose printer driver that seems to work with all Epson compatible printers that can print in condensed elite subscript print. It has been tried before release on Star LC10 and Centronics GLPII printers quite successfully.

9 PIN_PROP_DRIVER This is a proportional spacing printing version of the above.

24 PIN_DRIVER A 24 pin version of the nine pin driver above.

24 PIN_PROP_DRIVER A proportional spacing version of the 24 pin printer driver.

The program is driven by function key menus: F1 for select drive and read directory, F2 for sort, group and select filenames, F3 for make/view/edit label and backup, F4 for printouts and printer drivers and F5 for quick label. It is ca-

Super Disk

John Shaw delves into the possibilities offered by a small package dedicated to sorting and labelling disk files.

Labeller

Number one is the Quick Label facility which simply makes a sorted multicolumn filename pable of reading what is on a drive, assembling a label and starting to print it after it has

SOFT FILE/DISK LABELLER

sorted the filenames into order.

The printing will consist of a heading, made up of the disk title and capacity in sectors. All columns are the same size and the width of the column depends on the longest filename found on the disk.

The Sleeve insert facility enables you to print a piece of paper that can be stored with the disk in its sleeve, if you use them, or can be used in a disk box to remind you where each disk goes.

Selected

The Files Tidy List is a complete list of selected files on a disk, printed on a normal sheet of paper. It differs slightly in that it allows you to manipulate the list of files on a disk first, such as selecting only the _doc files, for example. The purpose is for you to be able to store on paper, for easy reference, a master list of files that you can look up at a later date. As it allows you to print on whole pages, you can use it for disks that have a very large number of files.

The Main Label making function is a little more complicated than the Quick Label function. To enable you to perform more manipulations on the label content before printing it, the filenames are read into an array list, where you can sort them into order, group by prefix (filenames starting with given letters or directory) and suffix (filenames with a certain extension only, such as doc files).

Menu

On the same menu there are other processes that can be applied to the list. The first and most obvious is to sort it into alphabetical order. You can opt to group a list of files according to a suffix or extension name. For example, if you wanted all the _doc files listed together and all the _dbf files listed to

gether. Up to ten extensions can be listed for the program to do the matching.

The program runs through the list of filenames, placing them in order as it finds the matching extensions. On the Super Disk Labeller disk, for example, you could list all the you want, you then have to make a label. This is a copy in memory of what the label will be like when printed. After building up the label layout you can then preview and edit the lines of text.

The first two fixed types are the commonly available sizes

FI + SCLECT BY MY BOLLED DURESTON CON FIGURATED

FI + SCLECT BY MY BOLLED DURESTON CON FIGURATED

FI + BYZAUDA BID POLICES FOR DURES

FI + PROMODING BID POLICES

FI + SCHIX LYGEL

FICH BUILT

MESON THE BIRT AT THE BOART A

"This program can print labels that show the filenames on the disk in columns and optionally include file sizes, etc."

printer driver files together by using the extension _dat.

There is also a similar facility to group filenames by their root. Root in this case means the first few characters of a name, which could simply be a letter or two at the start of a name.

The final option on this menu allows you to undo any sorting or grouping operations that you may have performed on the files list. It simply restores the original list as it was read from the disk by killing the index list within the program.

Once you have sorted, grouped and selected all the files you want into the order

of labels on a roll for 3.5 in disks. Type one is the larger of the two types. This is the type of label that folds round the edge of the disk. The second type is a label that does not wrap around the edge, but fills the label area on a 3.5 in disk.

Others

The 5.25 in labels are the third type. These are smaller labels that fit in one corner of the disk. This type will probably not be used much as most QL owners use 3.5 in disks. The fourth type is an address label, 3.5 inches wide and 1.5 inches deep. The final type calls on

you to enter the label size yourself.

Next, you are asked for the text area layout details. Five choices are shown on the single column, filenames only, single column, with statistics, multiple columns, with full filenames, multiple columns, best fit and squashed best fit. Once you have sorted, grouped and selected the list of files as you want to, there is one more special facility. The Backup utility is a short method of making a backup copy of the disk. The files are copied in the order held in the list in Super Disk Labeller. It can look very professional when all the filenames are listed in alphabetical order or grouped when looking at the disk with the DIR command in Basic.

There is a Customise Driver option that lets you edit existing printer drivers or create new ones specifically for your printer. There are some thirty sets of codes to enter, so you will need your typing fingers in good working order and plenty of patience.

Options

To give you some idea of the available options, a selection from the menus include: Group by Root, Group by Extension, Manual selection, Sleeve insert printout driver, Files tidy list printout, Select label types, Backup selected files, Customise printer, Use default printer.

So, here we have a superb piece of programming utility, containing all the possible options you could wish for and sold together with a 20-page User Manual which I found easy to use and follow.

In addition, if you have a very unusual printer, you can contact Dilwyn Jones and he will do his utmost to be of assistance.

A good, well thought out package, representing excellent value for money.

<u> Games Stra 108/14</u>					
BOOT	HACK	PICS2	SCREEN_code	WORM locnC	WORM sprite
DATA	HELP	README	WORMC adv	WORM_locnW	GRAPHICS WORM
DRAG1_sprite	HH	RECORD	WORM boot	WORM_obj	HACK
DRAG2_sprite	PICSI	RUMORS	WORM locn	WORM pics	



NEW! CARTOON CLASSICS PACK

HARDWARE: 512K AMIGA 500 A520 TV MODULATOR FREE A501 RAM EXPANSION . £99.99

SOFTWARE - ENTERTAINMENT BART SIMPSON £24.99 CAPT PLANET & PLANETEERS £25.99 LEMMINGS £25.99

PLUS! 16 NIGHTS FREE HOLIDAY ACCOMMODATION

SOFTWARE - PRODUCTIVITY DELUXE PAINT III £79.99 PLUS! FREE FROM SILICA

ARCADE ACTION PACK. £229.78 PHOTON PAINT 2.0 £89.95 TOTAL RRP: £906.67 YOU SAVE: £507.67

SILICA PRICE - INC VAT + FREE DELIVERY



STAND-ALONE

•	512K AMIGA	£329.99
•	TV MODULATOR	FREE
•	MOUSE CONTROLLER	FREE

PLUS! - FREE FROM SILICA

 ARCADE ACTION PACK £229.78 PHOTON PAINT 2.0 £89.95

> TOTAL RRP: £649.72 YOU SAVE: £320.72

SILICA PRICE: £329

PLUS! FREE HOLIDAY ACCOMMODATION

SILICA PRICE - INCLUDES VAT + FREE DELIVERY

The new Arcade Action Games Pack is THE software compendium for Amiga owners, featuring ten top titles with a variety of different types of games for you to enjoy. Each title is packaged in its own plastic case, with a colour sleeve and full instructions. The Arcade Action Pack is FREE! when you buy your Amiga 500 from Silica.

WORTH: £219.78



PHOTON PAINT 2.0 GRAPHICS PACKAGE

Every Amiga 500 from Silica Systems comes with a FREE Photon Paint 2.0 (RRP £89.95), one of the most advanced art packages available for the Amiga. With it, you will be able to harness the extraordinary graphics power of the

Amiga and produce inspirational pictures in minutes. With 4096 colours, your pictures will reach lifelike appearance. These can be animated in real-time using a vast range of graphical effects, including blending colours and dithering, stencils, shadowing, worth contour mapping and surface mapping.



16 NIGHTS HOLIDAY HOTEL ACCOMMODATION

Every Amiga from Silica comes with a FREE 72 page, full colour brochure with accommodation vouchers. These vouchers entitle 2 people to stay up to 16 nights in one

hotel (or any number of hotels to a total of 16 nights) with accommodation FREE (you could take up to six nights for four people, or other options). Choose from the 250 hotels featured in the catalogue. All you have to pay for are your meals (prices are listed in the brochure). Reduced rates in top ondon hotels and hotels in France are also featured.



ARCADE ACTION PACK - £229.78:

Asterix - By Coktel Vision	£24.99
Chess Player 2150 - By CP Software	
Drivin' Force - By Digital Magic	£24.95
Live & Let Die - By Elite	£19.99
Onslaught - By Hewson	£24.99
Pipe Mania - By Empire Software	
Rick Dangerous - By Firebird	
Rock 'n' Roll - By Rainbow Arts	£19.99
Skweek - By US Gold	£19.99
Trivial Pursuit - By Domark	

ART PACKAGE - £89.95:

Photon Paint 2.0 - By Microlllusions £89.95

TOTAL RRP: £319.73

PLUS! FREE HOLIDAY ACCOMMODATION

SILICA **SYSTEMS OFFER**

- FREE OVERNIGHT COURIER DELIVERY: On all hardware orders shipped in the UK. FREE OVERNIGHT COURIER DELIVERY: On all hardware orders shipped in the UK. TECHNICAL SUPPORT HELPLINE: Team of Amiga technical experts at your service. PRICE MATCH: We normally match competitors on a "Same product - Same price" basis. ESTABLISHED 12 YEARS: Proven track record in professional computer sales. BUSINESS + EDUCATION + GOVERNMENT: Volume discounts available for large orders. SHOWROOMS: Demonstration and training facilities at our London & Sidcup branches. THE FULL STOCK RANGE: All of your Amiga requirements from one supplier. FREE CATALOGUES: Will be mailed to you with offers and software/peripheral details.

- PAYMENT: By cash, cheque and all major credit cards.

Before you decide when to buy your new Amiga computer, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after buying your Amiga, when you may require additional peripherats or software, or help and advice with your new purchase. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for over 12 years and, with our unrivalled experience and experience and experience and experience should be a now claim to meet our customers requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest Feel literature and begin to experience the "Silica Systems Service". for our latest Free literature and begin to experience the "Silica Systems Service"

MAIL ORDER: Order Lines Open:	1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Mon-Sat 9.00am-6.00pm No Late Night Opening Fa	Tel: 081-309 1111 x No: 081-308 0608
LONDON SHOP: Opening Hours:	52 Tottenham Court Road, London, W1P 0BA Mon-Sat 9.30am-6.00pm Late Night: Thursday until 8pm Fa	Tel: 071-580 4000 ix No: 071-323 4737
LONDON (SELFRIDG Opening Hours:	GES): 1st Floor, 369 Oxford Street, London, W1A 1AB Mon-Sat 9.30am-6.00pm Late Night: Thursday until 8pm As	Tel: 071-629 1234 sk for extension 3914
SIDCUP SHOP: Opening Hours:	1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Mon-Sat 9.00am-5.30pm Late Night: Friday until 7pm Fa	Tel: 081-302 8811

To: Silica Systems Ltd, Dept. QLW 1091-60, 1-4 The Mews, Hatherley Rd, Sidcup Kent, DA14 4DX

DIEACE	CEND	EDEE	ARAICA	CULUIR	CATALOGUE
FLEASE	SEMP		MINITOR	COLUCII	UNINLUUUL

		more way in historical tries a light shell from a	
Mr/Mrs/Ms	Initials:	Surname:	

1	Address:	THE THE PARTY OF T







Postcode:

Systematic Machine Code Programme

should begin by asking the questions:
'Why bother with machine code? Why
not stick to Basic, or in the case of the
lucky QL owner, stick to SuperBasic,
surely the best implementation of the language on any machine?'

Up to a point, SuperBasic is fine. I write SuperBasic programs, and use other people's SuperBasic programs all the time, with no complaints. None, that is, until I need some rapid screen handling, or I need them to multi-task, or I'm sick of waiting forever for the program to load, or

The problem is, the microprocessor in the QL (or any other computer) doesn't understand SuperBasic. So each command has to go through the interpreter, which converts it into numbers the microprocessor can understand. As a result, the QL spends most of its time trying to work out what the commands mean, and only a tiny fraction of its time actually carrying them out. Even worse, the microprocessor never learns, so no matter how many times your SuperBasic program loops through the same set of commands, they always need interpreting over and over again. What a waste of time!

The next question should be: 'What about compiled SuperBasic, using Supercharge, QLiberator, or Turbo?'

Compiler

A SuperBasic compiler will turn your SuperBasic program into a set of instructions the microprocessor can understand, so it doesn't have to wait for the interpreter, and can carry them out at once. It's magic to see your sluggish SuperBasic program become a fast, compiled program. And not only that, but it multi-tasks as well. What more could you want?

Well, there are ways, and ways, of telling a microprocessor what SuperBasic was designed to tell it to do. Compilers tend to be long winded. As a result, the program tends to get very long, and expensive in ram use. Not very useful if you want several multi-tasking in your limited ram space. Not only that, but often there are much faster sets of instructions than the compiler can find. So although compiled SuperBasic is much faster than interpreted

The first in a new series by Alan Bridewell, building on basic Machine Code skills.

SuperBasic, the program could be much faster still.

Which leads us to the question: 'What about other compiled languages?'

SuperBasic was designed to make things as easy as possible for human beings to tell the QL what to do. As a result, we get all the problems so far mentioned. Other languages, like Forth and C, are more of a half-way house. They are rather more difficult for us humans, but not that difficult, so most of us can pick them up if we're prepared to put the time and effort into learning them. The big advantage they have over compiled SuperBasic is that the compiler converts them into instructions that are more compact, and faster. But, even so, none of them can do it perfectly. The microprocessor can still be instructed in a more concise, and faster, way. But, in the end, the only way to do this is to instruct the microprocessor in its own language.

Unfortunately, the microprocessor's own language is an ever-changing series of numbers, which only computing masochists would attempt to use. But help is at hand, in the form of assembler language. This consists of a set of instructions which human beings can easily understand, but where each instruction converts to a unique number (or set of numbers) in the microprocessor's machine code language. For instance, in assembler language, we could write.

MOVE. L D4, D2

which simply means 'Copy the long word stored in the D4 register of the microprocessor into the D2 register of the microprocessor'. The assembler will convert this into the hexadecimal number \$2404, which the microprocessor will recognise as that precise instruction, and writes it into the program. What could be easier? If some experts are to be believed, nothing is easier.

Well, in spite of what some of the experts say, it is a fact that the vast majority of computer users find machine-code programming very difficult, if not actually impossible. So, why should this be?

It's not that following the architecture of the microprocessor is difficult. Ideas like address, data, register and program counter are easy enough. And the lines of program are easy enough in themselves. Some of the instructions are quite subtle, but with a bit of thought they are all understandable.) With some effort, most of us who dabble in machine code can follow, say, Simon Goodwin's *DIY Toolkit* routines, and possibly make slight modifications to the code to suit our own needs. But to go from there to writing whole programs from scratch is not on.

The problems, I believe, come down to these.

1. It is too big a jump of imagination to go from single program lines to working out what large chunks of code will do. It's one thing to write code which simply moves numbers around registers and ram. It's quite another thing to work out how doing this can make things appear on the screen, or open files, or print to the printer, or any of the real jobs you want your program to do. We need small chunks of code which perform a recognisable task.

2. Many (possibly all) of these chunks of code are already there as trap calls or vectored routines. However to use them we have to put certain data in certain registers, and then sometimes look at other registers to find the result of calling the code. As it's almost impossible to remember where all this data has to go, it means continually referring to a m/c programming manual every couple of lines we write.

As a self-taught programmer, who does it for amusement, I have worked out a system which has enabled me to produce a number of useful programs.

What I have produced, and what I would like to share with you, is a programming kit consisting of small chunks of code to perform particular functions. They are fully annotated to show how they work, and how they may be fitted together with other chunks of code. In particular, special note is made of any alterations they might need

Cing

in particular circumstances. For instance, every time the stack is used, the effect on the stack pointer is noted, so that when we need to use some data stored on the stack, we know where it is stored in relation to the current stack pointer. Also, if the code requires any data blocks, or buffers, or equates, these are set out so they can be conveniently moved to the end of the code to be lumped together.

At this point I should say that I program using Assembler Workbench by Talent. (You should have no problems modifying the listings to suit your assembler.) I learned most of my machine code work by reading Adam Denning's Advanced QL Machine Code, and a lot of what I have was produced by taking his programs apart and using the bits. I have also referred much to Adrian Dickens' QL Advanced User Guide, and, of course, to the many m/c programs that have been published over the years by QL World, and before that by QL User.

I should also point out that these articles are not designed as a beginner's tutorial in assembler language. (If you are not familiar with it you should obtain a suitable guide.) These articles are aimed at helping the many who can read programs to be able to write programs.

We will start by listing some of these chunks of code, and, where necessary, explaining what they do and how they do it. Then later, we shall put some of them together to make a program.

Jobstart (Listing one)

'Jobstart' is the 'standard' way to start the code for a multi-tasking job. I'm not sure it's actually necessary, but it does allow you to identify the job among others, using a toolkit command which prints out the state of the current jobs in the machine. (I don't know how it works - perhaps someday I'll find out.)

Priority (Listing two)

Often the first thing we want a job to do is to set its priority to fix what proportion of the processor's time it is going to use. (Basic has a priority of 32.)

'Priority' is a TRAP 1 call. We must put #MT_PRIOR in DO (#MT_PRIOR is the hex number B). We must put the job ID in

```
Listing 1
                                 JOBSTART
  *******************************
 THIS SHOULD BE HOW A MULTI-TASKING JOB SHOULD BE STARTED. START IS THE ADDRESS OF THE FIRST INSTRUCTION OF THE JOB.
 THE CHARACTER COUNT AND JOB NAME SHOULD BE EDITED AS APPROPRIATE.
                     BRA. S
                               START
                                            BRANCH TO START OF CODE
                                          ; (THIS IS STANDARD FORMAT FOR ; START OF A JOB)
                    DC.L
                     DC.W
                               $4AFB
                     DC.W
                                            CHARACTER COUNT OF JOB NAME
                                'TEST'
                    DC. B
                                          ; NAME OF JOB
 START SHOULD NORMALLY POINT TO CODE SETTING THE PRIORITY OF THE JOB
 isting 2
  **<del>*******************</del>
                                'PRIORITY'
       ***************
 THIS CODE SETS THE PRIORITY OF THE MULTI-TASKING JOB.
 THE VALUE IN D2 SHOULD BE ADJUSTED TO THE PRIORITY REQUIRED
                                                    ; #MT_PRIOR IN DO
; OF THIS JOB
                    MOVEQ
                               #$B,DO
#-1,D1
                    MOVEQ
                               #1,D2
                    MOVEQ
                                                    ; TO 1
                    TRAP
  *******
                                 'CONSOLE'
  **********
 THIS IS HOW WE SET UP A CONSOLE WINDOW.
 MOST JOBS WILL REQUIRE AT LEAST ONE CONSOLE WINDOW.
 OPEN THE CONSOLE CHANNEL
                               PBLOCK, A1
                     LEA. L
                                                      PBLOCK ADDRESS IN A1
                     MOVE. W
                               $C6,A2
                                                     ; UT_CON VECTOR IN A2
                               (A2)
 SAVE THE CHANNEL ID WHICH UT_CON ROUTINE LEAVES IN AO.
                                                ; SAVE CONSOLE ID ON STACK
; * NOTE * THIS CHANGES A7
                     MOVE.L
                               AO. - (A7)
                                                 BY -4, READY FOR NEXT
                                                ; STACK ENTRY.
: CLEAR THE WINDOW (OPTIONAL)
                     MOVE - W
                               #$FFFF,D3
                                                     ; INFINITE TIMEOUT
                                                     #SD_CLEAR IN DO
                     MOVEQ
                               #$20,D0
                     TRAP
                               #3
                    BRA.S
                               NEXTBIT
                                                     ; SKIP BLOCK
 * NOTE * NORMALLY, WE NEED TO PUT CHANNEL ID IN AO BEFORE USING THIS TRAP TO CLEAR THE WINDOW. HOWEVER, IN THIS CASE IT HAS ALREADY BEEN
 LEFT THERE BY THE PREVIOUS SUBROUTINE
 DEFINITION BLOCK. ADJUST VALUES TO FIT REQUIREMENTS
                     DC. B
                                                       GREEN BORDER
                    DC. B
                               2
                                                       2 PIXELS WIDE
                     DC.B
                               0
                                                       BLACK PAPER/STRIP
                    DC.B
                                                       WHITE INK
                               100
                    DC.W
                                                      WIDTH
                    DC.W
                               100
                                                      HEIGHT
                    DC. W
                               0
                                                        POSITION
                                                       Y POSITION
 sting 4
                               MESSAGE
 OR 4(A7),A0 OR 8(A7),A0, ETC.
CHANNEL ID IN A0
BASE ADDRESS IN A1
UT_MTEXT VECTOR IN A2
                    MOVE.L
                               (A7) . AO
                    LEA.L
MOVE.W
                               MESSAGE, A1
                               $D0,A2
(A2)
                     JSR
                     BRA. S
                               NEXTBIT
 MESSAGE. ADJUST LABEL, LENGTH AND CHARACTERS TO SUIT
MESSAGE
                                            LENGTH OF MESSAGE
                                THIS IS A MESSAGE:
```

MACHINE CODE

D1. (In the case of the current job we put -1 into D1.) The actual priority we put into D2.

Console (Listing three)

Jobs almost invariably need at least one console window to input data from the keyboard. The routine 'Console' will open a console window, clear the window (optional), and place the console channel ID on the stack.

The routine uses the UT_CON vector which must be placed in A2 before jumping to its sub-routine. (UT_CON is \$C6.) The subroutine will also require the address of a parameter block for the window in A1, and this must be in the following format:

00	byte	border colour
01	byte	border width
02	byte	paper colour
03	byte	ink colour
04	word	window width
06	word	window height
08	word	X origin (top left corner)
OA	word	Y origin (top left corner)

Message (Listing four)

The next thing we would normally want to do is to print some text to the window as a start-up message, or a prompt to input something from the keyboard. The routine 'Message' prints a message to the window.

It requires UT_MTEXT in A2, which it calls as a subroutine. (UT_MEXT is \$DO). The subroutine requires the channel ID in A0, and the base address of the message in A1. This particular bit of code could possibly be used several times in a program, and each time it will need modifying. You need to adjust the label, length and characters of the message, and you will have to work out where the channel ID is stored in relation to the current stack pointer. (This only means carefully checking what has been added to the stack since the channel ID was stored.)

Instring (Listing five)

The routine 'Instring' is to input a string from the keyboard and place it in a store called Buffer. Here we run into a Qdos peculiarity which needs overcoming.

If we wish to use this string as a name, say, of a file we wish to open, then Qdos will expect the string to be preceded by a word holding the string length. However, the IO_FLINE routine we use to fetch the string just stores the string in buffer, and leaves the string length (including the LF at the end) in D1. So we precede 'buffer' with a one-word store 'BUF_POS'. We then put D1 in 'BUF_POS' and subtract 1 to remove the LF from the count.

Now, if we need the string preceded by the string count, we consider it as starting from 'BUF_POS'. But if we only need the string without the count, we consider it as starting from 'Buffer'.

Open (Listing six)

The routine 'Open' will open a channel using a name stored in 'BUF_POS'. (We use 'BUF_POS' rather than 'Buffer' be-

```
Listing 5
                                                    INSTRING
   THIS INPUTS A LINE OF TEXT FROM KEYBOARD AND PLACES IT IN A STORE IN RAM CALLED 'BUFFER'.
   THIS STORE HAS TO BE LONG ENOUGH TO HOLD A LINE OF TEXT.
                                                                ; OR 4(A7),A0 OR 8(A7),A0, ETC.
; CONSOLE CHANNEL ID IN A0
. INSTRING
                                MOVE.L
                                                (A7),A0
                                               #BUF_LEN,D2 ; LENGTH OF BUFFER IN D2
#*FFFF,D3 ; INFINITE TIMEOUT
BUFFER,A1 ; BASE ADDRESS OF BUFFER IN A1
                                MOVER
                                MOVE.W
                                I FA.I
                                                                #ID_FLINE IN DO
                                MOVEQ
                                                #2.DO
   IF THIS STRING IS TO BE USED BY QDOS AS, SAY, A CHANNEL NAME,
   IF THIS STRING IS TO BE USED BY QDOS AS, SAY, A CHANNEL NAME, THEN WE NEED THE ADDRESS OF CHANNEL NAME IN AO. QDOS EXPECTS THIS NAME TO BE PRECEDED BY A WORD HOLDING THE LENGTH. BUT ID_FLINE JUST RETURNS THE CHARACTERS, WITH A CHARACTER COUNT (INCLUDING THE LF) LEFT IN D1. WE MAKE SURE THE ADDRESS OF BUF_POS IS 2 LESS THAN THE ADDRESS OF 'BUFFER'. THEN WE SUBTRACT 1 FROM THE VALUE IN D1 AND PUT IT IN 'BUF_POS'. NOW PUTTING THE ADDRESS OF 'BUF_POS' FOR THE ADDRESS OF THE STRING GIVES US
   THE STRING IN THE CORRECT FORMAT.
                                LEA.L
                                                BUF_POS, AO ; BUF_POS IN AO
                                                               ; SUBTRACT 1 FROM THE D1 REMOVES
; THE LF FROM THE STRING COUNT.
                                SUBQ. L
                                                #1,D1
                                MOVE. W
                                                D1. (A0)
                                                                PUT NEW STRING LENGTH IN BUF_POS
                                  TO BE POSITIONED AFTER THE CODE
               'BUFFER' FOR THE STRING AND 'BUF_POS' FOR THE STRING COUNT
                                                                : LENGTH OF INPUT BUFFER
                                FOU
                                                100
  BUF LEN
 .BUF_POS
                                DC. W
                                                0
 BUFFER
                                EQU
                                         BUFFER SHOULD COME LAST OF ALL.
                 **** NOTE ****
Listing 6
                                                     OPEN
  THIS ROUTINE WILL OPEN A FILE
WE NEED THE ADDRESS OF CHANNEL NAME IN AO. QDOS EXPECTS THIS NAME TO BE
PRECEDED BY A WORD HOLDING THE LENGTH. SO WE USE 'BUF_POS' RATHER THAN
SUFFER' AS THE POSITION OF THE START OF THE STRING SO IT STARTS WITH A
STRING COUNT (SEE 'INSTRING')
                                                                  ; BUF_POS IN AO
OPEN OLD SHARED FILE, OR
#O = OLD EXCLUSIVE FILE
                               I FA.L
                                               BUF_POS, AO
                               MOVEQ
                                               #1.D3
                                                                   #2 = NEW EXCLUSIVE FILE
                                                                   #3 = NEW OVERWRITE FILE
                                                                  #4 = OPEN DIRECTORY FILE
JOB ID FOR THIS JOB
                                MOVEQ
                                               #-1.D1
                                                                #IO_OPEN IN DO
                                               #1,DO
                                MOVEQ
                                TRAP
                                                                ; ERROR?
                                TST.L
                                               DO
   BEQ.S GOT_FILE ; IF NOT, THEN CONTINUE. ELSE:-
**** NOTE **** IF THIS ROUTINE IS REPEATED TO OPEN MORE THAN ONE FILE,
THE NAME 'GOT_FILE' WILL NEED CHANGING FOR EACH OCCURANCE OF THE CODE.
  PRINT ERROR MESSAGE
                                MOVE.L
                                                (A7),A0
                                                                  DR 4(A7),A0, DR 8(A7),A0, ETC.
CONSOLE CHANNEL ID IN A0
                                                                  UT_ERR IN A2
                                                $CC,AZ
                                MOVE. W
                                                (A2)
                                                                  PRINT ERROR MESSAGE
  GO BACK TO SCREEN PROMPT FOR INPUT
                                                                OR WHATEVER WE CALL THE CODE
                                BRA. S
                                               MESSAGE
                                                                  FOR THE PROMPT.
; IF NO ERROR, THEN THIS CODE IS USED
                                                                : SAVE CHANNEL ID ON STACK
 GOT_FILE
                                MOVE.L
                                               AO, - (A7)
                                                                   * NOTE * STACK POINTER A7
                                                                  CHANGES BY -4
   * NOTE * AT THIS POINT THE NEXT CODE WILL PROBABLY BE TO PUT WINDOW ID
  BACK IN AO, TO USE THE WINDOW, OR MAYBE TO CLOSE IT.
                                                     'GETHEAP
                               *******
   THIS ROUTINE WILL TRY TO ALLOCATE HEAP_ROOM OF COMMON HEAP SPACE AS A BUFFER. IF IT CANNOT ALLOCATE THIS MUCH, IT WILL HALVE THE NUMBER AND
   TRY AGAIN. IT WILL KEEP REPEATING THIS UNTIL IT ACTUALLY SUCCEEDS IN
   ALLOCATING AT LEAST 2 BYTES, OR GIVE UP. IF IT SUCCEEDS, IT WILL STORE
```

cause Qdos expects the string to be preceded by a word giving the string length.

We must take care to open the correct type of channel, and this is fixed by the value we put in D3.

- 0 = old exclusive
- 1 = old shared
- 2 = new exclusive
- 4 = new overwrite
- 5 = directory

If we are inputting data from an old file, then we would normally make it 'old shared', so other programs can use the file at the same time. But if we are outputting data to a new file, say a serial printer, or a screen window, we would normally make it 'new exclusive' so that it only gets data from this program.

As we might well use this routine more than once in a program, we must also be careful to alter the labels suitably each time it is used.

Getheap (Listing seven)

A useful thing is to use some of the spare, unused ram to speed up program by reducing the number of times we need to access a file on microdrive (or disk). So we allocate a chunk of the common heap (unused ram) as a buffer.

The simplest thing might be to work out (or guess) how much buffer we want, and allocate that amount of common heap for the use of the program. But since we don't know what other programs might be running at the same time, we don't know how much common heap is available. If there is not enough to give us what we ask for, the program will stop with an error message. So the best thing to do is to try to get the amount we want, but if there is not enough, we ask for less, and keep asking for less until Qdos gives us what we ask for.

The routine 'Getheap' keeps halving the amount asked for by using a LSR.L on D1, which contains the amount of ram we are asking for. (If no common heap is available, the program will just stop.)

Stringtr (Listing eight)

The routine 'Stringtr' will transfer strings of bytes from one channel to another. (Both channels will, of course, have to be already opened.) It will continue this until we get complete file transfer, or we get an error. The routine contains alternative bits of code depending on whether we use a small buffer at the end of the program to store the collected bytes, or whether we use some common heap. If we use a small buffer at the end of the program, we can probably use the same one we undoubtedly needed for storing the names of the channels we opened earlier. This means the last part of the routine is redundant, but has been put in for completeness.

This routine makes a lot of use of the stack, with three things stored there; the two channel IDs, and the error return when we input the string (so we can see if we

```
THE ADDRESS AND NUMBER OF BYTES ALLOCATED IN HEAP ADDR AND HEAP LEN.
  NOW WE TRY TO GET THAT AMOUNT OF RAM FROM THE COMMON HEAF
                                    #HEAP_ROOM,D1 ; BYTES REQUIRED IN D1 #-1,D2 ; ID FOR THIS JOB IN D2
                        MOVE.L
.GET ROOM
                        MOVED
                                                   #MT_ALCHP IN DO
TRY TO GET RAM
                        MOVED
                                    #$18,DO
                        TRAP
                                    #1
                                                   ERROR
                        TST.L
                                    DO
                        BEQ.S
                                    GOT_AREA
                                                   YES, THEN CONTINUE. ELSE:-
                                                3
                                    #1,D1
                        LSR.L
                                                   DIVIDE BYTES REQUIRED BY 2
                                                ş
                        CMPI.L
                                    #1,D1
                                                   IF D1<=1 STOP WITH ERROR
                        BGT.S
                                    GET_ROOM
                                                   ELSE LOOP AND TRY AGAIN
                        BRA. S
                                    JOB_END
  HAVING GOT SPACE ALLOCATED, WE MUST SAVE ADDRESS AND NUMBER OF BYTES
  ALLOCATED.
GOT AREA
                        LEA.L
                                    HEAP_LENGTH, A1
                        MOVE.L
                                    D1, (A1)
                                                ; SAVE NUMBER OF BYTES
                        LEA.L
                                    HEAP_ADDR, A1
                                                ; SAVE AREA ADDRESS
                        MOVE.L
                                    AO, (A1)
                                                 ; SKIP HEAP ALLOCATION BLOCK
                        BRA.S
                                    NEXTBIT
  HEAP ALLOCATION BLOCK.
  FIRST WE NEED TO SAY HOW MUCH HEAP_ROOM WE WANT. 4096 BYTES IS 8 MDV
  SECTORS, SO WILL REQUIRE ONE MDV ACCESS FOR EVERY 8 MDV SECTORS IN
  THE FILE.
                                                ; HEAP ROOM REQUESTED
 HEAP_ROOM
                        EQU
                                    4094
.HEAP_ADDR
                        DC.L
                                    0
                                                   SPACE FOR HEAP ADDRESS
                        DC.L
                                    0
                                                  SPACE FOR LENGTH OF HEAP SPACE
Listing 8
                                   'STRINGTR
  THIS ROUTINE TAKES A STRING OF BYTES FROM A CHANNEL AND STORES THEM IN A BUFFER, UP TO THE LENGTH OF THE BUFFER (BUF_LEN). IT THEN SENDS THE
  STRING TO ANOTHER CHANNEL. IT THEN KEEPS REPEATING UNTIL WE GET EOF.
  FIRST WE FETCH THE STRING FROM THE INFILE
                                    (A7),A0 ; OR 4(A7),A0, OR 8(A7),A0, ETC.
; INFILE_ID IN A0
#BUF_LEN,D2; IF 'GETHEAP' USED, THEN
.FILE P
                        MOVE.L
                        MOVEQ
                                                  LEA.L HEAP_LENGTH, A1
                                                  MOVE.L (A1),D2
LENGTH OF BUFFER IN D2
IF 'GETHEAP' IS USED, THEN
                        LEA.L
                                    BUFFER, A1 ;
                                                  LEA. L HEAP_ADDR, A1
                                                  MOVE.L (A1),A1
BUFFER ADDRESS IN A1
                        MOVE. W
                                    #$FFFF,D3
                                                  INFINITE TIMEOUT
                        MOVED
                                    #3,DO
                                                  #ID_FSTRG IN DO
                        TRAP
                                    #3
                                                FETCH STRING
                        MOVE.L
                                    DO,-(A7)
                                                : SAVE ERROR RETURN ON STACK
                                                  * NOTE * STACK POINTER A7
                                                  CHANGES BY -4
  NEXT WE SEND STRING TO OUTFILE
                                                 OR 8(A7),A0, ETC.
OUTFILE_ID IN A0
IF 'GETHEAP IS USED, THEN
                       MOVE.L
                                    4 (A7) , A0
                       LEA. L
                                    BUFFER, A1
                                                  LEA.L HEAP_ADDR,A1
                                                  MOVE.L (A1),A1
BUFFER ADDRESS IN A1
                                                  IO_FSTRG LEAVES THE NUMBER OF
BYTES ACTUALLY FETCHED IN D1
SO WE PUT THIS IN D2
                       MOVE.L
                                   D1,D2
                                                  #ID_SSTRG IN DO
                       MOVEQ
                                    #7,DO
                       TRAP
                                    #3
                                                  SEND STRING
  AT THIS POINT WE NEED TO KNOW IF WE HAVE REACHED THE END OF THE FILE.
  SO WE EXAMINE THE ERROR RETURN SAVED ON THE STACK.
                       MOVE.L
                                    (A7)+,DO
                                                  PUT ERROR RETURN BACK IN DO
                                                  * NOTE * STACK POINTER A7
                                                  CHANDES BY +4
                       TST.L
                                   DO
                                                  ERROR?
                                   FILE_P
                                               , NO, THEN LOOP FOR NEXT STRING
  ********
                                        ********
 POSITION AFTER THE CODE
USE GETHEAP FOR A LARGE BUFFER IN THE COMMON HEAP AREA
THIS BUFFER WILL HAVE ITS ADDRESS STORED IN HEAP_ADDR AND ITS LENGTH
  STORED IN HEAP_LEN
 OR....
BUF_LEN
BUFFER
                       FOIL
                                   100
                       FOU
  *** NOTE *** BUFFER SHOULD COME AT THE END
```

MACHINE CODE

have reached the EOF). We must be careful that we know exactly where the stack pointer is at each stage, otherwise we shall be taking the wrong data from the stack!

Close (Listing nine)

Whenever we finish with any channels it is important we close them. If the stack contains other data besides the channel ID we need, then we may have to be a bit careful here. However, if the program is not too complicated (and well ordered) usually by the time we are ready to close channels, all we have left on the stack are IDs of unwanted channels, so there is no problem.

Since closing channels is usually (though not always) followed by killing the job, I have included the line which will jump to the routine to do this.

Endjob (Listing ten)

'Endjob', the last routine in this first article, is the one needed to kill a job, either because it has been completed successfully, or because an error has occurred.

Fatal errors, when detected, should jump to JOB END, and this will give an appropriate error message in channel 0 before killing the job.

A successful completion should jump to END JOB.

In case you feel, after reading this first article, that Assembler Language proListing 9

CLOSE

THIS ROUTINE WILL CLOSE AN OPEN CHANNEL WHOSE ID IS TOS

. CLOSE

MOVE. L MOVEQ TRAP

#2,D0

(A7)+,A0 ; CHANNEL ID IN A0 ; #IO_CLOSE IN DO

IF THIS IS THE LAST CHANNEL TO CLOSE BEFORE WE KILL THE JOB THEN THE NEXT LINE IS NEEDED TO KILL THE JOB. OTHERWISE, LEAVE OUT NEXT LINE.

> BRA. S END JOB

* NOTE * IF THE CHANNEL ID WE WANT TO CLOSE IS NOT TOS, WE SHALL HAVE TO REMOVE THE OTHER ITEMS ONTO REGISTERS (OR RAM) TO GET TO THE ITEM WE WANT, USE IO_CLOSE, AND THEN PUT THEM BACK ON THE STACK.

Listing 10

****************** 'ENDJOB

THE FIRST PART OF THIS ROUTINE SHOULD ONLY BE USED WHERE AN ERROR DETECTED BEFORE A SUITABLE WINDOW HAS BEEN OPENED. IT WILL GIVE AN ERROR MESSAGE IN CHANNEL O, OR IN CHANNEL 1 IF CHANNEL O IS NOT AVAILABLE.

JOB END

MOVE. W **JSR**

\$CA,A2; UT_ERRO in A2 (A2)

THE NEXT PART IS THE NORMAL ENDING OF A JOB BY KILLING IT.

END JOB

MOVEQ #-1,D1 TRAF

; #MT_FRJOB IN DO ; ID OF THIS JOB IN D1

gramming is too difficult, I must point out really need to come first if we are quickly to that later parts are easier. Unfortunately, we can't really start to have a usable program without opening and closing channels to screen, printer, file, etc., and inputting and outputting text. So although these are not the easiest of jobs to program, they

get to write a usable program.

Obviously, we will need much more than this if we are going to get very far with our programming. But these are enough for a start, and next time we shall use them to produce a successful program.

Independent QL/Thor Users Group

Worldwide Membership is by subscription only, and offers the following benefits: Monthly Newsletter – up to 40 pages Massive Software Library – mostly FREE! Free Helpline and Workshops Regional Sub-Groups. One near you? Advice on Software & Hardware problems Discounts from most major suppliers Subscription just £14 for UK members Overseas subscription £17

Barclaycard: Visa: Access: Mastercard

* Now in our EIGHTH successful year *

Further details from the Membership Secretary



Bill Newell 213 Manor Road Benfleet Essex. SS7 4JD Tel (0268) 754 407



QUBBESoft P/

Public Domain and Shareware Software For The

Copying Fee

Sinclair Q.L.

S.A.E. (A5) for Software Catalogue



C68 Public Domain 'C' Compiler

Disk 1: (Main System Disk) Contains the various passes of the Compiler, Header files and the Libraries.

Disk 2: (Utils & Doc's) Contains Utility Programs and Documentation for the C68 system. Also includes a 'C' Tutorial.

Disks 3-7: (Source Code 1-5) Contains Source Code for following:- C68 Compiler, CC, CPP, AS68, LD, Generic Part of Standard 'C' Library, QDOS Specific Part of 'C' Library, Additional Libraries and Utilities such as MAKE and SLB.

Copying fee: £2.50p (User Supplies Disks) or £5.00p (Pre-Copied Disks)

MicroEMACS V3.9p Text Editor

Disk 1: (System & Doc's) Contains EMACS. The main program. EMACS RC. Resource file. EMACS_HLP, Help file.

EMACS MSS. User guide. EMACS_TUT, Tutorial file.

EMACS1 doc to EMACS13 doc EMACSA_doc to EMACSF_doc is User Guide in _doc form

Disk 2: (Source Code) Contains All the relevant Source Code for MicroEMACS

Also includes documentation on the latest update, and how it has been re-compiled using the C68 Compiler.

Copying Fee: £1.00p (User Supplies Disks) or £2.00p (Pre-Copied Disks)

38, Brunwin Road, Rayne, Braintree, Essex. CM7 5BU. Tel No. (0376) 47852 Cheques/P.O's Payable to "K.Dunnett" C68 P&P 50p, EMACS P&P 30p

DIY TOOLKIT

Simon Goodwin shows how you can turn QL task files into the keywords of your dreams.

ask Commander turns Qdos task files into resident procedures. Tasks run instantly when you type your chosen commands. This is not just a great way to extend SuperBasic; it also shows how to write code that creates, loads and activates QL tasks.

The program uses extended SuperBasic to add a header, giving a task a name, like a built-in or Toolkit command. The resultant code remains a fully-fledged task, so you can launch and run it at the same time as Basic, perhaps passing channels or other parameter data for it to work on.

All *Task Commander* files can run from rom, regardless of the compiler used to generate the task. The task code is copied into the transient program area before running. Tasks can be up to one megabyte in size; even the largest should start in under a second.

As usual, the programs are tested on Sinclair JM roms, *Minerva* Qdos 1.64 and Argos 6.41. As far as I know, files should be totally compatible between rom versions.

I have often been asked for some way to turn compiled tasks into keywords. At last I've done it, and my systems are now rapidly filling with useful new keywords as a consequence. I took my cue from Quanta boss Phil Borman, who kindly sent me a disk of his program MAKE_KEYWORD_BAS earlier this year. It uses Turbo Toolkit to add a short header to Turbo tasks.

Resulting files can be loaded into memory like any Toolkit command. The chosen keyword starts the task; for instance, you an type BLAST instead of EXEC_W FLP1 BLAST.

Phil's routine works well, but has limitations. The calling task waits until the new task is finished; there is no way to pass parameters, and keyword names cannot exceed seven characters or Name Table corruption might result.

The DIY Task Commander needs a little more ram than Phil's MAKE_KEYWORD. It is safe with any length of name, launches tasks even more quickly, and allows full

Qdos task parameters. It can start a task from SuperBasic without stopping the interpreter. Just add a comma at the end of the command, to get the effect of EXC rather than EXEC_W.

Parameter passing between tasks was not mentioned in the original 1984 Qdos manual, but it is documented in section 24 of QJumps Supertoolkit 2 Guide. The standard method passes any number of channels on the task's stack, indicated by a count word followed by the corresponding number of long word channel identifiers. It can also pass a string of up to 32766 bytes.

This parameter-passing scheme allows pipes and filters, in the style of the Unix operating system. It is implemented by many QL compilers, including GST C, Pro Pascal, Qliberator and Turbo.

For instance, QLib assigns channels to #0, #1, #3, #4 and so on; Turbo tasks assign channels in order downwards from #15. Compiled programs read the string parameter by refering to a pre-assigned name like ARGV, CMD\$ or OPTION_CMD\$. Your compiler manuals should have details.

It appears that this scheme was intended from the start, as even the AH rom CJOB routine puts two zero words on the stack by default; these signify no channels and no characters.

The first half of **Listing one** evaluates, checks and passes the parameters on to the task. It is important to validate them all before allocating memory for the task; we don't want to waste time or memory if an error is inevitable.

The parameters are simple: any number of open SuperBasic channel numbers, followed by an optional string. The last parameter is taken as a string unless it has a # prefix; thus you can coerce a string to a channel number, and pass nothing but channels, or pass any number, coerced to a string.

In five years DIY Toolkit has demonstrated many styles of QL parameter scanning, allowing options, defaults, and the full range of data-types; now I'm going to



show you how to do it backwards! Listing one scans from right to left. This is the easy way to pick up the comma and string parameter which may be at the end of the statement. Everything else must be channels.

This sequence means that the SuperBasic value-fetching routines put the parameters in the ideal order on the RI stack, so they can be copied *en bloc* to the data area of the task before it is activated. There may be anything from zero to a dozen or more parameters; typically you might pass a short string and zero, one or two channels, like this:

CHURN "flp1_help/flp2_report", SPLICE #0,#3,"temp_merge"

If no explicit channels are specified, the DIY code passes the identifier of the Default SuperBasic channel #1. The task does not have to use this, but may find it convenient. The DIY Toolkit USE keyword, from February 1988 and Volume C, can make this the default channel in the compiled task, too; just add USE 0 for Qlib or USE 15 for Turbo.

The identifier of channel #1 upsets Psion *Xchange*, which does not expect to be passed any channels, and gives a bad parameter error otherwise. To fix this, change the first and last numbers in line 870 of **Listing two**; replace 26696 with 28232, and change 26122 into 24586 at the end of the line. This swaps BNE.S for BRA.S, so that #1 is not passed unless it is an explicit parameter.

Remember that Qdos cannot allow one task to use a channel while another is waiting for data from the same channel. It is unwise to pass SuperBasic windows #0,#1 or #2 to tasks if you intend to use the trailing comma to allow SuperBasic to carry on; output may be delayed or muddled. Programmers can check if a channel is busy by calling CHBASE, from DIY Toolkit, Volume Q.

The machine code in Listing one demonstrates some tricky parameter handling, and shows how tasks are created and activated. Listing one is the assembler source of the code added to each task, tested with *Devpac*.

You can type the code of Listing one into any QL assembler, and customise it for

DIY TOOLKIT

your needs. Minor syntax variations mean you may need to suffix 'A' to a few address instructions, and omit '\w' when reading word vectors.

The Basic loader configures the code to suit each task, inserting the name and address of the Resident Procedure at PARAMS, patching the code and data sizes at MAKE_TASK, and tacking the code of the task onto the end, at TASK CODE.

Task Commander is very useful for small tasks, unless you have plenty of memory. Some program tasks modify their code after loading, so you need two copies in memory to run one. The master copy needs no data space, but about 280 bytes are required to process the name and parameters, and launch the task.

QL tasks are small compared with memory capacity; most packages work in under 90 K, to suit the original QL, yet the long-established standard expansion of 640 K ram has been bettered by the 896 K Trump Card. Now the standard is set by the two megabyte Gold Cards, multimegabyte Thors and Qdos emulators for ST and Amiga

Memory is cheap now, be it rom or ram. Task Commander is best if you have ram to spare, or itch to fill one of Quanta's 192 K Eprom expansion boards, or the 32 K rom sockets on CST's RAM+.

If all the tasks you use are re-entrant you could conserve memory by passing the address of TASK_CODE to MT.CJOB in A1, setting D2 to zero. This won't suit all compilers, but it saves making a copy of the code each time you want to run a task.

The code labelled ADJUST_A3 prevents the parameters being copied if there is not enough room for them in the data space.

Notice that the SUB.W D0,A3 instructions implicitly extend D0 to a long-word value before subtracting it from A3. This is important, as A3 invariably exceeds 32767. Two steps are used as D0 is a count in words, and A3 addresses bytes.

Assembler programmers soon learn the importance of keeping values in processor registers; this policy avoids repeated access to memory, and is vital for fast QL code. When there are many variables in use it may be difficult to assign registers.

As usual, the innermost loop is the one to optimise first. Values therein are used most, so they must be the most accessible. But which registers can be used? This is my approach.

Aim to preserve useful register values for your code and the routines it calls. The rom uses A0 for the Channel ID, D1 for the Task ID, D3 for timeout; other defaults were listed in July's DIY Toolkit Volume T. There are 16 general-purpose registers, rather than two or three of early processors; it is still easy to run out, especially when writing SuperBasic extensions.

A7 and A6 are pre-defined, delimiting the subroutine stack and the start of Basic memory; A1, A3 and A5 point at parameters, while A0 and A2 get clobbered by

the CA.GT parameter routines, along with D0, D1, D2, D3, D4 and D6. The only spare registers are A4, the interpreters's pseudoprogram counter, D5, and D7, which must sometimes be zeroed to avoid a maths bug in early Sinclair roms. Task Commander uses D5 and D7 to pass parameter details to the loader. D5.L and D5.W are used for two distinct purposes. The sign of D5.L distinguishes EXEC from EXEC_W, while D5.W holds the length of the parameter string.

When it gets tricky to allocate optimal register numbers, I find changes are kept to a minimum if I program using names like D8 and D9 as well as the 'real' registers D0 to D7. These must be replaced before the program is assembled, but they help me see just what is needed, and where.

Qdos saves and restores 68008 register values in the job header, immediately before the code space, as it swaps from task to task. The instruction before ACTIVATOR sets JB.A7, the stored value of the

```
DIY TOOLKIT - OCTOBER 1991 - Listing 1, page 1 of 2
* QL WORLD DIY TOOLKIT - TASK COMMANDER ROUTINES
* Version Ø.9, Copyright July 1991 Simon N Goodwin
* BP. INIT expects a PROC name & address to be inserted at PARAMS
           lea. 1
                     params, al
                                      Point at the details
setup
                     $110\w, a2
                                      Fetch BP. INIT vector
           move. w
           jmp
                     (a2)
                                      Add a resident procedure
params
                     #-6.dØ
                                      CHANNEL NOT OPEN error code
not open
           moveq
bad_return rts
 TASK_CMD_NAME { # CHANNEL% , }
                                     [ PARAMETER$ ] [ , ]
                     #Ø, d7
                                      Default channel count
taskemd
           moveq
                                      Default parameter string:
           moveq
                     #Ø, d5
                     a3, a5
                                      Check parameter pointers
           cmpa. 1
                     make_task
           beq.s
                     #4,-7(a5,a6.1) Is there a trailing comma?
           btst
           beq.s
                     checked
                                      Aha, it's EXEC not EXEC_W
                     #31,d5
           bset
           tst.b
                     -8(a5, a6.1)
                                      Is there a data type too?
           bne. s
                     checked
                                      Forget the last 'parameter'
           subq. 1
                     #8, a5
           cmpa. 1
                     a3, a5
                                      Is there anything else?
           beq. s
                     make_task
                     -7(a5, a6.1)
                                      Does the last one have a # ?
checked
           tst. b
                                      Positive if not, assume $
           bmi.s
                     get chans
  Pick the string parameter off the end of the parameter list
                                      Note location of parameters
                     a3. a4
get_string movea. 1
                                      Focus on the last one
                     -8(a5), a3
           lea. l
                     $116\w, a2
                                      Pick up CA. GTSTR vector
           movea. w
                     (a2)
                                      Get string onto RI stack
            isr
           bne.s
                     bad_return
                                      D5 is text length, Ø-32767
                     Ø(a1, a6, 1), d5
           move. w
           bne.s
                     find_chans
                                      Ignore nulls on the RI stack
                     #2, a1
           addq. 1
                                      Is there anything else?
                     a3, a4
find_chans
           cmpa. 1
           beq.s
                     make task
           movea. 1
                     a3, a5
                                      Find the other parameters
                                      Recall pointer to first
                     a4, a3
           movea. 1
                                      Fetch CA. GTLIN vector
                     $118\w, a2
get_chans
           movea. w
            jsr
                     (a2)
                                      Stack some long integers
                     bad_return
           bne.s
           move. w
                     d3, d7
                                      Update channel count
* Check each channel number before allocating task memory
                                      Keep RI stack base offset
           movea. 1
                     a1, a4
                     2(a1, a6.1), dØ
                                      Get LOW word of parameter 1
check chan move. w
           bmi.s
                     not_open
                     #40, dØ
                                      Each table entry is 40 bytes
           mulu
                                      Add channel base offset
           add. 1
                     48(a6),dØ
                     52(a6),dØ
                                      Check it is within the table
           emp. 1
           bge.s
                     not_open
                                      Pick up the Qdos channel ID
           move. 1
                     Ø(a6,dØ.1),dØ
            bmi.s
                     not open
           move. 1
                     dØ, Ø(a1, a6.1)
                                      Store ID in place of #number
                                      Advance to next parameter
                     #4, a1
            addq. 1
                                      Process all in turn
           subq. w
                     #1,d3
```

stack pointer in the job header. The default value set by MT.CJOB points at two zero words at the end of the data space; we need to move A7 down to address the parameters.

The main Task Commander program is written in SuperBasic. A version based on SuperToolkit extensions appears in Listing two. It merges the task with the DIY set-up code, adding the chosen command name. It uses common Toolkit commands, and can easily be converted; I have versions that use DIY Toolkit, Turbo Toolkit and SuperToolkit commands.

All three versions – plus documentation, examples and assembler source – have been added to the File Tools disk, Volume F of DIY Toolkit. Send £7 for the complete volume, which includes the *Customkit* toolkit file combiner, and a utility to create eprom headers. make payment out to **DIY Toolkit** (not to CGH Services), **Cwm Gwen Hall, Pencader, Dyfed, Cymru SA39 9HA**, or phone Richard on (0559) 384574 1 pm - 9 pm.

There are now 17 volumes. Each costs £3 plus £4 per order to cover disks, post and processing. Please send one formatted cartridge per volume if you need the files on microdrive.

Listing Two uses a handful of Supertoolkit commands. Turbo Toolkit fans may prefer to replace FTEST and FOP_IN with DEVICE_STATUS; ALCHP and RECHP correspond to ALLOCATION and DEALLOCATE, while FDAT and FLEN mimic DATASPACE and POSITION at the end of the file.

The DIY version uses GetHEAD, RE-SERVE and DISCARD extensions, supplied with Volume F along with the source for both other versions. The differences stem from variations in the commands and error-trapping facilities of each toolkit.

The Turbo-Toolkit variant has the most comprehensive checks, but may stop if you run out of memory or space on your drive, or try to write to a 'read only' medium.

Messages appear if the source file, containing the task, is absent, too long or an odd length. Odd length files crash EXEC. The code copies 16 bytes at a time, in up to 65536 steps, moving up to a megabyte at high speed.

The task data space must be at least 16 bytes; most tasks use far more, so that the message 'data space too small' probably means your source is not a task file at all. Parameters need at least eight bytes, and the fast copier may overrun by up to 16 bytes when copying the task code; it's faster that way.

The destination file contains the new command code, which you can link in the usual way with LRESPR, LINKUP or RESPR, LBYTES and CALL. It needs slightly more space than the source file.

The code loader is not the usual DIY Toolkit routine; it does not make a temporary file, and stores decimal words rather than hex strings. DATASTORE is shorter,

faster and more reliable than the hex loader which Marcus Jeffrey bequeathed to this column in 1987.

Each DATA line starts with a checksum, followed by a count of the number of 16-bit values thereafter. The checks for each line detect extra or missing items and report the line number if a problem is found, so you need only correct that line. The exception is 'DATA length error', which indicates that the total of the 'count' values does not add up to the expected number of words. If you get this report, check the second value in each DATA line.

All the data is numeric, as many people have number key-pads and I wish to avoid confusion between the letter B and the digit 8. The digit zero appears with a slash throughout, to distinguish it from letter O.

Users with their own hex editor might prefer the hex representation. It is easy for me to use either format, as I have software tools to create and check the DATA, so let me know what you prefer, care of *QL World*.

You may need to comment out the RE-STORE at line 600 before compiling Listing two. It is only needed when you first

```
DIY TOOLKIT - OCTOBER 1991 - listing 1, page 2 of 2
* D7.W is No. of channels; D5.W is text length; D5.L<Ø for EXEC
                                         Data space - to be patched Code space - to be patched
                       #Ø.d3
make task move. 1
                       #2,d2
            move. 1
                                         Owner is this task
            moveq
                      #-1, d1
                                         A1 is Ø; put task in TRNSP
            suba. 1
                       a1, a1
                                         MT. CJOB trap key
            moveq
                       #1, dØ
            trap
                       #1
                                         Create a task
                                         Did that work?
            tst.1
                      00
            bne.s
                       return_err
                       8(aØ,d2.1),a4
                                         A4 -> start of data space +8
            lea. 1
            lea. 1
                       -8(a4,d3.1),a3
                                         A3 points past end of dspace
* Copy the code into the task area; ignore slight over-runs
                                         Divide by 16 (roughly)
            lsr.1
                       #4,d2
                                         Copy pointer to code space
Find the code
            move. 1
                       aØ, a1
                       task_code, a2
             lea. 1
                                         Repetition improves speed
            move. 1
                       (a2)+,(a1)+
copy_code
            move. 1
                       (a2)+,(a1)+
                                         Move 16 bytes per DBRA step
            move. 1
                       (a2)+,(a1)+
            move. 1
                       (a2)+,(a1)+
                                         Copy up to 1 Megabyte, fast
            dbra
                       d2, copy_code
  Copy the parameters from RI to JB.SP, counting in 16 bit words
                       d7,dØ
            move. w
            add. w
                       dØ, dØ
                                         Number of channel ID words
                                         Check string length
                      d5
            tst. w
            bne.s
                       string
                                         Stack a null length
no_string
            clr.w
                       -(a3)
                       adjust_a3
            bra.s
                                         Include length + an odd byte
string
            addq.w
                       #3,d5
                                         D5 := string size in words
DØ := stack words required
             lsr.w
                       #1,d5
            add. w
                       d5, d0
adjust_a3
            sub. w
                       dØ, a3
                                         Move A3 down to make room
                                         DØ is in words, A3 is bytes
                       dØ, a3
            sub. w
            cmpa.1
                       a4, a3
                                         Ensure room for parameters
                       activator
                                         Pass nowt if they won't fit
             bes.s
                                         Save bottom address
            movea. 1
                       a3, a4
                       $58(a6),a1
                                         Recall the BV. RIP offset
            move. 1
                                         Copy nothing if DØ=Ø
            bra.s
                       copy_loop
                       \emptyset(a1, a6.1), (a3)+
copy_pars
            move. w
                                         Advance up the RI stack
             addq. 1
                       #2, a1
                       dØ, copy_pars
copy_loop
            dbra
* If CHANS=0, stack 1.W and the ID from #1, else stack CHANS.W
                                         Check channel count
chan_check tst.w
                       d7
                       stack_ok
             bne.s
                                         Pass default, ID of #1
A2 is offset to BV.CHBAS
                       #1,d7
             moveq
                       48(a6), a2
            movea. 1
                       40(a6,a2.1),-(a4) Presume that #1 exists
            move. 1
                                         Stack the channel count
Set JB.A7 in task header
stack_ok
            move. w
                       d7,-(a4)
             move. 1
                       a4,-12(aØ)
* Activate the task
                                         Default priority (\emptyset-255)
Timeouts \emptyset = EXEC, -1 = WAIT
                       #16,d2
activator
            moveq
             moveq
                       #-1,d3
                                         Did command end with a comma?
                       d5
             tst. 1
                       time_set
                                          If not, timeout is -1, wait
             bpl.s
                       #Ø, d3
                                         EXEC; no need to wait
            moveq
             moveq
                       #10, d0
                                         MT. ACTIV trap key
time_set
                       #1
             trap
                                         Return error code (if any)
return_err rts
                                          Task code follows here
task code
            end
```

DIY TOOLKIT

run the program to check the data, and Turbo or Supercharge object to the variable parameter. Once the data has been checked all you need is a single RESTORE at the start of the program.

After just a few weeks I find the Task

Commander is indispensable. The compiled task, TASCOM, is itself a resident command on my QL and Thor; every new task is a candidate for installation. I am grateful to Phil Borman for sending me down this track.

The scope for new DIY Toolkit extensions seems to be narrowing, and I welcome new directions. Ideal topics involve short, original machine - code routines which can be used as 'building blocks' in other programs. Please send your suggestions to me.

```
DIY TOOLKIT - OCTOBER 1991 - listing 2, page 1 of 2
                                                                                                                                                                                                                                                                        PRINT \\name$!"keyword code has been created in"!destin$
                                                                                                                                                                                                                                                   53Ø ELSE
  100 REMark Program to convert any Task into a Resident Procedure
110 REMark SuperTOOLKIT 2 version 1.1, with full parameter passing
120 maxcode=2^20 :REMark DIY fast load limits tasks to 1 Megabyte
                                                                                                                                                                                                                                                                  PRINT ' Error writing'!destin$ : REPORT #1, flag
                                                                                                                                                                                                                                                    550 END IF
                                                                                                                                                                                                                                                    560 RECHP buffer : STOP
  130 :
140 WINDOW 400,150,36,30 : BORDER 2,0,7 : PAPER 0 : CLS
150 PAPER 2 : INK 7,4 : CSIZE 2,1 : CLS 3
160 PRINT "TASK COMMANDER QL file converter"
170 PAPER 7 : INK 2 : CSIZE 1,0 : CLS 3
180 PRINT " Written by Phil Borman & Simon N Goodwin."\\
190 INK 4 : PAPER 0
                                                                                                                                                                                                                                                   58Ø DEFine PROCedure DATASTORE (line%)
                                                                                                                                                                                                                                                               LOCal i, x, words%, key%, checksum%
RESTORE line% :REMark Interpreters only (initial checking)
                                                                                                                                                                                                                                                   610 key%=3: READ checksum%, words%
620 FOR i=0 TO words% * 2 -2 STEP 2
630 READ x: POKE W i+b,x
640 IF x>32767 THEN x=x-65536
650 key%=key% ^^ x ^^ i
 210 INPUT ' Source file > '!source$
220 INPUT ' Destination > '!destin$
230 INPUT ' Keyword > '!name$\\
240 IF name$="": PRINT " Huh?": STOP
                                                                                                                                                                                                                                                    660 END FOR i
670 IF key%<>checksum%
680 PRINT "Error in DATA line"!line% : RECHP buffer : STOP
  250 flag=FOP_IN(source$) 260 IF flag(0 : PRINT ' Error reading' source$ : REPORT #1,flag : STOP 270 file_length=FLEN(#flag)
                                                                                                                                                                                                                                                   690 END IF
700 b=b + words% * 2
710 END DEFine DATASTORE
  280 file data = FDAT(#flag)
  29Ø CLOSE #flag
                                                                                                                                                                                                                                                               REMark BASIC Initialisation code < DATA 14403,5,17402,8,13432,272,20178
  300 IF file_length>maxcode OR 2*INT(file_length/2)<>file_length
                                                                                                                                                                                                                                                 740 DATA 14403,5,17402,8,13432,272,20178
750 REMark Resident procedure code
750 REMark Resident procedure code
760 DATA 1777,9,28922,200055,32256,31232,48075,26478,2101,4,59641
770 DATA 9730,9,26384,2245,31,18997,59640,26118,20877,48075,26454
780 DATA 8803,9,18997,59641,27422,10315,18413,65528,13432,278,20114
790 DATA 21657,9,26314,14897,59392,26114,21641,47563,26422,10627,9804
800 DATA -18292,9,13432,280,20114,26290,15875,10313,12337,59394,27558
810 DATA -28691,10,49404,40,53422,48,45230,52,27800,8244,2048,27538
820 DATA -31025,11,9088,59392,22655,21315,26332,6780,9788,0,9276,0
830 DATA -28043,9,2,29439,37833,28673,20033,19072,26218,18928,10248
840 DATA -3989,10,18420,14584,39536,8776,17914,94,8922,8922,8922,8922
850 DATA 16476,8,20938,65526,12295,53312,19013,26116,16995,24582
860 DATA -17263,9,22085,57933,53317,38592,38592,47052,28944,10315,8814
870 DATA 26696,9,88,24582,14065,59392,21641,20936,65528,19015,26122
890 DATA 18685,9,32257,9326,48,10550,43048,14599,8524,65524,29712
890 DATA 205555,7,30463,19077,27138,30208,28682,20033,20085
                   PRINT source$! "has odd or excessive size"
320 END IF
330 IF file_data(16: PRINT !source$!"data space too small": STDP
340 buffer=ALCHP(file_length+280+LEN(name$)): NL%=LEN(name$)
350 LET b=buffer: DATASTORE 740:REMark Store BP.INIT code
360 offset=6+NL%=(NL% && 1):REMark Find the PROC code
370 POKE_W b,(NL%+B) DIV 8: POKE w b+2,offset+B: POKE b+4,NL%
380 FOR i=5 TO NL%+4: POKE i+b,CODE(name*(i-4)) && -33
390 b=b+offset: POKE_L b,0: POKE_W b+4,0: b=b+6: base=b
400 FOR lnum=760 TO 890 STEP 10: DATASTORE lnum
410 IF base+254<>b: RECHP buffer: PRINT " DATA length error!": STOP
420 POKE_L base+124,file_data: POKE_L base+130,file_length
430 LBYTES source$,b:REMark Load task to end of code
440 flag=FTEST(destin$): size=file_length+b-buffer
450 IF flag=0
460 PRINT destin$!*already exists - Delete (Y/N) ? ';
470 k$=INKEY$($d1,-1): PRINT k$
480 IF k$=='y' THEN DELETE destin$: flag=-7: ELSE flag=-8
  480 IF k=y^7 THEN DELETE destins : flag=-7 : ELSE flag=-8 490 END IF
  500 IF flag=
                     SBYTES destin$, buffer, size
                                                                                                                                                                                                                                                    ((END))
```

NEWSAGENT ORDER FORM

By placing a regular order with your newsagent you can be sure of receiving **Sinclair QL World** every month. Complete this coupon and pass it on to your newsagent.

Dear NEWSAGENT, Please reserve/home deliver every month for:	doo1_fdoo	of Sinclair	QL World
Mr/Mrs/Miss			
Address			alaging stab ages
denor lannado esta alpuda (April 15 wileyon subandi denor el 70 del ped (Mani 21-jan 1 avon	Jio Jiona III	bus, as lyd blos te 31 ol ou wi norm	
Telephone No			
Sinclair QL World is published on the 3r			

Sinclair QL World is published on the 3rd Thursday of every month. Any distribution queries to: IPC Marketforce, Kings Reach Tower, Stamford Street, London. SE1 9LS. Tel: 071 261 5000.

THE EXCHANGE

B = SuperBasic; A+O = assembler and object code; M+B = machine code and Basic loader; A+B+O = assembler and Basic loader and object code; S = supercharged; L = QLiberated; f1 = monitor mode; f2 = TV mode.

Established QL suppliers Sector Software are duplicating and distributing Microdrive Exchange programs, and supplying 3.5 inch disks. Please read the small print carefully, as different action is needed depending on whether you want mdv or disk copies.

I understand that Sector Software undertake only to supply these programs, and accept no liability for operation as defined by the authors. QL World cannot supply information about the programs other than that originally printed or supplied.

Any article reprints must be ordered and paid for separately at £2 each (£3 overseas) from Sinclair QL World at the Editorial address.

HOW TO ORDER

The Microdrive Exchange will copy the programs of your choice onto Sinclair microdrive cassette or 3.5 inch disk. Please note we can only supply ONE PROGRAM PER MDV OR DISK.

Orders for programs on DISK can only be supplied on the MDX's own disks, priced at £1, one disk per program ordered. Please do NOT send disks. Please state any specific density requirement for your set-up. Microcassettes cost £2.60 each.

Please send your orders to Sector Software, 39, Wray Crescent, Ulnes Walton, Leyland, Lancs. PR5 3NA. Tel. 0772 454328. Access/Visa accepted.

ORDER FORM Value of programs ordered £..... I require one microcassette/one disk for each program ordered (delete as applicable) No. of 3.5in. disks required @ £1 each £..... No. of mdvs required @ £2.60 each £.....3 Post and packing £1.00 171/2% VAT £.....3 TOTAL £.... PROGRAM IDENTITY NUMBERS: ADDRESS (BLOCK CAPITALS PLEASE)Postcode..... ACCESS/VISA NUMBER IF APPLICABLE: Please copy on to mdv or disk the programs which I have indicated. I enclose a cheque/PO/Access or Visa number to the total of £.....

THE PROGRAMS

1. LEAGUE SECRETARY by C.B. Storey (B)

£3

You enter the match results and this program updates the league tables. Suitable for any sporting league organised on the lines of the Barclays Football League. Mdv only at present.

2. THE DOUBLE by P.G. Ives (Bf2)

A large football strategy game. You manage a team through four divisions, buying and selling, boosting morale through the league and F.A. Cup season.

3. SUPERBREAKOUT by R. Davison (M+B)

£2

Fast m/c version of the classic bat, ball and wall game. Optional double bats and/or balls.

4. SPACE PODS by Simon Quinn (M+B)

Your lone ship must protect six energy pods against the aliens. Machine code. QL World, December 1987.

5. GRAPHIC WRITER by S.M. Walker (B)

£2

A graphic design program which can save your pictures as SuperBasic commands for use in other programs. QL World, December 1987.

6. ZAPMAN by L. Miles (M+B)

Fast-action m/c version of the Pacman genre. Variable skill levels and maze formats.

7. SPACE INVADERS by Paul McKinnon (M)

£3

Very fast, challenging version of the classic, with ugly aliens and protective shields.

8. SPELLED by Timo Salmi (T)

A complete spelling checker for Quill list files, 7,500 words automatically expandable. Requires two cartridges and 512K expansion.

ADVENTURE PLAYTIME by A. Pemberton (B) MDV only £3

An extensive adventure where you must complete tasks for the inhabitants of a strange land. Coded messages and hints included.

10. YAHTZEE/GIRO by Jason Price/Henry Wrighton (B)

The popular dice game with instructions and graphics, for one or more players. QL World November 1987. Also space-disaster rescue game, in zero-gravity. QL World December 1989.

11. LOCK AND KEY by Henry Wrightson (B)

£3

Unlock the secrets of eight screens of platforms, ladders, keys, poison weeds and mixed fruit - against the clock. QL World February, 1990.

12. RADAR by Nigel Ford (B)

£3

You are control, monitoring the skies, checking aircraft, scrambling jets to intercept UFO's and shooting down enemy aircraft.

13. TAKTIX by Nigel Ford (B)

Six or more can play the computer in a fierce game of European conquest. Put aside at least an hour. QL World July, 1988.

14. BRIDGE by Peter Etheridge (B)

£4

Excellent version, including accurate bidding, automatic or manual card play, replay hands, save and loads more.

15. CONQUEST by Andrew Pritchard (T)

£4

"Superb graphics, with lots of original ideas. The best strategy game I've reviewed for QL World."

16. SPEEDMIND by William Henderson (B)

£3

A mastermind-style game played with coloured pages. You have 12 attempts at breaking the code against the clock. QL World, January

17. STELLARIS by David Carmona (Bf1)

£4

Real-time space adventure against the computer, including economic simulations, lunar landing and superb graphics. QL World, June

18. BUSINESS GAME by David Smith (B)

£4

A business simulator for any number of players, human or computer. The winner is the one who makes the most money! Networking advice from author. See QL World, April 1989.

payable to Sector Software.

In the fourth part of his relational database, Tom Ashcroft implements multiple file opening.

```
start
 1010 REMark *****
 1020 DEFine PROCedure start
 1030 MODE 4
 1040 OPEN #3, ser1
1050 OPEN #4,con_480x30a10x0
1060 WINDOW 480,206,10,30
 1070 WINDOW#0,480,20,10,236
 1080 nemo=1:chan=1:alias=1:databases=0:lprint=0
1090 ann=1:afields=1:achars=1:adeleted=0:aindices=0:ac=1:aresave=0:aoldfile=0:apac=0:af$="":aactive=1:aselected=0
 abidifie-0;apac-0;arq- .aactive-1:bdeleted=0:bindices=0:bc=1:bresave=0:boldfile=0:bpac=0:bf$="":bactive=1:bselected=0
1110 cnn=1:cfields=1:cchars=1:cdeleted=0:cindices=0:cc=1:cresave=0:coldfile=0:cpac=0:cf$="":cactive=1:cselected=0
 1120 PAPER 0:PAPER #0,0:PAPER#4,0:INK 7:INK #0,7:INK#4,4:CLS:CLS#0
 1130 menu
1140 END DEFine start
1160 DEFine PROCedure menu
1170 CLS#4
1180 PRINT#4, "CReate
                            OPen ENter Goto
                                                       Back
                                                                Next
                                                                         FInd
        LOokup
More
                  AMend
                           PRinter QUIT"
                                         DELete
                                                    SElect
                                                               DEselect
                                                                           List
USE
                  PAck
       INdex
1190 IF 1print THEN PAPER#4,4:INK#4,7:PRINT#4," Is the printer ready? ":PAPER#4,0:INK#4,4
1200 END DEFine menu
1210 REMark ******
                          ***** ENTER
1220 DEFine PROCedure en
1230 REPeat entrygroup
1240 SELect ON alias
1250
         =1:enter a$,ann,afields,aresave,achars,aindices,andx$, aactive
1260
         =2:enter b$, bnn, bfields, bresave, bchars, bindices, bndx$, bactive
1270
          =3:enter c$,cnn,cfields,cresave,cchars,cindices,cndx$, cactive
1280 END SELect
1290 ssave:lload
1300 TF q$="@" THEN EXIT entrygroup
1310 END REPeat entrygroup
1320 CLS:menu
1330 END DEFine en
1340 DEFine PROCedure
enter(x$,nn,fields,resave,chars,indices,ndx$,active)
1350 CUS:CLS#4:resave=1
1360 PRINT#4," Type information field by field
end of each field"\"
                                                      Key ENTER at the Shift/ESC to quit"
1370 REPeat entryloop
       nn=nn+1:CLS:PRINT"Record no ";nn
1380
       FOR j=1 TO fields STEP 19
1390
1400
        FOR k=j TO j+18
1410
         IF k>fields THEN EXIT k
         PRINT x$(0,k,4 TO LEN(x$(0,k)));TO 10;":"
1420
1430
        END FOR k
1440
        FOR k=j TO j+18
1450
         IF k>fields THEN EXIT k
1460
         AT (k-j)+1,12;
IF x$(0,k,3)="N" THEN
1480
           q$=intake$:IF q$="" THEN q$="0"
1490
         ELSE
1500
         IF x$(0,k,3)="D" THEN
1510
            q$=checkdate$:IF q$="" THEN q$="000000"
1520
            q$=date_rev$(q$)
1530
         ELSE
1540
           INPUT q$
         END IF :END IF
IF q$="0" THEN nn=nn-1:EXIT entryloop
1550
1560
1570
            x$(nn,k)=q$
1580
        END FOR k
1585 AT 1,0:CLS 2:CLS 3
1590 END FOR j
1600 x$(nn,0)=" "
```

he ability to open more than one file simultaneously is a great step forward in the versatility of a database system. It makes it possible to take information from one file to enter in another, or to combine with data from another file or files to form a composite report. Again, two or more files can be linked by a common field so that each contains information about one set of relationships and can be related to the other. For example, a car hire company might have one database containing information about customers such as name, address, date and duration of hire, method of payment, previous hirings etc., and a second database containing information about the fleet such as make, model, engine capacity, date of purchase, date of next service etc. These two databases might have a field, such as a 'car registration number', which is common to both. One file contains everything relating to the customer and the other everything relating to the car, linked by the common field, hence the name relational database. To use such a system it must be possible to manipulate and move between databases with ease.

Two ways

Turning to DBQL, there are two possible ways of implementing multiple files. The easiest is to create A\$ as a multidimensional array. DIM a\$ (5,10,15,20) would provide for five arrays, each with 10 records consisting of 15 fields, each 20 characters in length. The drawback to this system is that all the arrays are automatically dimensioned to the same size and cannot be varied, and the size would obviously have to accommodate the largest number of records, fields and characters of any of the databases to be loaded, irrespective of the needs of the smaller files. If we had a large file of a thousand records of 20 fields and a small look-up table with 10 records of two fields, both would have to be held in identically dimensioned arrays, with most of the second array consisting of empty strings, and a great waste of memory. It would always be necessary to load the largest file first, to ensure the arrays are made large enough.

The alternative approach is to have a separate array for each database so that each can be dimensioned exactly to the right size. This approach is the one used in commercial database systems and is the one we will use in DBQL. Each array will have a different name – a\$, b\$, c\$...etc – and there will have to be a selection

mechanism to call the array which is to be in use at any one time. Superbasic has the SELect ON . . . End SELect structure for this purpose. In commercial programs each database is usually given an 'alias' name by which it can be addressed and which is different from its file name. Superbasic can only SELect on numbers, unfortunately, so each of our files will be known by a number and this will be stored in the variable *alias*.

We need to arrange the program so that, though several different files are held in memory, the program behaves as if, at any one moment, only one file is present and the others remain unseen. Each file will have its associated variables such as nn, fields, chars, etc and each can have associated index files too. Bearing in mind that the procedures of DBQL are written for an array called a\$ how can they work for b\$ or c\$?

Alias and variables

The solution to these problems is simple in principle. Each array will have its own set of variables, so that a\$ has ann, afields, achars etc and b\$ jas bnn, bfields, bchars and so on. The number of the file in use is held in alias and the various procedures will each have a new introductory procedure to pass the appropriate variables to the procedure proper (see the *QL User Guide* on passing variables). As an example let's look at the changes to the procedure AM (line 2430 in the listing). Please note that the program has been renumbered.

Calling AM from the keyboard now enters the SELect structure and if the value of alias is, say, 1 then the new procedure AMEND is called and has passed to it the array a\$ and all the associated variables listed as parameters in line 2450. If alias = 2 then b\$ and its variables would be passed. These are the variables that will be needed by AMEND and by the other procedures which will be called by AMEND as it runs. AMEND itself starts at 2500 and consists of the lines which previously made up the old procedure AM in the flat-file version of DBQL. It lists as formal variables in 2450. and must be listed in the same order. The values of some of these variables, of course, are changed as the procedure runs but the new values are automatically passed back to the actual parameter variables.

You will see in the **listing one** that all of the old procedures have been changed in a similar way except for those that are always called by another procedure. This is because variables passed to a procedure are automatically passed on to any other procedure called by the first one. The short procedures DEL and G are too simple to need subsidiary procedures and operate with the actual parameter variables only. Provision is made for up to three files to be held at once.

Procedure LLOAD is especially com-

```
1610 update_index
1620 IF nn=DIMN(x$)THEN PRINT"Saving to microdrive. Please wait.": EXIT
entryloop
1630 END REPeat entryloop
1640 END DEFine enter
1650 REMark ************** SEARCH
1660 DEFine PROCedure fi
1670 c=0:found=0:CLS
1680 INPUT\"Enter item for search ";s$
1690 SELect ON alias
       =1:ac=0:more a$,ann,afields,ac
=2:bc=0:more b$,bnn,bfields,bc
1700
1710
1720
       =3:cc=0:more c$,cnn,cfields,cc
1730 END SELect
1740 END DEFine fi
1750 REMark ************** CONTINUE SEARCH
1760 DEFine PROCedure mo
1770 SELect ON alias
1780
       =1:more a$,ann,afields,ac
1790
       =2:more b$, bnn, bfields, bc
1800
       =3:more c$,cnn,cfields,cc
1810 END SELect
1820 END DEFine mo
1850 d=c+1:IF d>nn THEN PRINT\ TO 9;:PAPER 2:PRINT" end of file ":PAPER
0:RETurn
1860 instr_sr
1870 IF c=nn+1 THEN :IF found THEN :PRINT "NO FURTHER RECORDS FOUND":ELSE :PRINT\"NOT FOUND":END IF :RETurn :END IF
1880 display x$, fields, c
1890 END DEFine more
1910 DEFine PROCedure instr_sr
1920 c=nn+1
1930 FOR record=d TO nn
1940
      FOR fld= 1 TO fields
1950
        IF s$ INSTR x$(record, fld) AND x$(record, 0, 2)<>"S" THEN
c=record:found=1:EXIT record
1960
      END FOR fld
1970 END FOR record
2000 DEFine PROCedure del
2010 SELect ON alias
      =1:a$(ac,0,1)="D":adeleted=adeleted+1
=2:b$(bc,0,1)="D":bdeleted=bdeleted+1
=3:c$(cc,0,1)="D":cdeleted=cdeleted+1
2020
2030
2040
2050 END SELect
2060 PRINT\ "This record is marked for deletion"
2070 END DEFine del
2090 DEFine PROCedure pr
2100 lprint=1-lprint:menu
2110 END DEFine pr
2130 DEFine PROCedure g(x)
2140 SELect ON alias
        =1:ac=x:IF ac>ann THEN ac=ann:END IF :display a$, afields, ac
2150
        =2:bc=x:IF bc>bnn THEN bc=cnn:END IF :display b$,bfields,bc
2160
2170
        =3:cc=x:IF cc>cnn THEN cc=cnn:END IF :display c$,cfields,cc
2180 END SELect
2210 DEFine PROCedure n
2220 SELect ON alias
      =1:nxt ac,ann:display a$,afields,ac
=2:nxt bc,bnn:display b$,bfields,bc
2230
2240
      =3:nxt cc,cnn:display c$,cfields,cc
2250
2260 END SELect
2270 END DEFine n
2280 DEFine PROCedure nxt(c,nn)
2290 c=c+1:IF c>nn THEN PRINT\ TO 30; "end of file": PAUSE 50:c=nn
2300 END DEFine nxt
2320 DEFine PROCedure b
2330 SELect ON alias
2340
      =1:back ac, ann:display a$, afields, ac
2350
      =2:back bc,bnn:display b$,bfields,bc
2360
       =3:back cc,cnn:display c$,cfields,cc
2370 END SELect
2380 END DEFine b
2390 DEFine PROCedure back(c,nn)
2400 c=c-1:IF c<1 THEN PRINT\ TO 30; "start of file":PAUSE 50:c=1
2410 END DEFine back
2420 REMark ************** AMEND
2430 DEFine PROCedure am
2440 SELect ON alias
2450
      =1:amend a$,ann,afields,achars,aresave,adeleted,ac,
aindices, andx$
2460
      =2:amend b$,bnn,bfields,bchars,bresave,bdeleted,bc,
bindices, bndx$
```

```
2470
         =3:amend c$,cnn,cfields,cchars,cresave,cdeleted,cc,
cindices, cndx$
2480 END SELect
2490 END DEFine am
2500 DEFine PROCedure
amend(x$,nn,fields,chars,resave,deleted,c,indices,ndx$)
2510 CLS:CLS#4
2520 PRINT#4,
                                             ENTER leaves item unchanged "
2530 PRINT#4,
                                        To change an item, type new version
2540 DIM hold$(fields,chars)
2550 resave=1:reenter=0
2560 FOR fld=1 TO fields
2570
         PRINT x$(0,fld,4 TO LEN(x$(0,fld)));TO 11;x$(0,fld,3);":
 "&x$(c,fld)
2580 PRINT TO 11;
2590 IF x$(0,fld,3)="N" THEN
2600
          q$=intake$
 2610 ELSE
 2620 IF x$(0,fld,3)="D" THEN
 2630
          q$=checkdate$
 2635
           q$=date_rev$(q$)
 2640 ELSE
 2650
          INPUT q$
2660 END IF :END IF

2670 IF q$="" THEN :hold$(fld)=x$(c,fld):ELSE

:hold$(fld)=q$:reenter=reenter+(x$(0,fld,1)="I"):END IF
 2680 END FOR fld
2690 IF reenter THEN
2700 x$(c,0)="D":deleted=deleted+1:nn=nn+1
         FOR j=1 TO fields:x$(nn,j)=hold$(j)
2710
2720
         update_index
 2730 ELSE
 2740
         FOR j=1 TO fields:x$(c,j)=hold$(j)
 2750 END IF
2760 IF reenter THEN c=nn
2770 display x$, fields, c:menu
2780
         IF nn=DIMN(x$) THEN PRINT"Saving file to microdrive. Please
 wait.":ssave:lload
2810 DEFine PROCedure quit
2820 FOR j=1 TO databases
2830
         alias=j
2840
          ssave
2850 END FOR j
2860 ending
2870 END DEFine quit
2880 REMark ***************** SAVE
2890 DEFine PROCedure ssave
2900 SELect ON alias
        =1:saver a$,ann,afields,achars,adeleted,apac,aoldfile,af$,
2910
aresave, aindices, andx$
2920
        =2:saver b$, bnn, bfields, bchars, bdeleted, bpac, boldfile, bf$,
bresave, bindices, bndx$
        =3:saver c$,cnn,cfields,cchars,cdeleted,cpac,coldfile,cf$,
 cresave, cindices, cndx$
2940 END SELect
2950 END DEFine ssave
2960 DEFine PROCedure saver(x$,nn,fields,chars,deleted,pac,oldfile,f$
resave, indices, ndx$)
2970 IF NOT resave THEN RETurn
2980 dbsave:indexsave:resave=0
2990 END DEFine saver
3000 DEFine PROCedure dbsave
3010 IF oldfile THEN COPY "mdv1_"&f$ TO "mdv1_"&f$&"_temp":DELETE "mdv1_"&f$
3020 OPEN_NEW #6, "mdv1_"&f$
3030 PRINT#6, nn-(deleted*(pac=1)):PRINT#6, fields:PRINT#6, chars:
PRINT#6, deleted*(1-pac): PRINT#6, indices
3040 FOR record=0 TO nn
3050 IF x$(record,0,1)="D" AND pac=1 THEN NEXT record 3060 FOR fld=0 TO fields
3070 PRINT#6,x$(record, fld)
3080 END FOR fld: END FOR record
3090 CLOSE#6
3100 DELETE "mdv1_"&f$&"_temp"
3110 END DEFine dbsave
3120 DEFine PROCedure indexsave
3130
        FOR j=1 TO fields
IF x$(0,j,1)="I" THEN
3140
3150 IF NOT pac THEN COPY "mdv1_"&x$(0,j,4 TO LEN(x$(0,j)))&"_ind"
TO "mdv1_"&x$(0,j,4 TO LEN(x$(0,j)))&"_ind_temp"
3160 DELETE "mdv1_"&x$(0,j,4 TO LEN(x$(0,j)))&"_ind"

3170 IF NOT pac THEN COPY "mdv1_"&x$(0,j,4 TO LEN(x$(0,j)))&"_ind"
          IF pac THEN NEXT j
OPEN_NEW#6, "mdv1_
3170
3180
                               "&x$(0,j,4 TO LEN(x$(0,j)))&"_ind"
          FOR k=0 TO nn:PRINT#6, ndx$(x$(0,j,2),k,1):PRINT#6,
3190
ndx$(x$(0,j,2),k,2)
3200
          CLOSE#6
3210
          DELETE "mdv1_"&x$(0,j,4 TO LEN(x$(0,j)))&"_ind_temp"
3220
          END IF
3230
       END FOR j
3240 END DEFine indexsave
```

plicated because of the fact that an array can only be dimensioned as an actual variable and not in the guise of a formal parameter. This means that LLOAD has to be split into two procedures. SET ARRAY opens the file and reads in the numerical variables and the program then returns to the calling line to have the main array dimensioned before passing the variables on to INLOAD, which loads the data into the array. If any index files are present the appropriate ndx\$ has to be dimensioned at the same time as the database array so the value of indices has to be known at this point. Indices is therefore now saved in the file with the other variables, although the older lines which derived indices from the field names have been left as a check. To make database files compatible with both versions of DBQL it is recommended that previous versions be modified to save indices to microdrive.

The procedure START has been changed to initialise the new database variables so that they can be used as passing parameters. Two new global variables have also been added - alias, which has been explained, and databases, which stores the number of files currently in memory. It begins with a value of 0 and is incremented whenever a database is loaded or created. Alias begins with a value of 1 and to load the first file call OP in the usual way. To load another file, set alias to another value, up to three, and call OP again. The value of alias is changed by a new procedure USE, passing the required value from the keyboard as USE 2 or USE 3 etc. another way is just to type 'alias=x' <ENTER>, where x is the new value. If you wish to replace one file with another, set alias to the required number and OPen the new file, which will automatically replace the existing one.

As listed, the maximum number of files that can be loaded at once is three. Commercial databases usually allow more files eg dBase IV takes up to 10 and some users need still more. The number of files in DBQL can be increased quite easily and the only real limit is the amount of memory available. To add a fourth file, which would be called d\$, it would be necessary to add a new line to each of the SElect structures:

=4: [procedure name] d\$,dnn,dfields. . . etc,

and list all the d- variables corresponding to the a-, b- and c- variables in the existing lines. A new line would similarly be required in START to initialise the new variables, and the maximum value allowed by USE should be increased. This process could be repeated as often as desired, using the next letter of the alphabet each time as a name for the new array.

The program has been completely renumbered to accommodate the new lines. Line numbers in DBQL are only needed for the programmer to find the way around and are not used by the program itself. A number of other additions have been made.

SELEKT has been altered to enable 'greater than' and 'less than' criteria to be used in selections. The new SELEKT, after printing instructions in #4 and displaying the list of field numbers and names, requests an entry in the form of an unbroken string consisting of field number, operator and selection item. The string is then analysed by lines 4270 to 4340. The loop in 4270 to 4290 examines each character in the string until it finds a non-numeric character. If the first character is non-numeric then the string has been incorrectly entered and 4300 prints an error message and loops back to the input.

Line 4310 takes the characters before the first non-numeric character to be the field number and assigns this to fldno. The non-numeric character itself is taken to be the operator and assigned to operator\$, while the rest of the string is taken to be the selection item and assigned to selct\$. Line 4320 checks the validity of the operator and fieldnumber and if one of these is wrong the repeat loop returns to the input with an error message.

If all is well here, the selection loop starting at 4370 is entered, after a numerical value has been obtained from the ASCII code of the operator character in 4350. The loop examines the specified field of each record in the database using a SELect structure to choose the appropriate operator and if a positive result is found it increments the counter variable selected. Otherwise a 'S' is attached to the end of field 0 of the record, which is a change from the previous arrangement (see below). At the end of the loop the number of records selected is displayed as before and the same options of displaying or saving the selected records are offered.

The deselection procedure DES has also been changed. Experience has shown that it is often useful to be able to cancel only the last stage of a multiple selection to allow a new selection to be based on a previous one. For instance, a mail order firm, having selected the names of male customers aged under 30, say, might want to select those living in Birmingham and then those living in Brighton or Newcastle in turn, without having to cancel the whole selection and begin anew each time. This is done by adding an 'S' to field 0 whenever a record is selected out, so that a record which has failed three selections would have SSS in its 0 field (after the first character which is reserved for 'D') while one which has only failed the last selection would only have one S.

To go back to the state existing before the latest selection therefore, the last S has to be removed from each record containing Ss, and this option is now offered by DESLCT. Line 4710 offers the choice of complete cancellation as before by inputting a C (upper or lower case) or of cancelling only the last selection by entering S. If C is entered, the loop in 4370 removes all Ss by setting field 0 in each record equal to

```
3260 DEFine PROCedure op
3270 INPUT "Enter file name: ";q$
3280 SELect ON alias
           =1:af$=q$:lload:legend af$,ann,aindices
=2:bf$=q$:lload:legend bf$,bnn,bindices
3290
3300
            =3:cf$=q$:lload:legend cf$,cnn,cindices
3320 END SELect
3330 databases=databases+1-(databases=3)
3340 END DEFine op
3350 DEFine PROCedure lload
 3360 SELect ON alias
3370 =1:set_array af$,ann,afields,achars,adeleted,aindices:DIM a$(ann+10,afields,achars):DIM andx$(aindices,ann+10,2,achars):inload
as, ann, afields, aindices, apac, andx$, (aindices, ann+10,2, achars):inload
as, ann, afields, aindices, apac, andx$, aoldfile
3380 =2:set_array bf$, bnn, bfields, bchars, bdeleted, bindices:DIM
b$(bnn+10,bfields, bchars):DIM bndx$(bindices, bnn+10,2, bchars):inload
b$, bnn, bfields, bindices, bpac, bndx$, boldfile
3390 =3:set_array cf$, cnn, cfields, cchars, cdeleted, cindices:DIM
c$(cnn+10,cfields, cchars):DIM cndx$(cindices, cnn+10,2, cchars):inload
c$, cnn, cfields, cindices, cpac, cndx$, coldfile
3400 END SELect
3400 END SELect
3410 END DEFine lload
3420 DEFine PROCedure legend(f$,nn,indices)
3430 CLS:AT 10,7:PRINT"The file '"&f$&"' is open":PRINT\ TO 13;nn;"
records"
3440 IF indices THEN PRINT\ TO 13; indices; "index file(s)" 3450 END DEFine legend
3460 REMark ************** SET ARRAY
3470 DEFine PROCedure set_array(f$,nn,fields,chars,deleted,indices)
3480 OPEN_IN #6,"mdv1_"&f$
3490 INPUT#6,nn:INPUT#6,fields:INPUT#6,chars:INPUT#6,deleted:
INPUT#6, indices
3520 DEFine PROCedure inload(x$,nn,fields,indices,pac,xndx$,oldfile)
3530 FOR record=0 TO nn
3540 FOR fld=0 TO fields
3550 INPUT#6,x$(record,fld)
3560 END FOR fld
3570 END FOR record
3580 CLOSE #6:oldfile=1
3590 IF pac THEN RETURN
3600 indices=0:FOR j=1 TO fields:IF x$(0,j,1)="I" THEN indices=indices+1:x$(0,j,2)=indices
3610 IF NOT indices THEN RETurn
 3620 FOR j=1 TO fields
          OR J=1 10 fleids

IF x$(0,j,1)="I" THEN

OPEN_IN #6, "mdv1_"&x$(0,j,4 TO LEN(x$(0,j)))&"_ind"

FOR k=1 TO nn:INPUT#6, xndx$(x$(0,j,2),k,1):INPUT#6,
3630
 3640
3650
 xndx$(x$(0,j,2),k,2)
3660
              CLOSE#6
3670
           END IF
3680 END FOR j
3690 END DEFine inload
 3700 REMark ***************** CREATE
3710 DEFine PROCedure cr
3720 IF alias-databases<1 THEN alias=alias+1-(alias=3)
3730 CLS
3740 INPUT"Please enter file name: ";f$
3750 x$="":fields=0
3760 CLS#4: PRINT#4, "Enter field names in order, up to 8 characters in length." ("Enter shift/ESC to quit."
3770 PRINT"
                      Field name
                                                   Character, Number or Date"
3780 REPeat fname
3790 INPUT\ fields+1;": "; field$;
3800 IF field$="" THEN EXIT fname
3810 INPUT TO 28;type$;:type$=upper$(type$(1))
3820 IF NOT type$ INSTR "CND" THEN INPUT" Invalid type. Only C,N or D
  ;type$
3830 IF LEN(field$)>8 THEN field$=field$(1 TO 8)
3840 field$=" "&type$&field$
3850 x$=x$&field$&",":fields=fields+1
3860 END REPeat fname
3870 INPUT\"How many characters in the longest field?"!chars
3880 IF chars<11 THEN chars=11
3890 DIM z$(0,fields,chars)
3900 FOR j=1 TO fields
3910 slice="," INSTR x$:z$(0,j)=x$(1 TO slice-1)
3920
            IF slice (LEN(x$) THEN x$=x$(slice+1 TO)
3930 END FOR j
3940 nn=0:deleted=0:indices=0
3950 OPEN_NEW#6, "mdv1_"&f$
3960 PRINT#6, nn: PRINT#6, fields: PRINT#6, chars: PRINT#6, deleted:
PRINT#6, indices
3970 FOR j=0 TO fields:PRINT#6,z$(0,j)
3980 CLOSE #6
3990 databases=databases+1-(databases=3)
4000 CLS:CLS#0:INPUT\"The file '"&f$&"' is ready. Enter records now?(Y/N) ";q$
4010 IF q$=="Y" THEN
          SELect ON alias
4020
4030
            =1:af$=f$:lload:en
```

DBQL

```
=2:DIS=IS:11oad:en
 4050
           =3:cf$=f$:lload:en
 4060
          END SELect
 4070 END IF
 4075 CLS:menu
 4080 END DEFine cr
 4090 REMark ************** ENDING
 4100 DEFine PROCedure ending
 4110 CLS:CLS#0:AT 10,33:PRINT"FILES CLOSED"\\ TO 27; "To use again,
 anter RUN.
 4120 END DEFine ending
 4130 REMark **************** SELECT
4140 DEFine PROCedure se
4150 SELect ON alias
           =1:selekt a$,ann,afields,aselected,ac
=2:selekt b$,bnn,bfields,bselected,bc
4160
4170
4180
           =3:selekt c$,cnn,cfields,cselected,cc
4190 END SELect
4200 END DEFine se
4210 REMark ************** SELEKT
4220 DEFine PROCedure selekt (x$,nn,fields,selected,c)
4230 AT#4,0,0:PRINT#4,"Enter field number, operator(=,< or >) and
selection item as a continuous stringof characters e.g. 10=bingo
4240 CLS: FOR j=1 TO fields: PRINT j, x$(0, j, 4 TO LEN(x$(0, j)))
4250 REPeat selection
4260 INPUT q$
4270 FOR j=1 TO LEN(q$)
           IF NOT (CODE(q$(j))<58 AND CODE(q$(j))>47) THEN EXIT j
4280
4290 END FOR j
4300 IF j=1 THEN PRINT "Invalid entry. Refer to instructions": NEXT
selection
4310 fldnos=q$(1 TO j-1):fldno=fldnos:operators=q$(j):selcts=q$(j+1 TO) 4320 IF operators INSTR "=<>" AND fldnos<= fields THEN EXIT selection
4330 PRINT"Invalid entry. Refer to instructions"
4340 END REPeat selection
4350 operator= CODE(operator$)
4360 selected=0
4370 FOR j=1 TO nn
          SELect ON operator
4380
4380 SELECT ON operator
4390 =61:IF selct$ INSTR x$(j,fldno) AND x$(j,0,2)<>"S" THEN
selected=selected+1:ELSE :x$(j,0)=x$(j,0,1 TO LEN(x$(j,0)))&"S":END IF
4400 =60:IF x$(j,fldno)<selct$ AND x$(j,0,2)<>"S" THEN
selected=selected+1:ELSE :x$(j,0)=x$(j,0,1 TO LEN(x$(j,0)))&"S":END IF
4410 =62:IF x$(j,fldno)>selct$ AND x$(j,0,2)<>"S" THEN
selected=selected+1:ELSE :x$(j,0)=x$(j,0,1 TO LEN(x$(j,0)))&"S":END IF
4420
          END SELect
4430 END FOR j
4440 PRINT selected;" records selected"
4450 IF NOT selected THEN menu: RETurn
4460 INPUT"Enter S to save selected records to microdrive"\" list them on screen"\"Press ENTER to return to menu ";q$ 4470 IF q$="S" OR q$="s" THEN
                                                                                            L to
           INPUT "Enter file name "; subfile$
OPEN_NEW#6, "mdv1_"&subfile$
4480
4490
4500
           PRINT#6, selected: PRINT#6, fields: PRINT#6, chars: PRINT#6,0:
PRINT#6,0
4510
           FOR .j=0 TO nn
           IF x$(j,0,2)="S" THEN NEXT j
FOR k=0 TO fields:PRINT#6,x$(j,k)
END FOR j:CLOSE#6
4520
4530
4540
4550 END IF
4560 IF q$="1" OR q$="L" THEN
4570
           CLS:FOR k=1 TO nn:IF x$(k,0,2)<>"S" THEN c=k:b_s_display
4580 END IF
4590 menu
4620 DEFine PROCedure des
4630 SELect ON alias
4640
          =1:deslct a$,ann,aselected
4850
           =3:deslet cs, chan ebsilected
4670 END SELect
4680 END DEFine des
4690 REMark **************** DESLCT
4700 DEFine PROCedure deslct(x$, nn, selected)
4710 PRINT\ "Enter C to cancel all selections"\"
one stage":INPUT opt$
4720 IF opt$="C" OR opt$="c" THEN
4730 FOR j=1 TO nn:x$(j,0)=x$(j,0,1)
                                                                       S to step back
4740
           selected=0
           CLS:PRINT\"All selections cancelled"
4750
4760 ELSE
4770 IF opt$="S" OR opt$="s" THEN
4780
          selected=0
4790
           FOR j=1 TO nn
4800
          IF LEN(x$(j,0))>1 THEN x$(j,0)=x$(j,0,1 TO LEN(x$(j,0))-1)
4810
           selected=selected+(LEN(x$(j,0))=1)
          END FOR j
4820
4830 IF selected=nn THEN PRINT\"All selections now cancelled":ELSE :PRINT\ "Last selection cancelled"\selected;" records now selected"
```

```
4840 ELSE
4890 DEFine PROCedure li
4900 SELect ON alias
4910
          .=1:show as,ann.afields.
4920
           =2:show b$.brn.bfields,
=3:show c$.cnn.cfields,
4930
4940 END SELect
4950 END DEFine li
 4960 REMark *************
5030 IF chan=1 THEN CLS
5040 PRINT"record ";c;:IF x$(c,
:PRINT:PRINT:END IF
5050 FOR fld=1 TO fields
5060 IF NQT nemo THEN PRINT#
5060
11;"; ",
5065 IF x$(0,fld,3)="D" THEN date_rev$(temp$):NEXT fld
5070 PRIND#chan," "&x$(c,fld
5080 END FOR fld
5090 IF lprint AND chan=1 THEN
5100 chan=1
5110 END DEFine display
5120
5130 REMark *******
5140 DEFine PROCedure in
5150 SELect ON alias
5160
           =1:index a$, afields, ach
aoldfile, af$
5170
          =2:index b$,bfields,bch
boldfile, bf$
           =3:index cs.cfields.cch
5180
coldfile,cfs
5190 END SELect
5200 END DEFine in
5210 DEFine PROCedure index(x$,
deleted;oldfile,f$)
5220 DIM ndx$(1,nn,2,chars):act
5230 IF NOT pac THEN
5240 CLS:FOR j=1 TO fields:P
5250 PRINT"Enter field numbe
fldno THEN PRINT"Terminating":R
5260 PRINT"Creating index fi
LEN(x$(0,fldno)))&"_ind"
5270 END IF
5270 END IF

5280 x$(0,fldno,1)="I"

5290 FOR k=1 TO nn:ndx$(active,

5300 DIM comp$(2,chars)
5310 FOR item=2 TO nn
5320 in_sort
5330 END FOR item
5340 indname$=x$(0,fldno,4 TO L
5350 DELETE "mdv1_"&indname$
5360 OPEN_NEW#5,"mdv1_"& indnam
5370 POR k=1 TO nn:PRINT#5,ndx$
5380 CLOSE#5
5390 indices=indices+1
5400 resave=1
5410 dbsave
5420 END DEFine index
5430 REMark ****
5440 DEFine PROCedure in sort
           p=item
 5450
           comp$(1)=ndx$(action.p.
 5460
           ndx$(active.0,1)=:omp$(
 5470
           REPeat compare
 5480
             IF comp$(1)>=ndx$! wct
 5500
 ndx$(active,p,1)=ndx$(active,p=
            p=p-1
END REPeat compare
 5510
5520
           ndx$(active,p,1)=comp$(
 5530
5560 DEFine PROCedure lo
 5570 CLS: INPUT\"Please enter: it
 5580 SELect ON alias
            =1:b_search as.afields,
=2:b_search bs.bfields,
 5590
 5600
            =3:b_search c$,cfieids.
 5610
 5620 END SELect
 5630 END DEFine lo
5640 DEFine PROCedure b_search(
```

```
*** 1.1ST
elected, ac
elected, be
***** SHOW
fields, selected.c)
NO SELECTION HAS BEEN MADE": RETurn.
2)<>"S" THEN c=k:b s display
**** DISPLAY
fields.cl
1)="b" THEN PRINT" ( D )":PRINT:ELSE
an. x$(0,fld,4 TO LEN(x$(0,fld)4);TO
emps=xs(c,fld):PRINT#chan.
an=3:display x$, fields, c
INDEX FILE
s. ann. apac, aresave, aindices, adeleted,
g, bnn, bpac, bresave, bindices, bdeleted,
s.cnn.cpac, cresave, cindices, cdeleted,
elds, chars, nn, pac, resave, indices,
e =1
NT j,x$(0,j,4 TO)
";:fldno=getnumber$(0,fields) :IF NOT.
urn
":x$10,fldno,4 TO
1)= sik,fldno):ndx$(active,k.2)=k
11x$(0.fldno)))&" ind"
ctive, k, 1): PRINT#5, ndx$(active, k, 2)
* IN SORT
(comps(2)=ndx$lactive,p.2)
indx$!active,0,21=comp$(2)
., p-1,11 THEN EXIT compare
1 ndx$(active.p,2)=ndx$(active',p+1,2)
:ndx$(aclive,p,2)=comp$(2)
ARY SEARCH
s ter look for: ":s$
in.ac.aactive; andx$, aindices
in. bc. barrive, bndx$, bindices
m.cc.cactive.ondx$, cindices
```

```
5550 REMark *********** BINARY SEARCH
5560 DEFine PROCedure lo
5570 CLS:INPUT\"Please enter item to look for: ";s$
5580 SELect ON alias
5590 =1:b_search a$,afields,ann,ac,aactive,andx$,aindices
5600 =2:b_search b$,bfields,bnn,bc,bactive,bndx$,bindices
5610 =3:b_search c$,cfields,cnn,cc,cactive,cndx$,cindices
5610 =3:5_search c$,crietds,cnn,cc,cactive,cnux*,cinuices

5620 END SELect

5630 END DEFine lo

5640 DEFine PROCedure b_search(x$,fields,nn,c,active,ndx$,indices)

5650 FOR j=1 TO fields:IF x$(0,j,1)="I" THEN PRINT x$(0,j,2),x$(0,j,4)
TO)
FO)
5660 PRINT\"Current field for search is ";active\"Press ENTER to
confirm "\"or enter another number: ";: q$=getnumber$(0,indices): IF
q$<>"0" THEN active=q$
5670 FOR sfld= 1 TO fields:IF x$(0,sfld,1 TO 2)="I"&active THEN EXIT
5680 z=bin_s(nn,s$,ndx$)
5700 IF x$(c,sfld,1 TO LEN(s$))<>s$ THEN PRINT\"NOT FOUND ":RETURN 5710 CLS
5750 DEFine Function bin_s(n,x$,y$)
5760 LOCal
5770 power=INT(LN(n-1)/LN(2))
5770 power=INI(LN(N-1)/LN(2))
5780 s=2^power
5790 FOR k=power-1 TO 0 STEP -1
5800 s=s+(2^k)*(x$>y$(active,s,1,1 TO LEN(x$)))
LEN(x$)))-(2^k)*(x$<y$(active,s,1,1 TO LEN(x$)))
5810 IF s>n THEN s=n
5820 IF s<1 THEN s=1
 5830 END FOR k
5840 RETurn s
5870 DEFine PROCedure updown(y$,s)
5880 REPeat upward
 5890 s=s-1
 5900 IF s=0 THEN EXIT upward
5910 c=y$(active,s,2)
5920 IF x$(c,sfld,1 TO LEN(s$))<>s$ THEN EXIT upward
5930 END REPeat upward
5940 REPeat downward
5950 s=s+1
5960 c=y$(active,s,2)
5970 IF x$(c,sfld,1 TO LEN(s$))<>s$ THEN EXIT downward
5980 b_s_display
5990 IF s=nn THEN EXIT downward
 6000 END REPeat downward
6030 DEFine PROCedure b_s_display
6040 PRINT*chan, "* ";c&" ";
6042 FOR j=1 to fields
6044 IF x$(0,j,3)="D" THEN temp$=x$(c,j):PRINT*chan, date_rev$(temp$)
  NEXT j
 6046 PRINT#chan, x$(c,j)&" ";
6048 END FOR j
 6049 PRINT#chan
 6050 IF lprint AND chan=1 THEN chan=3:b_s_display
6090 DEFine PROCedure update_index 6100 IF NOT indices THEN RETurn
6110 DIM comp$(2,chars)
6120 FOR j=1 TO fields
6130 IF x$(0,j,1)="I"
                                    THEN
             active=x$(0.j.2)
 6140
 6150
             ndx$(active,nn,1)=x$(nn,j):ndx$(active,nn,2)=nn:item=nn
 6160
6170 END IF
6180 END FOR j
****** PACK
 6220 SELect ON alias
            =1:pak a$,afields,achars,ann,adeleted,aindices,apac,aresave =2:pak b$,bfields,bchars,bnn,bdeleted,bindices,bpac,bresave
 6230
 6240
 6250
             =3:pak c$,cfields,cchars,cnn,cdeleted,cindices,cpac,cresave
 6260 END SELect
6270 END DEFine pa
6280 DEFine PROCedure
  pak(x$, fields, chars, nn, deleted, indices, pac, resave)
 6290 pac=1:resave=1
6300 ssave
 6310 lload
 6320 CLS:PRINT\"Rebuilding the index files. Please wait."
6330 FOR j=1 TO fields
6340 IF x$(0,j,1)="I" THEN
6350 fldno=j
 6360
                PRINT\x$(0,j,4 TO LEN(x$(0,j)))&" index"
 6370
                 in
 6380
             END IF
 6390 END FOR j
 6400 pac=0:resave=0
6410 lload
 6420 END DEFine pa
```

S. fields . nn, c.active . ndx\$, indices).

its first character only. If option S is entered, field 0 of each record is shortened by removing the last character, provided its length is already more than one. A field of only one character length cannot contain any Ss and is left unchanged. Appropriate messages are printed to screen with each option. Note also that 1600 in ENTER nowinserts only one blank character in field 0 in a new record.

If dates are to be selected on using > or < operators then the previous format of date strings is unsuitable, since years are more important than days, and the order of day, month and year needs to be reversed. This is done by a new function DATE REV\$ (line 6490 onwards), which slices the date string into three separate sections for day, month and year and then recombines them in reverse order. The function works equally well for restoring a reversed date to normal format for printing. It is recommended that all dates are stored in reverse form and 1520 reverses a newly entered date in ENTER, so that keyboard entry remains as before, while 2635 does the same for AMEND. Line 5065 prints a reversed (ie normal) date in DISPLAY and line 6044 in

B_S_DISPLAY.

CReate now offers the option of entering data immediately into a newly created database. If this option is accepted, the empty file is loaded according to the current setting of alias and EN is called. QUIT has been altered to check all the databases in memory and call SSAVE for each in turn.

The changes in SSAVE have made it impossible to address DBSAVE directly and PA(ck) now has to call SSAVE. It is therefore necessary to set and cancel the flag *resave* at the same time as *pac*. These statements have been added to PA.

Facilities for printing output on paper have so far been limited and the system has been radically revised. PR now toggles the value of a global flag *print* which is initially set to 0 by START. DISPLAY has been changed so that when 1 print is set and chan = 1 line 5090 sets chan to 3 and then calls DISPLAY itself – a form of looping – and on the second time round, the output goes to channel 3, the printer. With chan set at 3, line 5090 is skipped on the second pass, (avoiding a perpetual loop!) and 5100 resets chan to 1. The same system has been

installed in B_S_ DISPLAY so that results of selections and binary searches can now be printed out. The effect is that with print set, any data printed to screen is echoed to the printer. A new line in MENU now prints a message 'Is the printer ready?' in channel 4 whenever 1 print is set. If the printer is not ready the program will 'hang', waiting for the printer, and this condition could be mistaken for a 'crash'.

Two modifications have been made to ENter. The previous method of saving and reloading the file after entering 10 records no longer works with the new SELect structures and instead the whole procedure has been enclosed in a repeat loop — entryloop which has the same effect. Secondly the display of field names has been changed by the addition of the nested FOR - NEXT loops j and k in 1390 and 1400 so that all the field names are displayed at once, instead of one by one, before input begins with the first field. If the database has more than 19 fields (the number of lines in window #1) the first 19 are displayed, followed by the remainder when the first 19 have been filled.

A full listing of the amended program is included in this article except for the validation functions INTAKE\$, CHECKDATE\$, UPPER\$, LOWER\$ and GETNUMBER\$. These are exactly the same as in last month's listing, except for new line numbers, and should be added at the end of this listing.

Next month I will deal with programming the database and tailoring it for specific applications.

a Ce Le go Bo

BELGIUM

Club Sinclair BruQsL (Belgium) Contact: Jaques Tasset, Aarlenstraat 104, 1040 Brussels, Belgium

SWEDEN

International QL Conference bulletin board system (Swedish and English). Contact: Michael Cronsten, System Operator, Jamten-TCL, S Soere 1073, 83030 Lit, Sweden.

USA

New England Sinclair QL User Group (USA) Membership Secretary: Sherm Waterman, PO Box 8763, Boston, MA 02114 8763, USA. Magazine: NESQLUG News. Editor: Peter Hale, 195 Central Ave., Chelsea, MA 02150, USA.

NORWAY

Norweigan All Sinclair Association (NASA) Contact: P Monstad, NASA, N-5580 Oelen, Norway. Magazine: Sinclair Magazine.

ITALY

Qitaly Club Chairman: Roberto Orlandi, Via Brescia 26,25039 Travagliato (BS), Italy. Tel. (local) +39 30 6863311. Magazine: Qitaly Magazine. Editor: Dr Eros Forenzi, Via Valeriana 44, 23010 Berbenno (SO), Italy. Tel. (local) +39 342 492323.

TURKEY

QL Qlub (Turkey). Contact: Bulent Artuz, Prof. Sitesi B/1 D/5, Etiler 80600, Istanbul, Turkey.

ENGLAND

Quanta (UK) Membership Secretary, Bill Newell, 213 Manor Road, Benfleet, Essex SS7 4JD. Magazine: *Quanta*. Editor: Bill Fuggle, 20 Widnes Avenue, Selly Oak, Birmingham B29 6QE.

Bristol sub-group: Roy Brereton, 94 Teignmouth Rd, Clevedon, Avon BS21 6DR.

Essex sub-group: Bob Fingell, 22 Paley Gardens, Loughton, Essex IG10 2AN.

London sub-group: Jeremy Davis, 6 Elmcroft Crescent, Harrow, Middlesex HA26HN.

Northern Ireland: Billy Turkington, Fairyhill, Rostrevor, Newry, Co., Down BT34 3BB.

Qubbesoft PD library. Contact: Ron Dunnett, 38 Brunwin Rd, Rayne, Braintree, Essex CM7 5BU.

SCOTLAND

Scottish QL Users Group Contact: Alan Pemberton, 65 Lingerwood Rd., Newtongrange, Midlothian EH22 4QQ. Newsletter.

HOLLAND

Sin_QL_Air (Netherlands) Membership Secretary: Bob Visser, Snelrewaard 6, 2904 SN Capelle, a/d Ijssel, Netherlands. Magazine: *Quasar*. Editor: CHM Biemans, Elzenstraat 5, 5461 CL Veghel, Netherlands.

GERMANY

Sinclair QL User Club eV (Germany) Foreign Contact: Franz Herrmann, Talstrasse 21, d-W5460 Ochenfels, West Germany. Magazine: Quasar.

SEIKOSHA PRINTER

Silica Systems are pleased to recommend Seikosha printers at NEW LOW PROMOTIONAL PRICES. The Seikosha range is built to exacting standards, by a company that is used to manufacturing high quality precision products. In fact, you may find that you are already wearing one of these products on your wrist as Seikosha are part of the massive Seiko/Epson group (with a turnover of £6 billion and over 18,000 staff!).

When you buy a Seikosha printer from Silica, we will give you a Silica Printer Starter Kit (worth £25+vat = £29.38) FREE OF CHARGE, to make sure you get off to a flying start with your new printer. For further information on the Seikosha range, complete and return the coupon below. Or, if you can't wait to get your hands on a new low priced Seikosha printer, telephone our mail order hotline, 081-309 1111 to place your order now.

- REE DELIVERY Next day - anywhere in the UK mainland
- REE HELPLINE Technical helpline during office hours
- FREE STARTER KIT Worth £29.38 with every Seikosha printer.
- 1 YEAR WARRANTY With every Seikosha printer from Silica

Printer speeds are quoted as follows:
= Superdraft 15cpi, D = Draft 12cpi, NLQ = Near Letter Quality 12cpi, LQ = Letter Quality 12cpi

Seikosha SP-1900

192CPS DRAFT 80 COL

Seikosha SP-1900AI - 9 pin - 80 col
 192cps Draft, 48cps NLQ
 IK Printer Buffer + 2 Fonts
 Parallel Interface

Graphics Resolution: 144×72dpi Epson and IBM Emulation

Paper Parking
 FREE Printer Starter Kit

SP-1900AI RRP £25 TOTAL RRP: Less Silica Saving: £204 £105

SILICA PRICE (FXC VAT): £99

+VAT= £116.33 Ref: PRI 8190

9-PIN PRINTERS



2 CPS DRAFT 80 COL

- Seikosha SP-2000Al 9 pin 80 col 192cps Draft, 48cps NLQ 21K Printer Buffer + 2 Fonts Parallel and Serial Interfaces

- Graphics Resolution: 144×72dpl Epson and IBM Emulation Optional Auto Sheet Feeder Unit FREE Silica Printer Starter Kit

ER KIT E25 SILICA PRICE: £129



240 CPS DRAFT **136** COL

- Seikosha SP-2415Al 9 pin 136 col
 300cps SD, 240cps Draft, 50cps NLQ
 17.5K Printer Buffer + 5 Fonts
 Parallel and Serial Interfaces

- Graphics Resolution: 240×144dpi
 Epson and IBM Emulation
 Superior Paper Handling
 FREE Silica Printer Starter Kit

SAVING: £136 SILICA PRICE: £209



80 COL U CPS DRAFT

- Selkosha SL-92Al 24 pin 80 col
 240cps Draft, 80cps LQ
 44K Printer Buffer + 2 Fonts

- Parallel Interface Graphics Resolution: 360×360dpi Epson Emulation Optional Font ROM 7 Fonts FREE Silica Printer Starter Kit

SILICA PRICE: £189



24-PIN

PRINTERS

CPS DRAFT 80 COL

- Selkosha SL-210AI 24 pin 80 col 324cps Draft, 108cps LQ 5K Printer Buffer + 9 Fonts Parallel and Serial Interfaces Graphics Resolution: 360×360dpi Epson and IBM Emulation Optional Auto Sheet Feeder FREE Silica Printer Starter Kit

TUTAL RRP: £624

SAVING: £255

SILICA PRICE: £369



80 COL CPS DRAFT

- Seikosha LT-20 24 pin 80 col 180cps SD, 144cps Draft, 60cps LQ 1K Printer Buffer + 9 Fonts
- Parallel Interface Graphics Resolution: 360×180dpi IBM Emulation Built-in 50 Sheet Auto Feeder

- FREE Silica Printer Starter Kit

SAVING: £125 SILICA PRICE: £269

BUSINESS **PRINTERS** (WIDE-BODY)



277 CPS DRAFT 136 COL

- Selkosha SL-230Al 24 pin 136 col 277cps Draft, 92cps Lû 5K Printer Buffer + 9 Fonts Parallel and Serlal Interfaces Graphics Resolution: 360×360dpi Epson and IBM Emulation Optional Auto Sheet Feeder FREE Silica Printer Starter Kit



462 CPS DRAFT 136 COL

- Selkosha BP-5500AI 8 pin 136 col
 462cps Draft, 106cps NLQ
 18K Printer Buffer
 Parallel and Serial Interfaces
 Graphics Resolution: 240×144dpl
 Epson and IBM Emulation
 Optional Auto Sheet Feeder
 FREE Silica Printer Starter Kit

RRP: £1299 STARTER KIT £25 RTER KIT £25
TOTAL RRP: £1324
SAVING: £325
SILICA PRICE: £999



- 520 CPS DRAFT 136 COL

- Selkosha BP-5780AI 18 pin 136 col
 780cps SD, 520cps Draft, 130cps NLQ
 20K Printer Buffer + 2 Fonts
 Parallel and Serial Interfaces
 Graphics Resolution: 240×240dpi
 Epson and IBM Emulation
 Handles 11-6 Multipart Forms
 FREE Silice Printer Starter Kit

SAVING: £325 SILICA PRICE: £1399





800 CPS DRAFT **136** COL

Selkosha SBP-10Al - 18 pin - 136 col
800cps Draft, 200cps NLQ
64K Printer Buffer + 2 Fonts
Parallel and Serial Interfaces
Graphics Resolution: 240×240dpl
Epson and IBM Emulation
Built-in Cut Sheet Feeder
FREE Silica Printer Starter Kit

RRP: £2999 STARTER KIT £25



Every Seikosha printer from Silica, comes with the Silica Printer Starter Kit, worth £29.38 (£25 +VAT) completely FREE OF CHARGE. It includes all you need to get up and running with your new printer.

- 3½" Disk with Amiga & ST Printer Drivers 1.8 Metre Parallel Printer Cable
- 200 Sheets of Quality Continuous Paper 100 Continuous Tractor Feed Address Labels

SILICA **SYSTEMS**

- FREE OVERNIGHT DELIVERY: On all hardware orders shipped in the UK mainland.
 TECHNICAL SUPPORT HELPLINE: Team of PC technical experts at your service.
- TECHNICAL SUPPORT HELPLINE: Team of PC technical experts at your service.
 PRICE MATCH: We normally match competitors on a "Same product Same price" basis.
 ESTABLISHED 12 YEARS: Proven track record in professional computer sales.
 BUSINESS + EDUCATION + GOVERNMENT: Volume discounts available for large orders.
 SHOWROOMS: Demonstration and training facilities at our London & Sidoup branches.
 THE FULL STOCK RANGE: All of your PC requirements from one supplier.
 FREE CATALOGUES: Will be mailed to you with offers and software/peripheral details.
 PAYMENT: By cash, cheque and all major credit cards.

Before you decide when to buy your new printer, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after you have made your purchase, when you may require additional peripherals or software, or help and advice. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for over 12 years and, with our unrivalled experience and expertise, we can now claim to meet our customers requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest Free literature and begin to experience the "Silica Systems Service".

1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Tel: 081-309 1111 Mon-Sat 9.00am-8.00pm No Late Night Opening Fax No: 081-308 0608 52 Tottenham Court Road, London, W1P 0BA Tel: 071-580 4000 Mon-Sat 9.30am-8.00pm No Late Night Opening Rx No: 071-323 4737 Selfridges (1st Floor), Oxford Street, London, W1A 1AB Tel: 071-529 1234 Late Night: Thrusday until 8pm Extension: 3914 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Tel: 081-302 8811 Mon-Sat 9.00am-5.30pm Late Night: Friday until 7pm Fax No: 081-309 0017 MAIL ORDER: LONDON SHOP LONDON SHOP SIDCUP SHOP:

To: Silica Systems Ltd, Dept. QLW 1091-58B, 1-4 The Mews, Hatherley Rd, Sidcup Kent, DA14 4DX

	PLEASE	SEND	FREE	SEIKOSHA	INFORMATION	
Ī	Mr/Mrs/Ms:	Initials:	Sur	name:		
	Company Name (if applicable):					
	A SHOW HAVE THE REAL PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS OF T					



SILICA TO



Address

c | v | 2

a le se 10 12 12

HARDWARE

Care Electronics

0923 672102

Peripherals and accessories.

Thor International

010 4533 930305

010 4533 937544

Digital Precision

081-527 5493

Discs, interfaces, drives, keyboards, RAM expansions.

EEC Ltd

0753 888866

QLs, peripherals, accessories

Miracle Systems

0904 423986

Trump Card interface, modems,

Strong Computer Systems

0267 231246

Sector Software

hard disc drive.

0772 454328

Peripherals.

S.P.E.M

Via Aosta 16, 10154 Torino, Italy. +39 11 857924 Fax +39 11280009 QL disk interfaces, ram, eprom holders.

TF Services


071 724 9053

Repairs, spares, peripherals.

TK Computerware

0303 812801

Peripherals.



SERVICES

Adman Services

0952 255895

Joe Atkinson

36 Ranelagh Road, London W5 5RJ Roms, mdvs and all spares.

Suredata

081-902 5218

Repairs.

QL World

(reader services)

Subscriptions 091 510 8787 (Lazerhold)

Microdrive Exchange 0772 454328 (Sector)

Recent back issues: write to editor

Quanta

User Group, support.

Hon. secretary, Phil Borman.


0933 460690

Xchange User Group

Freepost

Beckenham

Kent BR3 2BR



SOFTWARE

Athene Consultants

0705 511439

ARK Distribution

0983 79496

Archivist, Master Spy and other business and utility software.

Call Us What You Like

55 Greenan, Shaws Road, Belfast BT11 8LX. No telephone. Superspy.

Care Electronics

0923 672102

Tony Tebby software. Miracle hardware, peripherals, utilities.

CGH Services

0559384 574

Adventures. QLAF, DIY Toolkit.

Compware

0270 582301

Task Swopper, Mega Toolbox, Expert, System Shell, Speedscreen and others.

Digital Precision

081-527 5493

Turbo Basic compiler, Desktop Publisher, Editor, Eye-Q Graphics. Sprite generator, Super Forth, Better Basic, Professional and Super Astrologer,

Media Manager, Supercharge,

Blocklands, Driodzone, Aracadia, Reversi, Backgammon, Master Bridge

Tutor, C-M Emulator, C compiler, Lightning speed enhancer.

DJW Software

0256 881701

Homebanker

Dilwyn Jones Computing

0248 354023

Home Budget, Vision Mixer, QL Genealogist, Textidy, Spellbound and others.

Eidersoft

089283 2552

Games utilities, Ice. Pyramide.

ImaQLate Software

42 Albion Street, Broadstairs, Kent CT10 1NE.

Biograph.

Jochen Merz Software

010 49 203501274

QL/Atari Emulators, utility and games software.

Lear Data Systems

6 Southview Green, Bentley Ipswich, Suffolk IP9 2DR

Qtris

Liberation Software

081 546 7795

Basic compiler (QLib) and utilities.

QFILE

Apartado 2110 p-1103 Lisboa Codex, MS-Link and Discopy. Portugal.

QL Supersoft

0256 475992

Spell, Numbers, Superdraw.

Qubbesoft PD

38 Brunwin Road, Rayne, Braintree,

Essex CM7 5BU

Public domain software.

Sector Software

0772 454328

Flashback and other utilities.

SD Microsystems

0462 422897

Business software including General Ledger. Small Traders' Pack/Invoicer and Stock Accounting.

Software 87

33 Savernake Road, London NW3 2JU Text 87 and updates.

Talent Software

0303 813883

Utilities, games.

TK Computerware

0303 812801

Add-ons, spares, software.

WD Software 0534 81392

MICRO A MICRO

QL BARGAIN. Over £2,000 worth of equipment at original prices

JM QL,768K Trumpcard, twin 3.5in disk drives, QCom Modem complete with comms software, Q-Power Battery Backup. Colour monitor, Star LC10 dot matrix printer. Most DP main software programs complete with manuals + over thirty other programs on disk and microdrive. Many spare microdrive cartridges. Text books on QL users and magazines. Offers for the whole system only. £700 ono. 081-290 4061 evenings.

QL SYSTEMS Microvitec colour monitor, Users Guide, ARCHIVE Handbook Pyramide's THE DESIGNER and Ultrasoft's QWRITER (microdrive versions) £60 the lot (plus p&p). Telephone (0532) 747705



Programmieren in QDOS

Betriebssystems

Basic.

Traps

Discette.

an obige Adresse.

ca. 400 Seiten DM 79.80

H. - Peter Recktenwald - Tel.: 852

D-1000 Berlin 41, Albestr. 21

Eine ausführliche Beschreibung des

Arbeitsweise einschließlich Pointer Interface, Thing-Erweiterung und der

programmierbaren Hardware. Mit

Beispielen zu den gängigen Standards und allen wichtigen Details der

Programmierung, Jobs, neuen Devices,

Erweiterungen und Parameter-Angaben

Kurzbeschreibung zu Systemzahlen,

Beispielprogramme und assemblertaugliche Tabellen und Texte auch auf

Inhaltsverzeichnis gegen Freiumschlag

und

und

Tabellen

seiner

Vectoren.

Vollständiges

Digitize moving pictures in real time. Transforms OL into a video printer or 3-D image digitizer via a video camera/recorder Digitizes in .02 secs.

*256x256 resolution in 8 levels

*Eull, '\u00ed, or 4x '\u00ed, soren modes

*Screen update - 5 or 2.7 frame/sec

*1-11 grey level 9-pin printer dump.

*Interfaces to OL ROM PORT

*Quine on inexmanded OL and multitasks, 1:1 grey level 9-pin printer dump.
Interfaces to QL ROM PORT
Runs on unexpanded QL and multitasks.

Digitize moving pictures in real time. Transforms QL into a

QL REAL TIME DIGITIZER

MICRO ADS

MICRO ADS ... MICRO ADS ...

MICRO ADS ... MICRO ADS ...

MICRO ADS . . . MICRO ADS

MICRO ADS

... MICRO

AD

CL SYSTEMS, 403 CHAPTER ROAD, DOLLIS HILL

QL ROMS AND SPARES

ROMS, MGE (Spanish, MGF (French), MGG (German), JS (English), £20 each. JM (English), £10

£10

MDVS. Complete QL MDV Subunit £20, head and chassis £10, Microswitch £2, Motor £6. Rubber & Plastic Roller £2. MDV2 Stand-off spacer + srew £2. ULA £5. Tr 4,56,7 set £2. MDV pcb inc, ULA £11. Prices include UK postage. Send SAE for price list of all QL spares. Joe Atkinson, 36 Ranelagh Road, Ealing, London W5 5RJ (Mail Order Only).

QTop is the definitive User-Front-End package for all QL compatible computers, the SINCLAIR QL itself, all CST Thor computers including the powerful Thor XVI, the ATARI ST and AMIGA with QL-Emulators. QTop is the QL's equivalent to WINDOWS on MS-DOS PC's. The powerful QJUMP extended Pointer Environment is included and if it's installed all its facilities are supported. The main menus of QTop are DESK, DEVICES, FILES, JOBS, KEYBOARD, PROGRAMS, MY PROGS, TOOLS and OPTIONS with over 110 sub-menus. **QTop** is ideal for Gold-Card or Harddisk users as it supports real Sub-Directories, The **QTop** package includes five disktop accessories: CLOCKS, DEMOS, ANIMATOR, INDEX and SNAP. Software with 41 page manual is available in English or German. Free updates and user support. Ask for free product information sheet. Prices including P&P are SFR 90 (on one 3.5" or 5.25" disc) and SFR 98 (on three mdv). Send orders with cheques drawn in SFR to:

COWO Electronic Urs König, Münsterstrasse 4, CH-6210 Sursee, Tel 045-211478

or contact your local distributor: TK Computerware in the UK and QLympic Computer Systems in Germany.

Please send coupon to: Advertising Department Sinclair/QL World, Panini House, 116/120 Goswell Road, London EC1. Pleae place this Classified Advertisement in the next issue of Sinclair/QL World.

NAMEADDRESS	I enclose a cheque/P.O. to the value of £17.65 (inc. VAT) for a lineage advertisement of no more than 30 words. Please make cheques payable to MCPC Ltd			
DAYTIME TELEPHONE NO				

SINCLAIR

THE PREMIER MAGAZINE





For one month only, Sinclair QL World is offering you the chance to subscribe for 12 months and receive 14 issues. Yes, that's 2 free issues! Subscribe now!

The first issue of a new subscription to be delivered will be one or two issues atter the one you placed your order in

Please send me one year's subscription to Sinclair QL World. I enclose my cheque/money order for £ made payable to MCPC LIMITED or debit my Access/Visa card.				
Card No.				
Expiry date				
Name				
Address				
Postrode	(Please			
	Date			
Send to: M.S.M. Subs. Dept., Lazahold Ltd., P.O. Box 10, Roper Street, Pallion Ind. Estate, Sunderland SR4 6SN.				

U.K.: £23.40, EUROPE: £32.90, REST OF THE WORLD: £40.90 OVERSEAS RATES INCLUDE AIRMAIL SERVICE